



The XePersian Package

Source documentation for version 25.8

to my Master, Ferdowsi The Great

If you want to report any bugs or typos and corrections in the documentation, or ask for any new features, or suggest any improvements, or ask any questions about the package, then please use the issue tracker:

<https://github.com/xepersian/xepersian/issues>

In doing so, please always explain your issue well enough, and always include a minimal working example showing the issue.

You may also have conversations, ask questions and post answers without opening issues using the Discussions space:

<https://github.com/xepersian/xepersian/discussions>

The announcements for the new releases of the package will also appear in the Discussions space under the Announcements category.

Copyright (c) 2008–2025 Vafa Khalighi
Copyright (c) 2018–2020 bidi-tex GitHub Organization

Permission is granted to distribute and/or modify *both the documentation and the code* under the conditions of the L^AT_EX Project Public License, either version 1.3c of this license or (at your option) any later version.

The XePersian Package

Persian for L^AT_EX 2_E, using XeT_EX engine

Source documentation for [version 25.8](#)

Vafa Khalighi*

January 1, 2025

Contents

1	File algorithmic-xepersian.def	2	19 File breqn-xepersian.def	6
2	File algorithm-xepersian.def	2	20 File latex-localise-commands-xepersian.def	7
3	File amsart-xepersian.def	2	21 File color-localise-xepersian.def	24
4	File amsbook-xepersian.def	2	22 File xepersian-localise-commands-xepersian.def	25
5	File appendix-xepersian.def	3	23 File enumerate-xepersian.def	26
6	File article-xepersian.def	3	24 File enumitem-xepersian.def	26
7	File artikell-xepersian.def	3	25 File latex-localise-environments-xepersian.def	26
8	File artikel2-xepersian.def	3	26 File xepersian-localise-environments-xepersian.def	27
9	File artikel3-xepersian.def	3	27 File extarticle-xepersian.def	28
10	File backref-xepersian.def	4	28 File extbook-xepersian.def	28
11	File beamer-xepersian.def	4	29 File extrafootnotefeatures-xepersian.def	28
12	File beamerbasetranslator-xepersian.def	4	30 File extreport-xepersian.def	28
13	File biditufte sidenote-xepersian.def	5	31 File fancyref-xepersian.def	28
14	File bidimoderncv-xepersian.def	5	32 File footnote-xepersian.def	31
15	File boek3-xepersian.def	5	33 File framed-xepersian.def	31
16	File boek-xepersian.def	5	34 File glossaries-xepersian.def	32
17	File bookest-xepersian.def	6	35 File hyperref-xepersian.def	32
18	File book-xepersian.def	6	36 File imsproc-xepersian.def	33

*Thanks to the bidi-tex GitHub organization consisted of David Carlisle and other members of the L^AT_EX team for maintaining the package in the period 2018–2020.

37 File kashida-xepersian.def	33	52 File refrep-xepersian.def	53
38 File listings-xepersian.def	34	53 File report-xepersian.def	53
39 File loadingorder-xepersian.def	34	54 File scrartcl-xepersian.def	53
40 File localise-xepersian.def	35	55 File scrbook-xepersian.def	54
41 File memoir-xepersian.def	37	56 File scrreprt-xepersian.def	55
42 File latex-localise-messages-xepersian.def	37	57 File soul-xepersian.def	56
43 File minitoc-xepersian.def	37	58 File tkz-linknodes-xepersian.def	57
44 File latex-localise-misc-xepersian.def	37	59 File tocloft-xepersian.def	57
45 File natbib-xepersian.def	44	60 File varioref-xepersian.def	57
46 File packages-localise-xepersian.def	48	61 File xepersian.sty	59
47 File url-xepersian.def	51	62 File xepersian-magazine.cls	86
48 File persian-tex-text.map	51	63 File xepersian-mathdigitspec.sty	102
49 File persian-tex-text-nonumbers.map	52	64 File xepersian-multiplechoice.sty	109
50 File rapport1-xepersian.def	52	65 File xepersian-persiancal.sty	111
51 File rapport3-xepersian.def	53		

1 File algorithmic-xepersian.def

```
1 \ProvidesFile{algorithmic-xepersian.def}[2010/07/25 v0.2 adaptations for algorithmic package]
2 \def\algorithmicrequire{\if@RTL\textrbf{ :}\else\textrbf{Require:}\fi}
3 \def\algorithmicensure{\if@RTL\textrbf{ :}\else\textrbf{Ensure:}\fi}
```

2 File algorithm-xepersian.def

```
4 \ProvidesFile{algorithm-xepersian.def}[2010/07/25 v0.2 adaptations for algorithm package]
5 \def\ALG@name{\if@RTL else\Algorithm\fi}
6 \def\ALGS@name{ }
7 \def\listalgorithmname{\if@RTL \ALGS@name\else List of \ALG@name s\fi}
```

3 File amsart-xepersian.def

```
8 \ProvidesFile{amsart-xepersian.def}[2017/02/04 v0.4 adaptations for amsart class]
9 \renewcommand \thepart {\@artibi\c@part}
10 \def\appendix{\par\c@section\z@ \c@subsection\z@}
11 \let\sectionname\appendixname
12 \def\thesection{\@harfi\c@section}
13
```

4 File amsbook-xepersian.def

```
14 \ProvidesFile{amsbook-xepersian.def}[2017/02/04 v0.5 adaptations for amsbook class]
15 \def\frontmatter{\cleardoublepage\pagenumbering{harfi}}
```



```

16 \renewcommand \thepart {\@tartibi\c@part}
17 \def\appendix{\par
18   \c@chapter\z@\c@section\z@
19   \let\chaptername\appendixname
20   \def\thechapter{\@harfi\c@chapter}}
21
22

```

5 File appendix-xepersian.def

```

23 \ProvidesFile{appendix-xepersian.def}[2015/02/01 v0.1 adaptations for appendix package]
24 \renewcommand{\@resetsofpp}{\par
25   \@ppssavesec
26   \stepcounter{@pps}
27   \setcounter{section}{0}%
28   \if@chapter@pp
29     \setcounter{chapter}{0}%
30     \renewcommand{\chapapp}{\appendixname}%
31     \renewcommand{\thechapter}{\@harfi\c@chapter}%
32   \else
33     \setcounter{subsection}{0}%
34     \renewcommand{\thesection}{\@harfi\c@section}%
35   \fi
36   \restoreapp
37 }

```

6 File article-xepersian.def

```

38 \ProvidesFile{article-xepersian.def}[2010/07/25 v0.2 adaptations for standard article class]
39 \renewcommand \thepart {\@tartibi\c@part}
40 \renewcommand\appendix{\par
41   \setcounter{section}{0}%
42   \setcounter{subsection}{0}%
43   \gdef\thesection{\@harfi\c@section}}

```

7 File artikel1-xepersian.def

```

44 \ProvidesFile{artikel1-xepersian.def}[2010/07/25 v0.1 adaptations for artikel1 class]
45 \renewcommand*\thepart{\@tartibi\c@part}
46 \renewcommand*\appendix{\par
47   \setcounter{section}{0}%
48   \setcounter{subsection}{0}%
49   \gdef\thesection{\@harfi\c@section}}

```

8 File artikel2-xepersian.def

```

50 \ProvidesFile{artikel2-xepersian.def}[2010/07/25 v0.1 adaptations for artikel2 class]
51 \renewcommand*\thepart{\@tartibi\c@part}
52 \renewcommand*\appendix{\par
53   \setcounter{section}{0}%
54   \setcounter{subsection}{0}%
55   \gdef\thesection{\@harfi\c@section}}

```

9 File artikel3-xepersian.def



```

56 \ProvidesFile{artikel3-xepersian.def}[2010/07/25 v0.1 adaptations for artikel3 class]
57 \renewcommand*\thepart{\@tartibi\c@part}
58 \renewcommand*\appendix{\par
59   \setcounter{section}{0}%
60   \setcounter{subsection}{0}%
61   \gdef\thesection{\@harfi\c@section}%

```

10 File backref-xepersian.def

```

62 \ProvidesFile{backref-xepersian.def}[2010/07/25 v0.1 adaptations for backref package]
63 \def\backrefpagesname{\if@RTL else\ pages\fi}
64 \def\BR@Latincitex[#1]#2{%
65   \BRorg@Latincitex[#{1}]{#2}%
66   \ifBR@verbose
67     \PackageInfo{backref}{back Latin cite \string`#2\string'}%
68   \fi
69   \Hy@backout{#2}%
70 }
71 \AtBeginDocument{%
72   \@ifundefined{NAT@parse}{%
73     \global\let\BRorg@Latincitex\@Latincitex
74     \global\let\@Latincitex\BR@Latincitex
75   }{%
76     \ifpackageloaded{hyperref}{%
77       \def\hyper@natlinkstart#1{\Hy@backout{#1}}%
78     }%
79     \PackageInfo{backref}{** backref set up for natbib **}%
80   }%
81 }%

```

11 File beamer-xepersian.def

```

82 \ProvidesFile{beamer-xepersian.def}[2022/06/27 v0.2 xepersian changes to beamer class]
83 \usefonttheme{stillsansserifmath}{serif}
84
85 \renewcommand*{\bidi@beamer@today}{%
86 \the\persianyear-\ifnum\persianmonth<10\relax0\fi\the\persianmonth-\ifnum\persianday<10\relax
87
88

```

12 File beamerbasetranslator-xepersian.def

```

89 \ProvidesFile{beamerbasetranslator-xepersian.def}[2022/06/27 v0.3 xepersian changes to beamer
90 \newcommand*{\ProvidePersianTranslation}[2]{%
91   \providetranslation{#1}{\ifRtoL{#2}{#1}}%
92 }
93
94 \ProvidePersianTranslation{Corollary}{ }
95 \ProvidePersianTranslation{Definition}{ }
96 \ProvidePersianTranslation{Definitions}{ }
97 \ProvidePersianTranslation{Example}{ }
98 \ProvidePersianTranslation{Examples}{ }
99 \ProvidePersianTranslation{Fact}{ }
100 \ProvidePersianTranslation{From?}{ }

```



```

101 \ProvidePersianTranslation{Lemma}{ }
102 \ProvidePersianTranslation{Problem}{ }
103 \ProvidePersianTranslation{Section}{ }
104 \ProvidePersianTranslation{Solution}{ }
105 \ProvidePersianTranslation{Subsection}{ }
106 \ProvidePersianTranslation{Theorem}{ }
107 \ProvidePersianTranslation{When?}{ }
108 \ProvidePersianTranslation{Who?}{ }
109
110

```

13 File `budituftesidenote-xepersian.def`

```

111 \ProvidesFile{budituftesidenote-xepersian.def}[2017/02/04 v0.3 xepersian changes to biditufte
112
113 \setLTRcitationfont{\resetlatinfont\footnotesize}
114
115 \renewcommand*{\@budituftesidenote@LTRmarginfont}{\resetlatinfont\footnotesize}
116
117 \renewcommand*{\@budituftesidenote@RTLmarginfont}{\setpersianfont\footnotesize}
118
119

```

14 File `bidimoderncv-xepersian.def`

```

120 \ProvidesFile{bidimoderncv-xepersian.def}[2010/07/25 v0.1 adaptations for bidimoderncv class]
121 \def\refname{\if@RTL else\ Publications\fi}

```

15 File `boek3-xepersian.def`

```

122 \ProvidesFile{boek3-xepersian.def}[2010/07/25 v0.1 adaptations for boek3 class]
123 \renewcommand*\thepart{\@tartibi\c@part}
124 \renewcommand*\frontmatter{%
125   \cleardoublepage
126   \@mainmatterfalse
127   \pagenumbering{harfi}}
128 \renewcommand*\appendix{\par
129   \setcounter{chapter}{0}%
130   \setcounter{section}{0}%
131   \gdef\@chapapp{\appendixname}%
132   \gdef\thechapter{\@harfi\c@chapter}}

```

16 File `boek-xepersian.def`

```

133 \ProvidesFile{boek-xepersian.def}[2010/07/25 v0.1 adaptations for boek class]
134 \renewcommand*\thepart{\@tartibi\c@part}
135 \renewcommand*\frontmatter{%
136   \cleardoublepage
137   \@mainmatterfalse
138   \pagenumbering{harfi}}
139 \renewcommand*\appendix{\par
140   \setcounter{chapter}{0}%
141   \setcounter{section}{0}%
142   \gdef\@chapapp{\appendixname}%

```



```
143 \gdef\thechapter{\@harfi\c@chapter}}
```

17 File bookest-xepersian.def

```
144 \ProvidesFile{bookest-xepersian.def}[2010/07/25 v0.1 adaptations for bookest class]
145 \renewcommand \thepart {\@tartibi\c@part}
146 \renewcommand\appendix{\par
147   \setcounter{chapter}{0}%
148   \setcounter{section}{0}%
149   \gdef\@chapapp{\appendixname}%
150   \gdef\thechapter{\@harfi\c@chapter}
151 }%end appendix
```

18 File book-xepersian.def

```
152 \ProvidesFile{book-xepersian.def}[2010/07/25 v0.2 adaptations for standard book class]
153 \renewcommand\frontmatter{%
154   \cleardoublepage
155   \@mainmatterfalse
156   \pagenumbering{harfi}}
157 \renewcommand \thepart {\@tartibi\c@part}
158 \renewcommand\appendix{\par
159   \setcounter{chapter}{0}%
160   \setcounter{section}{0}%
161   \gdef\@chapapp{\appendixname}%
162   \gdef\thechapter{\@harfi\c@chapter}
163 }%end appendix
```

19 File breqn-xepersian.def

```
164 \ProvidesFile{breqn-xepersian.def}[2010/07/25 v0.1 adaptations for breqn package]
165 \def@\dmath[#1]{\if@RTL\@RTLfalse\addfontfeatures{Mapping=farsidigits}\fi%
166   \everydisplay\expandafter{\the\everydisplay \display@setup}%
167   \if@noskipsec \leavevmode \fi
168   \if@inlabel \leavevmode \global\@inlabelfalse \fi
169   \if\eq@group\else\eq@prelim\fi
170   \setkeys{breqn}{#1}%
171   \the\eqstyle
172   \eq@setnumber
173   \begingroup
174   \eq@setup@a
175   \eq@startup
176 }
177 \def@\dgroup[#1]{\if@RTL\@RTLfalse\addfontfeatures{Mapping=farsidigits}\fi%
178   \let\eq@group\@True \global\let\eq@GRP@first@dmath\@True
179   \global\GRP@queue\emptytoks \global\setbox\GRP@box\box\voidb@x
180   \global\let\GRP@label\empty
181   \global\grp@wdL\z@\global\grp@wdR\z@\global\grp@wdT\z@
182   \global\grp@linewidth\z@\global\grp@wdNum\z@
183   \global\let\grp@eqs@numbered\@False
184   \global\let\grp@aligned\@True
185   \global\let\grp@shiftnumber\@False
186   \eq@prelim
187   \setkeys{breqn}{#1}%
188 }
```



```

188   \if\grp@hasNumber \grp@setnumber \fi
189 }
190 \def\@dseries[#1]{\if@RTL\@RTLfalse\addfontfeatures{Mapping=farsiDigits}\fi%
191   \let\display@setup\dseries@display@setup
192 % Question: should this be the default for dseries???
193   \global\eq@wdCond\z@
194   \mathsurround\z@\@@math \penalty\@Mi
195   \let\endmath\ends@math
196   \def\premath{%
197     \ifdim\lastskip<.3em \unskip
198     \else\ifnum\lastpenalty<\@M \dquad\fi\fi
199   }%
200 }%
201 \def\postmath{\unpenalty\eq@addpunct \penalty\intermath@penalty \dquad \ignorespaces
202 \ignorespaces
203 }

```

20 File `latex-localise-commands-xepersian.def`

```

204 \ProvidesFile{latex-localise-commands-xepersian.def}[2014/02/05 v0.3 Persian localisation of
205 \eqcommand{ }{@arstrut}
206 \eqcommand{ }{@above}
207 \eqcommand{ }{@abovedisplayshortskip}
208 \eqcommand{ }{@abovedisplayskip}
209 \eqcommand{ }{@abstractname}
210 \eqcommand{ }{@accent}
211 \eqcommand{ }{@active}
212 \eqcommand{ }{@addcontentsline}
213 \eqcommand{ }{@addpenalty}
214 \eqcommand{ }{@address}
215 \eqcommand{ }{@addtocontents}
216 \eqcommand{ }{@addtocounter}
217 \eqcommand{ }{@addtolength}
218 \eqcommand{ }{@advvspace}
219 \eqcommand{ }{@adjdemerits}
220 \eqcommand{ }{@advance}
221 \eqcommand{ }{@afterassignment}
222 \eqcommand{ }{@aftergroup}
223 \eqcommand{ }{@aleph}
224 \eqcommand{ }{@aliasfontfeature}
225 \eqcommand{ }{@aliasfontfeatureoption}
226 \eqcommand{ }{@allowbreak}
227 \eqcommand{ @}{@alloc@}
228 \eqcommand{ }{@allocationnumber}
229 \eqcommand{ }{@allowdisplaybreaks}
230 \eqcommand{ }{@Alph}
231 \eqcommand{ }{@alph}
232 \eqcommand{ }{@alsoname}
233 \eqcommand{ }{@and}
234 \eqcommand{ }{@angle}
235 \eqcommand{ }{@appendixname}
236 \eqcommand{ }{@approx}
237 \eqcommand{ }{@arabic}
238 \eqcommand{ }{@arg}

```



```

239 \eqcommand{ }{\arrayrulecolor}
240 \eqcommand{ }{\arraycolsep}
241 \eqcommand{ }{\arrayrulewidth}
242 \eqcommand{ }{\arraystretch}
243 \eqcommand{ }{\AtBeginDocument}
244 \eqcommand{ }{\AtEndDocument}
245 \eqcommand{ }{\AtEndOfClass}
246 \eqcommand{ }{\AtEndOfPackage}
247 \eqcommand{ }{\author}
248 \eqcommand{ }{\backmatter}
249 \eqcommand{ }{\backslash}
250 \eqcommand{ }{\badness}
251 \eqcommand{ }{\bar}
252 \eqcommand{ }{\baselineskip}
253 \eqcommand{ }{\baselinestretch}
254 \eqcommand{ }{\batchmode}
255 \eqcommand{ }{\begin}
256 \eqcommand{ }{\beginL}
257 \eqcommand{ }{\beginR}
258 \eqcommand{ }{\begingroup}
259 \eqcommand{ }{\belowdisplayshortskip}
260 \eqcommand{ }{\belowdisplayskip}
261 \eqcommand{ }{\bf}
262 \eqcommand{ }{\bfdefault}
263 \eqcommand{ }{\bfseries}
264 \eqcommand{ }{\bgroup}
265 \eqcommand{ }{\bibitem}
266 \eqcommand{ }{\bibliography}
267 \eqcommand{ }{\bibliographystyle}
268 \eqcommand{ }{\bibname}
269 \eqcommand{ }{\bigskip}
270 \eqcommand{ }{\bigskipamount}
271 \eqcommand{ }{\botfigrule}
272 \eqcommand{ }{\botmark}
273 \eqcommand{ }{\bottompageskip}
274 \eqcommand{ }{\bottomfraction}
275 \eqcommand{ }{\box}
276 \eqcommand{ }{\boxmaxdepth}
277 \eqcommand{ }{\break}
278 \eqcommand{ }{\bullet}
279 \eqcommand{ @ }{@cclv}
280 \eqcommand{ @ }{@cclvi}
281 \eqcommand{ }{\caption}
282 \eqcommand{ }{\catcode}
283 \eqcommand{ }{\cc}
284 \eqcommand{ }{\ccname}
285 \eqcommand{ }{\cdot}
286 \eqcommand{ }{\cdots}
287 \eqcommand{ }{\centering}
288 \eqcommand{ }{\centerline}
289 \eqcommand{ @ }{\ch@ck}
290 \eqcommand{ }{\chapter}
291 \eqcommand{ }{\chaptername}
292 \eqcommand{ }{\char}

```



```

293 \eqcommand{ }{chardef}
294 \eqcommand{ }{CheckCommand}
295 \eqcommand{ }{cite}
296 \eqcommand{ }{ClassError}
297 \eqcommand{ }{ClassInfo}
298 \eqcommand{ }{ClassWarning}
299 \eqcommand{ }{ClassWarningNoLine}
300 \eqcommand{ }{cleaders}
301 \eqcommand{ }{cleardoublepage}
302 \eqcommand{ }{clearpage}
303 \eqcommand{ }{cline}
304 \eqcommand{ }{closein}
305 \eqcommand{ }{closeout}
306 \eqcommand{ }{closing}
307 \eqcommand{ }{clubpenalty}
308 \eqcommand{ }{clubsuit}
309 \eqcommand{ }{colbotmark}
310 \eqcommand{ }{colfirstmark}
311 \eqcommand{ }{color}
312 \eqcommand{ }{colorbox}
313 \eqcommand{ }{coltopmark}
314 \eqcommand{ }{columncolor}
315 \eqcommand{ }{columnsep}
316 \eqcommand{ }{columnwidth}
317 \eqcommand{ }{columnseprule}
318 \eqcommand{ }{contentsline}
319 \eqcommand{ }{contentsname}
320 \eqcommand{ }{copy}
321 \eqcommand{ }{copyright}
322 \eqcommand{ }{count}
323 \eqcommand{ @}{count@}
324 \eqcommand{ }{countdef}
325 \eqcommand{ }{cr}
326 \eqcommand{ }{crcr}
327 \eqcommand{ }{csname}
328 \eqcommand{ }{CurrentOption}
329 \eqcommand{ }{dashbox}
330 \eqcommand{ }{dashv}
331 \eqcommand{ @}{date}
332 \eqcommand{ }{date}
333 \eqcommand{ }{day}
334 \eqcommand{ }{dblbotfigrule}
335 \eqcommand{ }{dblbottomfraction}
336 \eqcommand{ }{dblfigrule}
337 \eqcommand{ }{dblfloatpagefraction}
338 \eqcommand{ }{dblfloatsep}
339 \eqcommand{ }{dblfnllocatecode}
340 \eqcommand{ }{dbltextfloatsep}
341 \eqcommand{ }{dbltopfraction}
342 \eqcommand{ }{DeclareFixedFont}
343 \eqcommand{ }{DeclareGraphicsExtensions}
344 \eqcommand{ }{DeclareGraphicsRule}
345 \eqcommand{ }{DeclareOldFontCommand}
346 \eqcommand{ }{DeclareOption}

```



```

347 \eqcommand{      }{DeclareRobustCommand}
348 \eqcommand{      }{DeclareSymbolFont}
349 \eqcommand{      }{deadcycles}
350 \eqcommand{ }{def}
351 \eqcommand{ @ }{define@key}
352 \eqcommand{      }{definecolor}
353 \eqcommand{ }{deg}
354 \eqcommand{      }{delcode}
355 \eqcommand{ }{delimiter}
356 \eqcommand{      }{delimiterfactor}
357 \eqcommand{ }{depth}
358 \eqcommand{ }{diamondsuit}
359 \eqcommand{ }{dim}
360 \eqcommand{ }{dimen}
361 \eqcommand{ @}{dimen@}
362 \eqcommand{ @ }{dimen@i}
363 \eqcommand{ @ }{dimen@ii}
364 \eqcommand{      }{dimendef}
365 \eqcommand{      }{discretionary}
366 \eqcommand{      }{displaybreak}
367 \eqcommand{      }{displayindent}
368 \eqcommand{      }{displaystyle}
369 \eqcommand{      }{displaywidth}
370 \eqcommand{      }{divide}
371 \eqcommand{      }{documentclass}
372 \eqcommand{ }{do}
373 \eqcommand{      }{dospecials}
374 \eqcommand{      }{dot}
375 \eqcommand{      }{doteq}
376 \eqcommand{      }{dotfill}
377 \eqcommand{      }{dots}
378 \eqcommand{      }{doublebox}
379 \eqcommand{      }{doublerulesepcolor}
380 \eqcommand{      }{doublerulesep}
381 \eqcommand{      }{downarrow}
382 \eqcommand{      }{dp}
383 \eqcommand{      }{dump}
384 \eqcommand{      }{edef}
385 \eqcommand{      }{egroup}
386 \eqcommand{      }{eject}
387 \eqcommand{      }{else}
388 \eqcommand{      }{em}
389 \eqcommand{      }{emergencystretch}
390 \eqcommand{      }{emph}
391 \eqcommand{@ }{@empty}
392 \eqcommand{      }{empty}
393 \eqcommand{      }{emptyset}
394 \eqcommand{      }{end}
395 \eqcommand{      }{endL}
396 \eqcommand{      }{endR}
397 \eqcommand{      }{endcsname}
398 \eqcommand{      }{endfirsthead}
399 \eqcommand{      }{endfoot}
400 \eqcommand{      }{endgraf}

```



```

401 \eqcommand{ }{endgroup}
402 \eqcommand{ }{endhead}
403 \eqcommand{ }{endinput}
404 \eqcommand{ }{endlastfoot}
405 \eqcommand{ }{enlarge this page}
406 \eqcommand{ }{endline}
407 \eqcommand{ }{endlinechar}
408 \eqcommand{ }{enspace}
409 \eqcommand{ }{enskip}
410 \eqcommand{ }{eqcommand}
411 \eqcommand{ }{eqenvironment}
412 \eqcommand{ }{eqref}
413 \eqcommand{ }{errhelp}
414 \eqcommand{ }{errmessage}
415 \eqcommand{ }{errorcontextlines}
416 \eqcommand{ }{errorstopmode}
417 \eqcommand{ }{escapechar}
418 \eqcommand{ }{euro}
419 \eqcommand{ }{evensidemargin}
420 \eqcommand{ }{everycr}
421 \eqcommand{ }{everydisplay}
422 \eqcommand{ }{everyhbox}
423 \eqcommand{ }{everyjob}
424 \eqcommand{ }{everymath}
425 \eqcommand{ }{everypar}
426 \eqcommand{ }{everyvbox}
427 \eqcommand{ }{ExecuteOptions}
428 \eqcommand{ }{exhyphenpenalty}
429 \eqcommand{ }{expandafter}
430 \eqcommand{ }{extracolsep}
431 \eqcommand{@ }{@firstofone}
432 \eqcommand{@ }{@firstoftwo}
433 \eqcommand{ @ }{f@ur}
434 \eqcommand{ }{fam}
435 \eqcommand{ }{fancypage}
436 \eqcommand{ }{fbox}
437 \eqcommand{ }{fboxrule}
438 \eqcommand{ }{fboxsep}
439 \eqcommand{ }{fcolorbox}
440 \eqcommand{ }{fi}
441 \eqcommand{ }{figurename}
442 \eqcommand{ }{filbreak}
443 \eqcommand{ }{fill}
444 \eqcommand{ }{firstmark}
445 \eqcommand{ }{flat}
446 \eqcommand{ }{floatpagefraction}
447 \eqcommand{ }{floatingpenalty}
448 \eqcommand{ }{floatsep}
449 \eqcommand{ }{flushbottom}
450 \eqcommand{ }{fmtname}
451 \eqcommand{ }{fmtversion}
452 \eqcommand{ }{fnsymbol}
453 \eqcommand{ }{font}
454 \eqcommand{ }{fontdimen}

```



```

455 \eqcommand{ }{fontencoding}
456 \eqcommand{ }{fontfamily}
457 \eqcommand{ }{fontname}
458 \eqcommand{ }{fontseries}
459 \eqcommand{ }{fontshape}
460 \eqcommand{ }{fontsize}
461 \eqcommand{ }{footheight}
462 \eqcommand{ }{footins}
463 \eqcommand{ }{footnote}
464 \eqcommand{ }{footnotemark}
465 \eqcommand{ }{footnoterule}
466 \eqcommand{ }{footnotesep}
467 \eqcommand{ }{footnotesign}
468 \eqcommand{ }{footnotetext}
469 \eqcommand{ }{footskip}
470 \eqcommand{ }{frame}
471 \eqcommand{ }{framebox}
472 \eqcommand{ }{frenchspacing}
473 \eqcommand{ }{frontmatter}
474 \eqcommand{ }{futurelet}
475 \eqcommand{@ }{@gobble}
476 \eqcommand{@ }{@gobbletwo}
477 \eqcommand{@ }{@gobblefour}
478 \eqcommand{@ }{@gtempa}
479 \eqcommand{@ }{@gtempb}
480 \eqcommand{ }{gdef}
481 \eqcommand{ }{GenericInfo}
482 \eqcommand{ }{GenericWarning}
483 \eqcommand{ }{GenericError}
484 \eqcommand{ }{global}
485 \eqcommand{ }{globaldefs}
486 \eqcommand{ }{glossary}
487 \eqcommand{ }{glossaryentry}
488 \eqcommand{ }{goodbreak}
489 \eqcommand{ }{graphpaper}
490 \eqcommand{ }{guillemotleft}
491 \eqcommand{ }{guillemotright}
492 \eqcommand{ }{guilsinglleft}
493 \eqcommand{ }{guilsinglright}
494 \eqcommand{ }{halign}
495 \eqcommand{ }{hang}
496 \eqcommand{ }{hangafter}
497 \eqcommand{ }{hangindent}
498 \eqcommand{ }{hbadness}
499 \eqcommand{ }{hbox}
500 \eqcommand{ }{headheight}
501 \eqcommand{ }{headsep}
502 \eqcommand{ }{headtoname}
503 \eqcommand{ }{heartsuit}
504 \eqcommand{ }{height}
505 \eqcommand{ }{hfil}
506 \eqcommand{ }{hfill}
507 \eqcommand{ }{hfilneg}
508 \eqcommand{ }{hfuzz}

```



```

509 \eqcommand{ }{hideskip}
510 \eqcommand{ }{hidewidth}
511 \bidi@csletcs{ }{hline}%
  this is an exception
512 \eqcommand{ }{hoffset}
513 \eqcommand{ }{holdinginserts}
514 \eqcommand{ }{hrboxsep}
515 \eqcommand{ }{hrule}
516 \eqcommand{ }{hrulefill}
517 \eqcommand{ }{hsize}
518 \eqcommand{ }{hskip}
519 \eqcommand{ }{hspace}
520 \eqcommand{ }{hss}
521 \eqcommand{ }{ht}
522 \eqcommand{ }{huge}
523 \eqcommand{ }{Huge}
524 \eqcommand{ }{hyperlink}
525 \eqcommand{ }{hypersetup}
526 \eqcommand{ }{hypertarget}
527 \eqcommand{ }{hyphenation}
528 \eqcommand{ }{hyphenchar}
529 \eqcommand{ }{hyphenpenalty}
530 \eqcommand{@ }{@ifclassloaded}
531 \eqcommand{@ }{@ifdefinable}
532 \eqcommand{@ }{@ifnextchar}
533 \eqcommand{@ }{@ifpackageloaded}
534 \eqcommand{@ }{@ifstar}
535 \eqcommand{@ }{@ifundefined}
536 \eqcommand{ }{if}
537 \eqcommand{ @ }{@if@tempswa}
538 \eqcommand{ }{ifcase}
539 \eqcommand{ }{ifcat}
540 \eqcommand{ }{ifdefined}
541 \eqcommand{ }{ifdim}
542 \eqcommand{ }{ifeof}
543 \eqcommand{ }{iff}
544 \eqcommand{ }{iffalse}
545 \eqcommand{ }{IfFileExists}
546 \eqcommand{ }{ifhbox}
547 \eqcommand{ }{ifhmode}
548 \eqcommand{ }{ifinner}
549 \eqcommand{ }{ifmmode}
550 \eqcommand{ }{ifnum}
551 \eqcommand{ }{ifodd}
552 \eqcommand{ }{ifthenelse}
553 \eqcommand{ }{iftrue}
554 \eqcommand{ }{ifvbox}
555 \eqcommand{ }{ifvmode}
556 \eqcommand{ }{ifvoid}
557 \eqcommand{ }{ifx}
558 \eqcommand{ }{ignorespaces}
559 \eqcommand{ }{immediate}
560 \eqcommand{ }{include}
561 \eqcommand{ }{includegraphics}
562 \eqcommand{ }{includeonly}

```



```

563 \eqcommand{ }{indent}
564 \eqcommand{ }{index}
565 \eqcommand{ }{indexentry}
566 \eqcommand{ }{indexname}
567 \eqcommand{ }{indexspace}
568 \eqcommand{ }{input}
569 \eqcommand{ }{InputIfFileExists}
570 \eqcommand{ }{inputlineno}
571 \eqcommand{ }{insert}
572 \eqcommand{ }{insertpenalties}
573 \eqcommand{ }{interfootnotelinepenalty}
574 \eqcommand{ }{interdisplaylinepenalty}
575 \eqcommand{ }{interlinepenalty}
576 \eqcommand{ }{intertext}
577 \eqcommand{ }{intertextsep}
578 \eqcommand{ }{invisible}
579 \eqcommand{ }{itdefault}
580 \eqcommand{ }{itshape}
581 \eqcommand{ }{item}
582 \eqcommand{ }{itemindent}
583 \eqcommand{ }{itemsep}
584 \eqcommand{ }{iterate}
585 \eqcommand{ }{itshape}
586 \eqcommand{ }{jobname}
587 \eqcommand{ }{jot}
588 \eqcommand{ }{kern}
589 \eqcommand{ }{kill}
590 \eqcommand{ }{label}
591 \eqcommand{ }{labelenumi}
592 \eqcommand{ }{labelenumii}
593 \eqcommand{ }{labelenumiii}
594 \eqcommand{ }{labelenumiv}
595 \eqcommand{ }{labelitemi}
596 \eqcommand{ }{labelitemii}
597 \eqcommand{ }{labelitemiii}
598 \eqcommand{ }{labelitemiv}
599 \eqcommand{ }{labelsep}
600 \eqcommand{ }{labelwidth}
601 \eqcommand{ }{language}
602 \eqcommand{ }{large}
603 \eqcommand{ }{Large}
604 \eqcommand{ }{LARGE}
605 \eqcommand{ }{lastbox}
606 \eqcommand{ }{lastkern}
607 \eqcommand{ }{lastpenalty}
608 \eqcommand{ }{lastskip}
609 \eqcommand{ }{LaTeX}
610 \eqcommand{ }{LaTeXe}
611 \eqcommand{ }{lccode}
612 \eqcommand{ }{ldots}
613 \eqcommand{ }{leaders}
614 \eqcommand{ }{leavevmode}
615 \eqcommand{ }{left}
616 \eqcommand{ }{leftmargin}

```



```

617 \eqcommand{ }{\leftmargini}
618 \eqcommand{ }{\leftmarginii}
619 \eqcommand{ }{\leftmarginiii}
620 \eqcommand{ }{\leftmarginiv}
621 \eqcommand{ }{\leftmarginv}
622 \eqcommand{ }{\leftmarginvi}
623 \eqcommand{ }{\leftmark}
624 \eqcommand{ }{\leftpageskip}
625 \eqcommand{ }{\leftskip}
626 \eqcommand{ }{\let}
627 \eqcommand{ }{\line}
628 \eqcommand{ }{\linebreak}
629 \eqcommand{ }{\linepenalty}
630 \eqcommand{ }{\lineskip}
631 \eqcommand{ }{\lineskiplimit}
632 \eqcommand{ }{\linespread}
633 \eqcommand{ }{\linethickness}
634 \eqcommand{ }{\linewidth}
635 \eqcommand{ }{\listfigurename}
636 \eqcommand{ }{\listfiles}
637 \eqcommand{ }{\listoffigures}
638 \eqcommand{ }{\listoftables}
639 \eqcommand{ }{\listparindent}
640 \eqcommand{ }{\listtablename}
641 \eqcommand{ }{\LoadClass}
642 \eqcommand{ }{\LoadClassWithOptions}
643 \eqcommand{ }{\location}
644 \eqcommand{ }{\long}
645 \eqcommand{ }{\looseness}
646 \eqcommand{ }{\lower}
647 \eqcommand{@ }{\@makeother}
648 \eqcommand{@ }{\@m}
649 \eqcommand{ @ }{\@M}
650 \eqcommand{ @ }{\@Mi}
651 \eqcommand{ @ }{\@Mii}
652 \eqcommand{ @ }{\@Miii}
653 \eqcommand{ @ }{\@Miv}
654 \eqcommand{ @ }{\@MM}
655 \eqcommand{ @ }{\@One}
656 \eqcommand{ }{\mag}
657 \eqcommand{ }{\magstep}
658 \eqcommand{ }{\magstephalf}
659 \eqcommand{ }{\mainmatter}
660 \eqcommand{ }{\makeatletter}
661 \eqcommand{ }{\makeatother}
662 \eqcommand{ }{\makebox}
663 \eqcommand{ }{\makeglossary}
664 \eqcommand{ }{\makeindex}
665 \eqcommand{ }{\makelabel}
666 \eqcommand{ }{\makelabels}
667 \eqcommand{ }{\MakeLowercase}
668 \eqcommand{ }{\maketitle}
669 \eqcommand{ }{\MakeUppercase}
670 \eqcommand{ }{\marginpar}

```



```

671 \eqcommand{ }{\marginparpush}
672 \eqcommand{ }{\marginparsep}
673 \eqcommand{ }{\marginparwidth}
674 \eqcommand{ }{\mark}
675 \eqcommand{ }{\markboth}
676 \eqcommand{ }{\markright}
677 \eqcommand{ }{\mathaccent}
678 \eqcommand{ }{\mathchar}
679 \eqcommand{ }{\mathchardef}
680 \eqcommand{ }{\mathcode}
681 \eqcommand{ }{\mathrm}
682 \eqcommand{ }{\maxdeadcycles}
683 \eqcommand{ }{\maxdepth}
684 \eqcommand{ }{\maxdimen}
685 \eqcommand{ }{\mbox}
686 \eqcommand{ }{\mdseries}
687 \eqcommand{ }{\meaning}
688 \eqcommand{ }{\mediumseries}
689 \eqcommand{ }{\medmuskip}
690 \eqcommand{ }{\medskip}
691 \eqcommand{ }{\medskipamount}
692 \eqcommand{ }{\medspace}
693 \eqcommand{ }{\message}
694 \eqcommand{ }{\MessageBreak}
695 \eqcommand{ }{\minrowclearance}
696 \eqcommand{ }{\mkern}
697 \eqcommand{ }{\month}
698 \eqcommand{ }{\moveleft}
699 \eqcommand{ }{\overright}
700 \eqcommand{ }{\mskip}
701 \eqcommand{ @ }{\m@th}
702 \eqcommand{ }{\multicolumn}
703 \eqcommand{ }{\multiply}
704 \eqcommand{ }{\multispan}
705 \eqcommand{ }{\muskip}
706 \eqcommand{ }{\muskipdef}
707 \eqcommand{ @ }{\c@namedef}
708 \eqcommand{ @ }{\c@nameuse}
709 \eqcommand{ @ }{\c@ne}
710 \eqcommand{ }{\name}
711 \eqcommand{ }{\natural}
712 \eqcommand{ }{\nearrow}
713 \eqcommand{ }{\narrower}
714 \eqcommand{ }{\NeedsTeXFormat}
715 \eqcommand{ }{\neg}
716 \eqcommand{ }{\negmedspace}
717 \eqcommand{ }{\negthickspace}
718 \eqcommand{ }{\negthinspace}
719 \eqcommand{ }{\newboolean}
720 \eqcommand{ }{\newbox}
721 \eqcommand{ }{\newcommand}
722 \eqcommand{ }{\newcount}
723 \eqcommand{ }{\newcounter}
724 \eqcommand{ }{\newdimen}

```



```

725 \eqcommand{ }{newenvironment}
726 \eqcommand{ }{newfam}
727 \eqcommand{ }{newfont}
728 \eqcommand{ }{newhelp}
729 \eqcommand{ }{newinsert}
730 \eqcommand{ }{newlabel}
731 \eqcommand{ }{newlength}
732 \eqcommand{ }{newline}
733 \eqcommand{ }{newlinechar}
734 \eqcommand{ }{newmuskip}
735 \eqcommand{ }{newpage}
736 \eqcommand{ }{newread}
737 \eqcommand{ }{newsavebox}
738 \eqcommand{ }{newskip}
739 \eqcommand{ }{newtheorem}
740 \eqcommand{ }{newtoks}
741 \eqcommand{ }{newwrite}
742 \eqcommand{ }{noalign}
743 \eqcommand{ }{nobreak}
744 \eqcommand{ }{nobreakspace}
745 \eqcommand{ }{nocite}
746 \eqcommand{ }{noexpand}
747 \eqcommand{ }{nofiles}
748 \eqcommand{ }{noindent}
749 \eqcommand{ }{nointerlineskip}
750 \eqcommand{ }{nolimits}
751 \eqcommand{ }{nolinebreak}
752 \eqcommand{ }{nonstopmode}
753 \eqcommand{ }{nonfrenchspacing}
754 \eqcommand{ }{nonumber}
755 \eqcommand{ }{nopagebreak}
756 \eqcommand{ }{normalbaselines}
757 \eqcommand{ }{normalbaselineskip}
758 \eqcommand{ }{normalcolor}
759 \eqcommand{ }{normalfont}
760 \eqcommand{ }{normallineskip}
761 \eqcommand{ }{normallineskiplimit}
762 \eqcommand{ }{normalmarginpar}
763 \eqcommand{ }{normalsize}
764 \eqcommand{ }{notag}
765 \eqcommand{ }{null}
766 \eqcommand{ }{nullfont}
767 \eqcommand{ }{number}
768 \eqcommand{ }{numberline}
769 \eqcommand{ }{numberwithin}
770 \eqcommand{ }{@evenfoot}
771 \eqcommand{ }{@evenhead}
772 \eqcommand{ }{@oddfoot}
773 \eqcommand{ }{@oddhead}
774 \eqcommand{ }{@outeqntrue}
775 \eqcommand{ }{@outeqnfase}
776 \eqcommand{ }{obeylines}
777 \eqcommand{ }{obeyspaces}
778 \eqcommand{ }{oddsidemargin}

```



```

779 \eqcommand{      }{\offinterlineskip}
780 \eqcommand{ }{\omit}
781 \eqcommand{@      }{@onlypreamble}
782 \eqcommand{ }{onecolumn}
783 \eqcommand{      }{onlynotes}
784 \eqcommand{      }{onlyslides}
785 \eqcommand{      }{openin}
786 \eqcommand{      }{openout}
787 \eqcommand{      }{OptionNotUsed}
788 \eqcommand{ }{or}
789 \eqcommand{      }{outer}
790 \eqcommand{      }{output}
791 \eqcommand{      }{outputpenalty}
792 \eqcommand{      }{overfullrule}
793 \eqcommand{@      }{@preamblecmds}
794 \eqcommand@{p@}{}
795 \eqcommand{      }{PackageError}
796 \eqcommand{      }{PackageInfo}
797 \eqcommand{      }{PackageWarning}
798 \eqcommand{      }{PackageWarningNoLine}
799 \eqcommand{      }{pagebreak}
800 \eqcommand{      }{pagecolor}
801 \eqcommand{      }{pagedepth}
802 \eqcommand{      }{pagefillstretch}
803 \eqcommand{      }{pagefillstretch}
804 \eqcommand{      }{pagefilstretch}
805 \eqcommand{      }{pagegoal}
806 \eqcommand{      }{pagename}
807 \eqcommand{      }{pagenumbering}
808 \eqcommand{      }{pageref}
809 \eqcommand{      }{pagerulewidth}
810 \eqcommand{      }{pageshrink}
811 \eqcommand{      }{pagestretch}
812 \eqcommand{      }{pagestyle}
813 \eqcommand{      }{pagetotal}
814 \eqcommand{      }{paperheight}
815 \eqcommand{      }{paperwidth}
816 \bidi@csdefcs{ }{par}%
817 \eqcommand{      }{paragraph}
818 \eqcommand{      }{parallel}
819 \eqcommand{      }{parbox}
820 \eqcommand{      }{parfillskip}
821 \eqcommand{      }{parindent}
822 \eqcommand{      }{parsep}
823 \eqcommand{      }{parshape}
824 \eqcommand{      }{parskip}
825 \eqcommand{      }{part}
826 \eqcommand{      }{partname}
827 \eqcommand{      }{partopsep}
828 \eqcommand{      }{PassOptionToClass}
829 \eqcommand{      }{PassOptionToPackage}
830 \eqcommand{      }{path}
831 \eqcommand{      }{patterns}
832 \eqcommand{      }{pausing}

```



```

833 \eqcommand{ }{penalty}
834 \eqcommand{ }{phantom}
835 \eqcommand{ }{poptabs}
836 \eqcommand{ }{postdisplaypenalty}
837 \eqcommand{ }{predisplaydirection}
838 \eqcommand{ }{predisplaypenalty}
839 \eqcommand{ }{predisplaysize}
840 \eqcommand{ }{pretolerance}
841 \eqcommand{ }{prevdepth}
842 \eqcommand{ }{prevgraf}
843 \eqcommand{ }{printindex}
844 \eqcommand{ }{ProcessOptions}
845 \eqcommand{ }{protect}
846 \eqcommand{ }{providecommand}
847 \eqcommand{ }{ProvidesClass}
848 \eqcommand{ }{ProvidesFile}
849 \eqcommand{ }{ProvidesPackage}
850 \eqcommand{ }{pushtabs}
851 \eqcommand{ }{quad}
852 \eqcommand{ }{qquad}
853 \eqcommand{@ }{@outputpagerestore}
854 \eqcommand{ }{radical}
855 \eqcommand{ }{raggedbottom}
856 \eqcommand{ }{raggedleft}
857 \eqcommand{ }{raggedright}
858 \eqcommand{ }{raise}
859 \eqcommand{ }{raisebox}
860 \eqcommand{ }{raisetag}
861 \eqcommand{ }{rangle}
862 \eqcommand{ }{rceil}
863 \eqcommand{ }{read}
864 \eqcommand{ }{ref}
865 \eqcommand{ }{reflectbox}
866 \eqcommand{ }{refname}
867 \eqcommand{ }{refstepcounter}
868 \eqcommand{ }{relax}
869 \eqcommand{ }{removelastskip}
870 \eqcommand{ }{renewcommand}
871 \eqcommand{ }{renewenvironment}
872 \eqcommand{ }{RequirePackage}
873 \eqcommand{ }{RequirePackageWithOptions}
874 \eqcommand{ }{resizebox}
875 \eqcommand{ }{reversemarginpar}
876 \eqcommand{ }{rfloor}
877 \eqcommand{ }{right}
878 \eqcommand{ }{rightmargin}
879 \eqcommand{ }{rightmark}
880 \eqcommand{ }{rightpageskip}
881 \eqcommand{ }{rights skip}
882 \eqcommand{ }{rmdefault}
883 \eqcommand{ }{rmfamily}
884 \eqcommand{ }{Roman}
885 \eqcommand{ }{roman}
886 \eqcommand{ }{romannumeral}

```



```

887 \eqcommand{      }{\rotatebox}
888 \eqcommand{      }{\rowcolor}
889 \eqcommand{ }{\rule}
890 \eqcommand{@ }{@secondoftwo}
891 \eqcommand{@ }{@spaces}
892 \eqcommand{ }{\samepage}
893 \eqcommand{ }{\savebox}
894 \eqcommand{ }{\sbox}
895 \eqcommand{ }{\scalebox}
896 \eqcommand{ }{\scdefault}
897 \eqcommand{ }{\scshape}
898 \eqcommand{ }{\setkeys}
899 \eqcommand{ }{\scriptfont}
900 \eqcommand{ }{\scriptscriptfont}
901 \eqcommand{ }{\scriptscriptstyle}
902 \eqcommand{ }{\scriptsize}
903 \eqcommand{ }{\scriptstyle}
904 \eqcommand{ }{\scrollmode}
905 \eqcommand{ }{\section}
906 \eqcommand{ }{\secdef}
907 \eqcommand{ }{\see}
908 \eqcommand{ }{\seealso}
909 \eqcommand{ }{\seename}
910 \eqcommand{ }{\selectfont}
911 \eqcommand{ }{\setboolean}
912 \eqcommand{ }{\setbox}
913 \eqcommand{ }{\setcounter}
914 \eqcommand{ }{\setlength}
915 \eqcommand{ }{\setminus}
916 \eqcommand{ }{\SetSymbolFont}
917 \eqcommand{ }{\settodepth}
918 \eqcommand{ }{\settoheight}
919 \eqcommand{ }{\settowidth}
920 \eqcommand{ }{\sfcode}
921 \eqcommand{ }{\sfdefault}
922 \eqcommand{ }{\sffamily}
923 \eqcommand{ }{\shadowbox}
924 \eqcommand{ }{\sharp}
925 \eqcommand{ }{\shipout}
926 \eqcommand{ }{\shortstack}
927 \eqcommand{ }{\show}
928 \eqcommand{ }{\showbox}
929 \eqcommand{ }{\showboxbreadth}
930 \eqcommand{ }{\showboxdepth}
931 \eqcommand{ }{\showlists}
932 \eqcommand{ }{\showthe}
933 \eqcommand{ }{\simplefontmode}
934 \eqcommand{ @}{sixt@n}
935 \eqcommand{ }{\skewchar}
936 \eqcommand{ }{\skip}
937 \eqcommand{ @}{skip@}
938 \eqcommand{ }{\skipdef}
939 \eqcommand{ }{\sl}
940 \eqcommand{ }{\sldefault}

```



```

941 \eqcommand{ }{\slshape}
942 \eqcommand{ }{\sloppy}
943 \eqcommand{ }{\slshape}
944 \eqcommand{ }{\small}
945 \eqcommand{ }{\smallskip}
946 \eqcommand{ }{\smallskipamount}
947 \eqcommand{ }{\smash}
948 \eqcommand{ }{\smile}
949 \eqcommand{ }{\snglfntlocatecode}
950 \eqcommand{ }{\space}
951 \eqcommand{ }{\spacefactor}
952 \eqcommand{ }{\spaceskip}
953 \eqcommand{ }{\spadesuit}
954 \eqcommand{ }{\span}
955 \eqcommand{ }{\special}
956 \eqcommand{ }{\splitmaxdepth}
957 \eqcommand{ }{\splittopskip}
958 \eqcommand{ }{\star}
959 \eqcommand{ }{\stepcounter}
960 \eqcommand{ }{\stretch}
961 \eqcommand{ }{\string}
962 \eqcommand{ }{\strut}
963 \eqcommand{ }{\strutbox}
964 \eqcommand{ }{\subitem}
965 \eqcommand{ }{\subparagraph}
966 \eqcommand{ }{\subsection}
967 \eqcommand{ }{\substack}
968 \eqcommand{ }{\subsubitem}
969 \eqcommand{ }{\subsubsection}
970 \eqcommand{ }{\subset}
971 \eqcommand{ }{\subseeteq}
972 \eqcommand{ }{\supereject}
973 \eqcommand{ }{\suppressfloats}
974 \eqcommand{@ }{@tempa}
975 \eqcommand{@ }{@tempb}
976 \eqcommand{@ }{@tempc}
977 \eqcommand{@ }{@tempd}
978 \eqcommand{@ }{@tempe}
979 \eqcommand{@ }{@tempboxa}
980 \eqcommand{@ }{@tempcpta}
981 \eqcommand{@ }{@tempcntb}
982 \eqcommand{@ }{@tempdimaa}
983 \eqcommand{@ }{@tempdimb}
984 \eqcommand{@ }{@tempdimc}
985 \eqcommand{@ }{@tempskipa}
986 \eqcommand{@ }{@tempskipb}
987 \eqcommand{@ }{@tempswafalse}
988 \eqcommand{@ }{@tempswatrue}
989 \eqcommand{@ }{@temptokena}
990 \eqcommand{ }{@thefnmark}
991 \eqcommand{@ }{@thirdofthree}
992 \eqcommand{ }{\tabbingsep}
993 \eqcommand{ }{\tabcolsep}
994 \eqcommand{ }{\tableofcontents}

```



```

995 \eqcommand{ }{tablename}
996 \eqcommand{ }{tabskip}
997 \eqcommand{ }{tabularnewline}
998 \eqcommand{ }{tag}
999 \eqcommand{ }{telephone}
1000 \eqcommand{ }{TeX}
1001 \eqcommand{ }{text}
1002 \eqcommand{ }{textbullet}
1003 \eqcommand{ }{textfont}
1004 \eqcommand{ }{textemdash}
1005 \eqcommand{ }{textendash}
1006 \eqcommand{ }{textexclamdown}
1007 \eqcommand{ }{textperiodcentered}
1008 \eqcommand{ }{textquestiondown}
1009 \eqcommand{ }{textquotedblleft}
1010 \eqcommand{ }{textquotedblright}
1011 \eqcommand{ }{textquotelleft}
1012 \eqcommand{ }{textquoteright}
1013 \eqcommand{ }{textvisiblespace}
1014 \eqcommand{ }{textbackslash}
1015 \eqcommand{ }{textbar}
1016 \eqcommand{ }{textgreater}
1017 \eqcommand{ }{textless}
1018 \eqcommand{ }{textbf}
1019 \eqcommand{ }{textcircled}
1020 \eqcommand{ }{textcolor}
1021 \eqcommand{ }{textcompwordmark}
1022 \eqcommand{ }{textfloatsep}
1023 \eqcommand{ }{textfraction}
1024 \eqcommand{ }{textheight}
1025 \eqcommand{ }{textindent}
1026 \eqcommand{ }{textit}
1027 \eqcommand{ }{textmd}
1028 \eqcommand{ }{textnormal}
1029 \eqcommand{ }{textregistered}
1030 \eqcommand{ }{textrm}
1031 \eqcommand{ }{textsc}
1032 \eqcommand{ }{textsf}
1033 \eqcommand{ }{texts1}
1034 \eqcommand{ }{textstyle}
1035 \eqcommand{ }{textsupserscript}
1036 \eqcommand{ }{texttrademark}
1037 \eqcommand{ }{texttt}
1038 \eqcommand{ }{textup}
1039 \eqcommand{ }{textwidth}
1040 \eqcommand{ }{thanks}
1041 \eqcommand{ }{the}
1042 \eqcommand{ }{thempfn}
1043 \eqcommand{ }{thicklines}
1044 \eqcommand{ }{thickmuskip}
1045 \eqcommand{ }{thinmuskip}
1046 \eqcommand{ }{thickspace}
1047 \eqcommand{ }{thinlines}
1048 \eqcommand{ }{thinspace}

```



```

1049 \eqcommand{      }{thisfancypage}
1050 \eqcommand{      }{thispagestyle}
1051 \eqcommand{ @}{thr@@}
1052 \eqcommand{ }{tilde}
1053 \eqcommand{ }{tiny}
1054 \eqcommand{ }{time}
1055 \eqcommand{ }{times}
1056 \eqcommand{ }{title}
1057 \eqcommand{ }{to}
1058 \eqcommand{ }{today}
1059 \eqcommand{ }{toks}
1060 \eqcommand{ }{toksdef}
1061 \eqcommand{ }{tolerance}
1062 \eqcommand{ }{top}
1063 \eqcommand{ }{topfigrule}
1064 \eqcommand{ }{topfraction}
1065 \eqcommand{ }{topmargin}
1066 \eqcommand{ }{topmark}
1067 \eqcommand{ }{toppageskip}
1068 \eqcommand{ }{topsep}
1069 \eqcommand{ }{topskip}
1070 \eqcommand{ }{totalheight}
1071 \eqcommand{ }{tracingall}
1072 \eqcommand{ }{tracingcommands}
1073 \eqcommand{ }{tracinglostchars}
1074 \eqcommand{ }{tracingmacros}
1075 \eqcommand{ }{tracingonline}
1076 \eqcommand{ }{tracingoutput}
1077 \eqcommand{ }{tracingpages}
1078 \eqcommand{ }{tracingparagraphs}
1079 \eqcommand{ }{tracingrestores}
1080 \eqcommand{ }{tracingstats}
1081 \eqcommand{ }{triangle}
1082 \eqcommand{ }{ttdefault}
1083 \eqcommand{ }{ttfamily}
1084 \eqcommand{ @}{tw@}
1085 \eqcommand{ }{twocolumn}
1086 \eqcommand{ }{typein}
1087 \eqcommand{ }{typeout}
1088 \eqcommand{ }{uccode}
1089 \eqcommand{ }{uchyph}
1090 \eqcommand{ }{underline}
1091 \eqcommand{ }{unhbox}
1092 \eqcommand{ }{unhcropy}
1093 \eqcommand{ }{unitlength}
1094 \eqcommand{ }{unkern}
1095 \eqcommand{ }{unpenalty}
1096 \eqcommand{ }{unskip}
1097 \eqcommand{ }{unvbox}
1098 \eqcommand{ }{unvcopy}
1099 \eqcommand{ }{updefault}
1100 \eqcommand{ }{upshape}
1101 \eqcommand{ }{usebox}
1102 \eqcommand{ }{usecounter}

```



```

1103 \eqcommand{ }{usefont}
1104 \eqcommand{ }{usepackage}
1105 \eqcommand{@ }{@vobeyspaces}
1106 \eqcommand{@ }{@void}
1107 \eqcommand{ }{vadjust}
1108 \eqcommand{ }{valign}
1109 \eqcommand{ }{value}
1110 \eqcommand{ }{vbadness}
1111 \eqcommand{ }{vbox}
1112 \eqcommand{ }{vcenter}
1113 \eqcommand{ }{verb}
1114 \eqcommand{ }{vfil}
1115 \eqcommand{ }{vfill}
1116 \eqcommand{ }{vfilneg}
1117 \eqcommand{ }{vfuzz}
1118 \eqcommand{ }{visible}
1119 \eqcommand{ }{vline}
1120 \eqcommand{ }{voffset}
1121 \eqcommand{@ }{voidb@x}
1122 \eqcommand{ }{vpageref}
1123 \eqcommand{ }{vrboxsep}
1124 \eqcommand{ }{vref}
1125 \eqcommand{ }{vrule}
1126 \eqcommand{ }{vsize}
1127 \eqcommand{ }{vskip}
1128 \eqcommand{ }{vspace}
1129 \eqcommand{ }{vsplit}
1130 \eqcommand{ }{vss}
1131 \eqcommand{ }{vtop}
1132 \eqcommand{ }{wd}
1133 \eqcommand{ }{whiledo}
1134 \eqcommand{ }{widehat}
1135 \eqcommand{ }{widetilde}
1136 \eqcommand{ }{widowpenalty}
1137 \eqcommand{ }{width}
1138 \eqcommand{ }{wlog}
1139 \eqcommand{ }{write}
1140 \eqcommand{@ }{@xobeysp}
1141 \eqcommand{@ }{@xxxii}
1142 \eqcommand{ }{xdef}
1143 \eqcommand{ }{xleaders}
1144 \eqcommand{ }{xspaceskip}
1145 \eqcommand{ }{year}
1146 \eqcommand{@ }{z@}
1147 \eqcommand{@ }{z@skip}

```

21 File color-localise-xepersian.def

```

1148 color}      -localise-xepersian.def}[2011/03/01 v0.1 localising color package]
1149 0}{rgb}{ }  \0,,0}
1150 1}{rgb}{ }  \1,,1}
1151 1}{rgb}{ }  \0,,0}
1152 0}{rgb}{ }  \1,,0}
1153 0}{rgb}{ }  \0,,1}

```



```

1154 1}{cmyk}{ } \0,,0,0}
1155 0}{cmyk}{ } \1,,0,0}
1156 0}{cmyk}{ } \0,,1,0}

```

22 File xepersian-localise-commands-xepersian.def

```

1157 \ProvidesFile{xepersian-localise-commands-xepersian.def}[2012/07/25 v0.2 Persian localisation
1158 \eqcommand{ } {\autofootnoterule}
1159 \eqcommand{ } {\AutoMathDigits}
1160 \eqcommand{ } {\DefaultMathDigits}
1161 \eqcommand{ @ } {\keyval@eq@alias@key}
1162 \eqcommand{ } {\deflatinfont}
1163 \eqcommand{ } {\defpersianfont}
1164 \eqcommand{ } {\hboxL}
1165 \eqcommand{ } {\hboxR}
1166 \eqcommand{ } {\Latincite}
1167 \eqcommand{ } {\latinfont}
1168 \eqcommand{ } {\latintoday}
1169 \eqcommand{ } {\leftfootnoterule}
1170 \eqcommand{ } {\lr}
1171 \eqcommand{ } {\LRE}
1172 \eqcommand{ } {\LTRdblcol}
1173 \eqcommand{ } {\LTRfootnote}
1174 \eqcommand{ } {\LTRfootnotetext}
1175 \eqcommand{ } {\LTRthanks}
1176 \eqcommand{ } {\persianday}
1177 \eqcommand{ } {\persianfont}
1178 \eqcommand{ } {\PersianMathDigits}
1179 \eqcommand{ } {\persianmonth}
1180 \eqcommand{ } {\persianyear}
1181 \eqcommand{ } {\plq}
1182 \eqcommand{ } {\prq}
1183 \eqcommand{ } {\rightfootnoterule}
1184 \eqcommand{ } {\rl}
1185 \eqcommand{ } {\RLE}
1186 \eqcommand{ } {\RTLdblcol}
1187 \eqcommand{ } {\RTLfootnote}
1188 \eqcommand{ } {\RTLfootnotetext}
1189 \eqcommand{ } {\RTLthanks}
1190 \eqcommand{ @ } {\@SepMark}
1191 \eqcommand{ } {\SepMark}
1192 \eqcommand{ } {\setdefaultbibitems}
1193 \eqcommand{ } {\setdefaultmarginpar}
1194 \eqcommand{ } {\setmathdigitfont}
1195 \eqcommand{ } {\setfootnoteLR}
1196 \eqcommand{ } {\setfootnoteRL}
1197 \eqcommand{ } {\setlatintextfont}
1198 \eqcommand{ } {\setLTR}
1199 \eqcommand{ } {\setLTRbibitems}
1200 \eqcommand{ } {\setLTRmarginpar}
1201 \eqcommand{ } {\setRTL}
1202 \eqcommand{ } {\setRTLbibitems}
1203 \eqcommand{ } {\setRTLmarginpar}
1204 \eqcommand{ } {\settextfont}

```



```

1205 \eqcommand{      }{\textwidthfootnoterule}
1206 \eqcommand{      }{\twocolumnstableofcontents}
1207 \eqcommand{      }{\unsetfootnoteRL}
1208 \eqcommand{      }{\unsetLTR}
1209 \eqcommand{      }{\unsetRTL}
1210 \eqcommand{      }{\vboxL}
1211 \eqcommand{      }{\vboxR}
1212 \eqcommand{      }{\XeTeX}
1213 \eqcommand{      }{\XePersian}
1214 \eqcommand{      }{\xepersianversion}
1215 \eqcommand{      }{\xepersiandate}
1216 \eqcommand{      }{\XeTeX}

```

23 File enumerate-xepersian.def

```

1217 \ProvidesFile{enumerate-xepersian.def}[2010/07/25 v0.1 adaptations for enumerate package]
1218 \def{@enloop@}{%
1219   \ifx \entemp@\ \def{\@tempa{\@enLabel\harfi} }\else
1220   \ifx \entemp@\ \def{\@tempa{\@enLabel\adadi} }\else
1221   \ifx \entemp@\ \def{\@tempa{\@enLabel\tartibi} }\else
1222   \ifx A\@entemp \def{\@tempa{\@enLabel\Alph} }\else
1223   \ifx a\@entemp \def{\@tempa{\@enLabel\alph} }\else
1224   \ifx i\@entemp \def{\@tempa{\@enLabel\roman} }\else
1225   \ifx I\@entemp \def{\@tempa{\@enLabel\Roman} }\else
1226   \ifx 1\@entemp \def{\@tempa{\@enLabel\arabic} }\else
1227   \ifx \@sptoken\@entemp \let{\@tempa\@enSpace} \else
1228   \ifx \bgroup\@entemp \let{\@tempa\@enGroup} \else
1229   \ifx \c@enum@\@entemp \let{\@tempa\@gobble} \else
1230     \let{\@tempa\@enOther} \else
1231       \c@enhook
1232       \fi\fi\fi\fi\fi\fi\fi\fi
1233   \@tempa}

```

24 File enumitem-xepersian.def

```

1234 \ProvidesFile{enumitem-xepersian.def}[2017/09/06 v0.1 adaptations for enumitem package]
1235 \AddEnumerateCounter*\tartibi\@tartibi{999999999}
1236 \AddEnumerateCounter*\adadi\@adadi{999999999}
1237 \AddEnumerateCounter\harfi\@harfi{ }
1238 \AddEnumerateCounter\Abjad\@Abjad{ }
1239 \AddEnumerateCounter\abjad\@abjad{ }
1240 \SetEnumerateShortLabel{ }{\tartibi*}
1241 \SetEnumerateShortLabel{ }{\adadi*}
1242 \SetEnumerateShortLabel{ }{\harfi*}
1243 \SetEnumerateShortLabel{ }{\Abjad*}
1244 \SetEnumerateShortLabel{ }{\abjad*}

```

25 File latex-localise-environments-xepersian.def

```

1245 \ProvidesFile{latex-localise-environments-xepersian.def}[2022/06/06 v0.3 Persian localisation]
1246 \eqenvironment{ }{abstract}
1247 \eqenvironment{ }{appendix}
1248 \eqenvironment{ }{array}
1249 \eqenvironment{ }{center}

```



```

1250 \eqenvironment{ }{description}
1251 \eqenvironment{ }{displaymath}
1252 \EqEnvironment{ }{document}
1253 \eqenvironment{ }{enumerate}
1254 \eqenvironment{ }{figure}
1255 \eqenvironment{ *}{figure*}
1256 \eqenvironment{ }{filecontents}
1257 \eqenvironment{ *}{filecontents*}
1258 \eqenvironment{ }{flushleft}
1259 \eqenvironment{ }{flushright}
1260 \eqenvironment{ }{itemize}
1261 \eqenvironment{ }{letter}
1262 \eqenvironment{ }{list}
1263 \eqenvironment{ }{longtable}
1264 \eqenvironment{ }{lrbox}
1265 \eqenvironment{ }{math}
1266 \eqenvironment{ }{matrix}
1267 \eqenvironment{ }{minipage}
1268 \eqenvironment{ }{multiline}
1269 \eqenvironment{ }{note}
1270 \eqenvironment{ }{overlay}
1271 \eqenvironment{ }{picture}
1272 \eqenvironment{ }{quotation}
1273 \eqenvironment{ }{quote}
1274 \eqenvironment{ }{slide}
1275 \eqenvironment{ }{sloppypar}
1276 \eqenvironment{ }{split}
1277 \eqenvironment{ }{subarray}
1278 \eqenvironment{ }{tabbing}
1279 \eqenvironment{ }{table}
1280 \eqenvironment{ *}{table*}
1281 \eqenvironment{ }{tabular}
1282 \eqenvironment{ *}{tabular*}
1283 \eqenvironment{ }{thebibliography}
1284 \eqenvironment{ }{theindex}
1285 \eqenvironment{ }{titlepage}
1286 \eqenvironment{ }{trivlist}
1287 \eqenvironment{ }{verse}

```

26 File xepersian-localise-environments-xepersian.def

```

1288 \ProvidesFile{xepersian-localise-environments-xepersian.def}[2010/07/25 v0.1 Persian localisa
1289 \eqenvironment{ }{latin}
1290 \eqenvironment{ }{LTR}
1291 \eqenvironment{ }{LTRitems}
1292 \eqenvironment{ }{modernpoem}
1293 \eqenvironment{ *}{modernpoem*}
1294 \eqenvironment{ }{persian}
1295 \eqenvironment{ }{RTL}
1296 \eqenvironment{ }{RTLitems}
1297 \eqenvironment{ }{traditionalpoem}
1298 \eqenvironment{ *}{traditionalpoem*}

```



27 File extarticle-xepersian.def

```
1299 \ProvidesFile{extarticle-xepersian.def}[2010/07/25 v0.1 adaptations for extarticle class]
1300 \renewcommand{\thepart}{\@tartibi\c@part}
1301 \renewcommand{\appendix}{\par
1302   \setcounter{section}{0}%
1303   \setcounter{subsection}{0}%
1304   \gdef\thesection{\@harfi\c@section}}
```

28 File extbook-xepersian.def

```
1305 \ProvidesFile{extbook-xepersian.def}[2010/07/25 v0.1 adaptations for extbook class]
1306 \renewcommand{\frontmatter}{%
1307   \cleardoublepage
1308   \@mainmatterfalse
1309   \pagenumbering{harfi}}
1310 \renewcommand{\thepart}{\@tartibi\c@part}
1311 \renewcommand{\appendix}{\par
1312   \setcounter{chapter}{0}%
1313   \setcounter{section}{0}%
1314   \gdef\@chapapp{\appendixname}%
1315   \gdef\thechapter{\@harfi\c@chapter}
1316 }%end appendix
```

29 File extrafootnotefeatures-xepersian.def

```
1317 \ProvidesFile{extrafootnotefeatures-xepersian.def}[2012/01/01 v0.2 footnote macros for extra
1318 \renewcommand{\foottextfont}{\footnotesize\if@RTL\footnote\else\resetlatinfont\fi}
1319 \renewcommand{\LTRfoottextfont}{\footnotesize\resetlatinfont}
1320 \renewcommand{\RTLfoottextfont}{\footnotesize\setpersianfont}
```

30 File extreport-xepersian.def

```
1321 \ProvidesFile{extreport-xepersian.def}[2010/07/25 v0.1 adaptations for extreport class]
1322 \renewcommand{\thepart}{\@tartibi\c@part}
1323 \renewcommand{\appendix}{\par
1324   \setcounter{chapter}{0}%
1325   \setcounter{section}{0}%
1326   \gdef\@chapapp{\appendixname}%
1327   \gdef\thechapter{\@harfi\c@chapter}}
```

31 File fancyref-xepersian.def

```
1328 \ProvidesFile{fancyref-xepersian.def}[2018/09/29 v0.1 bilingual captions for fancyref package]
1329 \renewcommand*{\Frefchapname}{\chaptername}
1330 \renewcommand*{\Frefenumname}{%
1331   \if@RTL
1332 %
1333   \else
1334     Item%
1335   \fi
1336 }
1337 \renewcommand*{\Frefeqname}{%
1338   \if@RTL
```



```

1339 %
1340   \else
1341     Equation%
1342   \fi
1343 }
1344 \renewcommand*{\Freffigname}{\figurename}
1345 \renewcommand*{\Freffnname}{%
1346   \if@RTL
1347 %
1348   \else
1349     Footnote%
1350   \fi
1351 }
1352 \renewcommand*{\Frefonname}{%
1353   \if@RTL
1354 %
1355   \else
1356     On%
1357   \fi
1358 }
1359 \renewcommand*{\Frefpgname}{\pagename}
1360 \renewcommand*{\Frefsecname}{%
1361   \if@RTL
1362 %
1363   \else
1364     Section%
1365   \fi
1366 }
1367 \renewcommand*{\Frefseename}{%
1368   \if@RTL
1369 %
1370   \else
1371     See%
1372   \fi
1373 }
1374 \renewcommand*{\Freftabname}{\tablename}
1375 \renewcommand*{\Freffigshortname}{%
1376   \if@RTL
1377     \Freffigname
1378   \else
1379     Fig.%
1380   \fi
1381 }
1382 \renewcommand*{\Frefpgshortname}{%
1383   \if@RTL
1384     \Frefpgname
1385   \else
1386     P.%
1387   \fi
1388 }
1389 \renewcommand*{\Freftabshortname}{%
1390   \if@RTL
1391     \tablename
1392   \else

```



```

1393     Tab.%  

1394     \fi  

1395 }  

1396 \renewcommand*{\frefchapname}{%  

1397     \if@RTL  

1398         \Frefchapname  

1399     \else  

1400         \MakeLowercase{\Frefchapname}%  

1401     \fi  

1402 }  

1403 \renewcommand*{\frefenumname}{%  

1404     \if@RTL  

1405         \Frefenumname  

1406     \else  

1407         \MakeLowercase{\Frefenumname}%  

1408     \fi  

1409 }  

1410 \renewcommand*{\frefeqname}{%  

1411     \if@RTL  

1412         \Frefeqname  

1413     \else  

1414         \MakeLowercase{\Frefeqname}%  

1415     \fi  

1416 }  

1417 \renewcommand*{\freffignumname}{%  

1418     \if@RTL  

1419         \Freffignumname  

1420     \else  

1421         \MakeLowercase{\Freffignumname}%  

1422     \fi  

1423 }  

1424 \renewcommand*{\freffnname}{%  

1425     \if@RTL  

1426         \Freffnname  

1427     \else  

1428         \MakeLowercase{\Freffnname}%  

1429     \fi  

1430 }  

1431 \renewcommand*{\frefonname}{%  

1432     \if@RTL  

1433         \Frefonname  

1434     \else  

1435         \MakeLowercase{\Frefonname}%  

1436     \fi  

1437 }  

1438 \renewcommand*{\frefpgname}{%  

1439     \if@RTL  

1440         \Frefpgname  

1441     \else  

1442         \MakeLowercase{\Frefpgname}%  

1443     \fi  

1444 }  

1445 \renewcommand*{\frefsecname}{%  

1446     \if@RTL

```



```

1447     \Frefsecname
1448   \else
1449     \MakeLowercase{\Frefsecname}%
1450   \fi
1451 }
1452 \renewcommand*{\frefseename}{%
1453   \if@RTL
1454     \Frefseename
1455   \else
1456     \MakeLowercase{\Frefseename}%
1457   \fi
1458 }
1459 \renewcommand*{\freftabname}{%
1460   \if@RTL
1461     \Freftabname
1462   \else
1463     \MakeLowercase{\Freftabname}%
1464   \fi
1465 }
1466 \renewcommand*{\freffigshortname}{%
1467   \if@RTL
1468     \Freffigshortname
1469   \else
1470     \MakeLowercase{\Freffigshortname}%
1471   \fi
1472 }
1473 \renewcommand*{\frefpgshortname}{%
1474   \if@RTL
1475     \Frefpgshortname
1476   \else
1477     \MakeLowercase{\Frefpgshortname}%
1478   \fi
1479 }
1480 \renewcommand*{\freftabshortname}{%
1481   \if@RTL
1482     \Freftabshortname
1483   \else
1484     \MakeLowercase{\Freftabshortname}%
1485   \fi
1486 }

```

32 File `footnote-xepersian.def`

```

1487 \ProvidesFile{footnote-xepersian.def}[2017/08/09 v0.6 footnote macros for xepersian package]
1488
1489 \renewcommand*{\bidi@@footnotetext@font}{\footnotesize\if@RTL@footnote\else\resetlatinfont\fi}
1490
1491 \renewcommand*{\bidi@@LTRfootnotetext@font}{\footnotesize\resetlatinfont}
1492
1493 \renewcommand*{\bidi@@RTLfootnotetext@font}{\footnotesize\setpersianfont}
1494

```

33 File `framed-xepersian.def`



```

1495 \ProvidesFile{framed-xepersian.def}[2012/06/05 v0.1 xepersian adaptations for framed package
1496 \renewenvironment{titled-frame}[1]{%
1497   \def\FrameCommand{\fboxsep8pt\fboxrule2pt
1498   \TitleBarFrame{\textbf{\#1}}%
1499   \def\FirstFrameCommand{\fboxsep8pt\fboxrule2pt
1500     \TitleBarFrame[$\if@RTL\blacktriangleleft\else\blacktriangleright\fi$\{\textbf{\#1}\}]%
1501   \def\MidFrameCommand{\fboxsep8pt\fboxrule2pt
1502     \TitleBarFrame[$\if@RTL\blacktriangleleft\else\blacktriangleright\fi$\{\textbf{\#1}\} (\if@RTL\blacktriangleleft\else\blacktriangleright\fi)]%
1503   \def\LastFrameCommand{\fboxsep8pt\fboxrule2pt
1504     \TitleBarFrame{\textbf{\#1} (\if@RTL\else\cont\fi)}%
1505   \MakeFramed{\advance\hsize-20pt \FrameRestore}%
1506 % note: 8 + 2 + 8 + 2 = 20. Don't use \width because the frame title
1507 % could interfere with the width measurement.
1508 {\endMakeFramed}

```

34 File `glossaries-xepersian.def`

```

1509 \ProvidesFile{glossaries-xepersian.def}[2014/09/04 v0.4 xepersian adaptations for glossaries
1510 \glsaddprotectedpagefmt{@harfi}
1511 \glsaddprotectedpagefmt{@tartibi}
1512 \glsaddprotectedpagefmt{@adadi}

```

35 File `hyperref-xepersian.def`

```

1513 \ProvidesFile{hyperref-xepersian.def}[2022/10/30 v0.8 xepersian adaptations for hyperref pack
1514   \def\equationautorefname{\if@RTL else\ Equation\fi}%
1515   \def\footnoteautorefname{\if@RTL else\ footnote\fi}%
1516   \def\itemautorefname{\if@RTL else\ item\fi}%
1517   \def\figureautorefname{\if@RTL else\ Figure\fi}%
1518   \def\tableautorefname{\if@RTL else\ Table\fi}%
1519   \def\partautorefname{\if@RTL else\ Part\fi}%
1520   \def\appendixautorefname{\if@RTL else\ Appendix\fi}%
1521   \def\chapterautorefname{\if@RTL else\ chapter\fi}%
1522   \def\sectionautorefname{\if@RTL else\ section\fi}%
1523   \def\subsectionautorefname{\if@RTL else\ subsection\fi}%
1524   \def\subsubsectionautorefname{\if@RTL else\ subsubsection\fi}%
1525   \def\paragraphautorefname{\if@RTL else\ paragraph\fi}%
1526   \def\ subparagraphautorefname{\if@RTL else\ subparagraph\fi}%
1527   \def\FancyVerbLineautorefname{\if@RTL else\ line\fi}%
1528   \def\theoremautorefname{\if@RTL else\ Theorem\fi}%
1529   \def\pageautorefname{\if@RTL else\ page\fi}%
1530 \ifHy@implicit
1531   \AtBeginDocument{%
1532     \let\HyOrg@appendix\appendix
1533     \def\appendix{%
1534       \ltx@ifUndefined{chapter}%
1535         {\gdef\theHsection{\Alph{section}}}%
1536         {\gdef\theHchapter{\Alph{chapter}}}%
1537       \xdef\Hy@chapapp{\Hy@appendixstring}%
1538       \HyOrg@appendix
1539     }%
1540   }%
1541 \fi
1542 \pdfstringdefDisableCommands{%

```



```

1543   \let\lr\@firstofone
1544   \let\rl\@firstofone
1545   \def\XePersian{\XePersian}%
1546 }
1547 \ltx@ifundefined{@resets@pp}{%
1548 }{%
1549   \let\HyOrg@resets@pp\@resets@pp
1550   \def\@resets@pp{%
1551     \ltx@ifundefined{chapter}{%
1552       \gdef\theHsection{\Hy@AlphNoErr{section}}%
1553     }{%
1554       \gdef\theHchapter{\Hy@AlphNoErr{chapter}}%
1555     }%
1556     \xdef\Hy@chapapp{\Hy@appendixstring}%
1557     \HyOrg@resets@pp
1558   }%
1559 }

```

36 File imsproc-xepersian.def

```

1560 \ProvidesFile{imsproc-xepersian.def}[2017/06/09 v0.5 xepersian adaptations for imsproc class
1561
1562 \renewcommand \thepart {\@tartibi\c@part}
1563 \def\appendix{\par\c@section\z@\c@subsection\z@
1564   \let\sectionname\appendixname
1565   \def\thesection{\@harfi\c@section}}
1566

```

37 File kashida-xepersian.def

```

1567 \ProvidesFile{kashida-xepersian.def}[2024/12/20 v1.0 implementation of Kashida for xepersian
1568 \chardef\xepersian@zwj="200D % zero-width joiner
1569 \chardef\xepersian@kashidachar="0640 % kashida
1570
1571 \chardef\xepersian@dualjoiner=10 % dual-joiner class
1572 \chardef\xepersian@lam=11 % lam
1573 \chardef\xepersian@rightjoiner=12 % right-joiner
1574 \chardef\xepersian@alef=13 % alef
1575 \chardef\xepersian@vowel=4096 % vowel or other combining mark (to be ignored)
1576 \newif\if@Kashida@on
1577 \def\xepersian@kashidaf{%
1578   \if@Kashida@on
1579     \xepersian@zwj
1580     \nobreak
1581     \leaders\hrule height \XeTeXglyphbounds\tw@
1582     \the\XeTeXcharglyph\xepersian@kashidachar
1583     depth \XeTeXglyphbounds\f@ur
1584     \the\XeTeXcharglyph\xepersian@kashidachar
1585     \hskip0pt plus 0.5em
1586     \xepersian@zwj
1587   \fi
1588 }
1589
1590 \def\setclass#1#2{\def\theclass{#1}\def\charlist{#2}%

```



```

1591   \expandafter\dosetclass\charlist,\end}
1592 \def\dosetclass#1,#2\end{%
1593   \def\test{\#1}\def\charlist{\#2}%
1594   \ifx\test\empty\let\next\finishsetclass
1595   \else \XeTeXcharclass "\test = \the\class
1596   \let\next\dosetclass \fi
1597   \expandafter\next\charlist,,\end}
1598 \def\finishsetclass#1,,\end{%
1599
1600 \setclass \xepersian@alef {0622,0623,0625,0627}
1601 \setclass \xepersian@rightjoiner {0624,0629,062F,0630,0631,0632,0648,0698}
1602 \setclass \xepersian@dualjoiner {0626,0628,062A,062B,062C,062D,062E}
1603 \setclass \xepersian@dualjoiner {0633,0634,0635,0636,0637,0638,0639,063A}
1604 \setclass \xepersian@dualjoiner {0640,0641,0642,0643,0645,0646,0647,0649,064A}
1605 \setclass \xepersian@dualjoiner {067E,0686,06A9,06AF,06CC}
1606 \setclass \xepersian@lam {0644}
1607 \setclass \xepersian@vowel {064B,064C,064D,064E,064F,0650,0651,0652}
1608
1609 \XeTeXinterchartoks \xepersian@dualjoiner \xepersian@dualjoiner = {\xepersian@kashida}
1610 \XeTeXinterchartoks \xepersian@lam \xepersian@dualjoiner = {\xepersian@kashida}
1611 \XeTeXinterchartoks \xepersian@dualjoiner \xepersian@lam = {\xepersian@kashida}
1612 \XeTeXinterchartoks \xepersian@lam \xepersian@lam = {\xepersian@kashida}
1613 \XeTeXinterchartoks \xepersian@dualjoiner \xepersian@rightjoiner = {\xepersian@kashida}
1614 \XeTeXinterchartoks \xepersian@dualjoiner \xepersian@alef = {\xepersian@kashida}
1615 \XeTeXinterchartoks \xepersian@lam \xepersian@rightjoiner = {\xepersian@kashida}
1616 \XeTeXinterchartoks \xepersian@lam \xepersian@alef = {}
1617
1618 \newcommand{\KashidaOn}{\@Kashida@ontrue}
1619 \newcommand{\KashidaOff}{\@Kashida@onfalse}
1620
1621 \KashidaOn

```

38 File listings-xepersian.def

```

1622 \ProvidesFile{listings-xepersian.def}[2014/07/17 v0.3 bilingual captions for listings package]
1623 \def\lstlistingname{\if@RTL else\quad Listing\fi}
1624 \def\lstlistlistingname{\if@RTL\quad else\quad Listings\fi}

```

39 File loadingorder-xepersian.def

```

1625 \ProvidesFile{loadingorder-xepersian.def}[2018/09/29 v0.5 making sure that xepersian is the last loaded package]
1626 \bidi@isloaded{algorithmic}
1627 \bidi@isloaded{algorithm}
1628 \bidi@isloaded{backref}
1629 \bidi@isloaded{enumerate}
1630 \bidi@isloaded{enumitem}
1631 \bidi@isloaded{fancyref}
1632 \bidi@isloaded{tocloft}
1633 \bidi@isloaded{url}
1634 \bidi@isloaded{varioref}
1635 \AtBeginDocument{
1636   \if@bidi@algorithmicloaded@\else
1637     \bidi@isloaded[\PackageError{xepersian}{Oops! you have loaded package algorithmic after xepersian}]
1638   \fi%

```



```

1639 \if@bidi@algorithmloaded@\else
1640   \bidi@isloaded[\PackageError{xepersian}{Oops! you have loaded package algorithm after xepersian}]{%
1641   \fi%
1642 \if@bidi@backrefloaded@\else
1643   \bidi@isloaded[\PackageError{xepersian}{Oops! you have loaded package backref after xepersian}]{%
1644   \fi%
1645 \if@bidi@enumerateloaded@\else
1646   \bidi@isloaded[\PackageError{xepersian}{Oops! you have loaded package enumerate after xepersian}]{%
1647   \fi%
1648 \if@bidi@enumitemloaded@\else
1649   \bidi@isloaded[\PackageError{xepersian}{Oops! you have loaded package enumitem after xepersian}]{%
1650   \fi%
1651 \if@bidi@fancyrefloaded@\else
1652   \bidi@isloaded[\PackageError{xepersian}{Oops! you have loaded package fancyref after xepersian}]{%
1653   \fi%
1654 \if@bidi@tocloftloaded@\else
1655   \bidi@isloaded[\PackageError{xepersian}{Oops! you have loaded package tocloft after xepersian}]{%
1656   \fi%
1657 \if@bidi@urlloaded@\else
1658   \bidi@isloaded[\PackageError{xepersian}{Oops! you have loaded package url after xepersian}]{%
1659   \fi%
1660 \if@bidi@varioreffloaded@\else
1661   \bidi@isloaded[\PackageError{xepersian}{Oops! you have loaded package varioreff after xepersian}]{%
1662   \fi%
1663 }

```

40 File localise-xepersian.def

```

1664 \ProvidesFile{localise-xepersian.def}[2022/06/06 v0.2c Persian localisation of LaTeX2e]
1665 \newcommand{\makezwnjletter}{\catcode`=11\relax}
1666 \makezwnjletter
1667 \newcommand*{\eqcommand}[2]{\if@bidi@csprimitive{#2}{\bidi@csletcs{#1}{#2}}{\bidi@csdefcs{#1}{#2}}}
1668 \newcommand*{\eqenvironment}[2]{\newenvironment{#1}{%
1669 \if@bidi@csdef{verbatim@}{\let\verb@xepersian@localize@verbatim@}{\csname#2\endcsname}%
1670 \newcommand*{\EqEnvironment}[2]{%
1671   \expandafter\let\csname #1\expandafter\endcsname\csname #2\endcsname
1672   \expandafter\let\csname end#1\expandafter\endcsname\csname end#2\endcsname
1673 }%
1674 \@ifpackageloaded{keyval}{%
1675 \newcommand*{\keyval@eq@alias@key}[4][KV]{%
1676   \bidi@csletcs{#1@#2@#3}{#1@#2@#4}%
1677   \bidi@csletcs{#1@#2@#3@default}{#1@#2@#4@default}%
1678 }{\@ifpackageloaded{xkeyval}{%
1679 \newcommand*{\keyval@eq@alias@key}[4][KV]{%
1680   \bidi@csletcs{#1@#2@#3}{#1@#2@#4}%
1681   \bidi@csletcs{#1@#2@#3@default}{#1@#2@#4@default}%
1682 }{}}%
1683 \input{latex-localise-commands-xepersian.def}
1684 \input{xepersian-localise-commands-xepersian.def}
1685 \input{latex-localise-environments-xepersian.def}
1686 \input{xepersian-localise-environments-xepersian.def}
1687 \input{latex-localise-messages-xepersian.def}
1688 \input{latex-localise-misc-xepersian.def}
1689 \input{packages-localise-xepersian.def}

```



```

1690 \aliasfontfeature{ExternalLocation}{      }
1691 \aliasfontfeature{Path}{      }
1692 \aliasfontfeature{Renderer}{      }
1693 \aliasfontfeature{BoldFont}{      }
1694 \aliasfontfeature{Language}{      }
1695 \aliasfontfeature{Script}{      }
1696 \aliasfontfeature{UprightFont}{      }
1697 \aliasfontfeature{ItalicFont}{      }
1698 \aliasfontfeature{BoldItalicFont}{      }
1699 \aliasfontfeature{SlantedFont}{      }
1700 \aliasfontfeature{BoldSlantedFont}{      }
1701 \aliasfontfeature{SmallCapsFont}{      }
1702 \aliasfontfeature{UprightFeatures}{      }
1703 \aliasfontfeature{BoldFeatures}{      }
1704 \aliasfontfeature{ItalicFeatures}{      }
1705 \aliasfontfeature{BoldItalicFeatures}{      }
1706 \aliasfontfeature{SlantedFeatures}{      }
1707 \aliasfontfeature{BoldSlantedFeatures}{      }
1708 \aliasfontfeature{SmallCapsFeatures}{      }
1709 \aliasfontfeature{SizeFeatures}{      }
1710 \aliasfontfeature{Scale}{      }
1711 \aliasfontfeature{WordSpace}{      }
1712 \aliasfontfeature{PunctuationSpace}{      }
1713 \aliasfontfeature{FontAdjustment}{      }
1714 \aliasfontfeature{LetterSpace}{      }
1715 \aliasfontfeature{HyphenChar}{      }
1716 \aliasfontfeature{Color}{      }
1717 \aliasfontfeature{Opacity}{      }
1718 \aliasfontfeature{Mapping}{      }
1719 \aliasfontfeature{Weight}{      }
1720 \aliasfontfeature{Width}{      }
1721 \aliasfontfeature{OpticalSize}{      }
1722 \aliasfontfeature{FakeSlant}{      }
1723 \aliasfontfeature{FakeStretch}{      }
1724 \aliasfontfeature{FakeBold}{      }
1725 \aliasfontfeature{AutoFakeSlant}{      }
1726 \aliasfontfeature{AutoFakeBold}{      }
1727 \aliasfontfeature{Ligatures}{      }
1728 \aliasfontfeature{Alternate}{      }
1729 \aliasfontfeature{Variant}{      }
1730 \aliasfontfeature{Variant}{      }
1731 \aliasfontfeature{CharacterVariant}{      }
1732 \aliasfontfeature{Style}{      }
1733 \aliasfontfeature{Annotation}{      }
1734 \aliasfontfeature{RawFeature}{      }
1735 \aliasfontfeature{CharacterWidth}{      }
1736 \aliasfontfeature{Numbers}{      }
1737 \aliasfontfeature{Contextuals}{      }
1738 \aliasfontfeature{Diacritics}{      }
1739 \aliasfontfeature{Letters}{      }
1740 \aliasfontfeature{Kerning}{      }
1741 \aliasfontfeature{VerticalPosition}{      }
1742 \aliasfontfeature{Fractions}{      }
1743 \aliasfontfeatureoption{Language}{Default}{      }

```



```

1744 \aliasfontfeatureoption{Language}{Persian}{  }
1745 \aliasfontfeatureoption{Script}{Persian}{  }
1746 \aliasfontfeatureoption{Script}{Latin}{  }
1747 \aliasfontfeatureoption{Style}{MathScript}{      }
1748 \aliasfontfeatureoption{Style}{MathScriptScript}{      }

```

41 File memoir-xepersian.def

```

1749 \ProvidesFile{memoir-xepersian.def}[2010/07/25 v0.1 adaptations for memoir class]
1750 \renewcommand{\@memfront}{%
1751   \@smemfront\pagenumbering{harfi}}
1752 \renewcommand{\setthesesection}{\thechapter\@SepMark\harfi{section}}
1753 \renewcommand*{\thebook}{\@tartibi\c@book}
1754 \renewcommand*{\thepart}{\@tartibi\c@part}
1755 \renewcommand{\appendix}{\par
1756   \setcounter{chapter}{0}%
1757   \setcounter{section}{0}%
1758   \gdef\chapapp{\appendixname}%
1759   \gdef\thechapter{\@harfi\c@chapter}%
1760   \anappendixtrue}

```

42 File latex-localise-messages-xepersian.def

```
1761 \ProvidesFile{-localise-messages-xepersian.def}[2011/03/01 v0.1 localising LaTeX2e messages]
```

43 File minitoc-xepersian.def

```

1762 \ProvidesFile{minitoc-xepersian.def}[2010/07/25 v0.1 bilingual captions for minitoc package]
1763 \def\ptctitle{\if@RTL else\ Table of Contents\fi}%
1764 \def\plftitle{\if@RTL else\ List of Figures\fi}%
1765 \def\pltttitle{\if@RTL else\ List of Tables\fi}%
1766 \def\mtctitle{\if@RTL else\ Contents\fi}%
1767 \def\mlftitle{\if@RTL else\ Figures\fi}%
1768 \def\mltttitle{\if@RTL else\ Tables\fi}%
1769 \def\stctitle{\if@RTL else\ Contents\fi}%
1770 \def\slftitle{\if@RTL else\ Figures\fi}%
1771 \def\sltttitle{\if@RTL else\ Tables\fi}%

```

44 File latex-localise-misc-xepersian.def

```

1772 \ProvidesFile{latex-localise-misc-xepersian.def}[2012/01/01 v0.2 miscellaneous Persian locali
1773 %}1# \ \
1774   \@ \ @ \ \
1775   \1# \
1776   \1# @\
1777   \1# @\
1778 {@ \
1779 %}2#1# @\ \
1780 %1# \ @\ \
1781   \2# \ @\ \
1782 {{2#1# \
1783 undefined\ \
1784 \
1785 %{ \ \ \ \ \1#} \ \ \ } \1# \ \

```



```

1786      \{ \ \ \
1787      \ \ \
1788
1789      \ \ \ \ %} \#1
1790      \#} \ \ % \
1791      \ \ \
1792      }%
1793
1794      \
1795      \ \ \
1796 }
1797 \= \
1798
1799
1800 \@ifdefinitionfileloaded{latex-xetex-bidi}{%
1801 \def\@xfloat #1[#2]{%
1802   \nодокумент
1803   \def \@capttype {#1}%
1804   \def \@fps {#2}%
1805   \@onelvel@sanitize \@fps
1806   \def \reserved@b {!}%
1807   \ifx \reserved@b \@fps
1808     \@fpsadddefault
1809   \else
1810     \ifx \@fps \empty
1811       \@fpsadddefault
1812     \fi
1813   \fi
1814   \ifhmode
1815     \@bsphack
1816     \@floatpenalty -\@Mii
1817   \else
1818     \@floatpenalty-\@Miii
1819   \fi
1820   \ifinner
1821     \parmoderr\@floatpenalty\z@
1822   \else
1823     \next\currbox\freelist
1824     {%
1825       \tempcnta \sixt@n
1826       \expandafter \tfor \expandafter \reserved@a
1827         \expandafter :\expandafter =\@fps
1828       \do
1829         {%
1830           \if \reserved@a h%
1831             \ifodd \tempcnta
1832               \else
1833                 \advance \tempcnta \one
1834               \fi
1835             \fi
1836           \if \reserved@a %
1837             \ifodd \tempcnta
1838               \else
1839                 \advance \tempcnta \one

```



```

1840           \fi
1841           \fi
1842           \if \reserved@a t%
1843             \@setfpsbit \tw@%
1844           \fi
1845           \if \reserved@a %
1846             \@setfpsbit \tw@%
1847           \fi
1848           \if \reserved@a b%
1849             \@setfpsbit 4%
1850           \fi
1851           \if \reserved@a %
1852             \@setfpsbit 4%
1853           \fi
1854           \if \reserved@a p%
1855             \@setfpsbit 8%
1856           \fi
1857           \if \reserved@a %
1858             \@setfpsbit 8%
1859           \fi
1860           \if \reserved@a !%
1861             \ifnum \tempcnta>15
1862               \advance\tempcnta -\sixt@@n\relax
1863             \fi
1864           \fi
1865         }%
1866         \tempcntb \csname ftype\@cattypename \endcsname
1867         \multiply \tempcntb \xxxii
1868         \advance \tempcnta \tempcntb
1869         \global \count\currbox \tempcnta
1870       }%
1871       \f@ltovf
1872     \fi
1873     \global \setbox\currbox
1874       \color@vbox
1875         \normalcolor
1876         \vbox \bgroup
1877           \hsize\columnwidth
1878           \parboxrestore
1879         \floatboxreset
1880   }%
1881 \let\bm@bm@bm@c
1882 \let\bm@bm@bm@l
1883 \let\bm@bm@bm@r
1884 \let\bm@bm@bm@b
1885 \let\bm@bm@bm@t
1886 \let\bm@bm@bm@s
1887 \long\def\@iiparbox#1#2[#3]#4#5{%
1888   \leavevmode
1889   \pboxswfalse
1890   \if@hboxRconstruct\@bidi@list@minipage@parbox@not@nobtrue\fi
1891   \if@RTL\if#1\@bidi@list@minipage@parboxtrue\else\if#1\@bidi@list@minipage@parboxtrue\else
1892     \setlength\tempdima{#4}%
1893     \begin\tempboxa\vbox{\hsize\tempdima\parboxrestore#5\par}%

```



```

1894     \ifx\relax#2\else
1895         \setlength\@tempdimb{#2}%
1896         \edef\@parboxto{\to\the\@tempdimb}%
1897     \fi
1898     \if#1b\vbox
1899     \else\if#1 \vbox
1900     \else\if #1t\vtop
1901     \else\if vtop\ #1
1902     \else\ifmmode\vcenter
1903     \else\@pboxswtrue $\\vcenter
1904     \fi\fi\fi\fi
1905     \@parboxto{\let\hss\vss\let\unhbox\unvbox
1906         \csname bm@\#3\endcsname}%
1907     \if@pboxsw \m@th$\fi
1908 \end@tempboxa}
1909 \def\@iiminipage#1#2[#3]#4{%
1910     \leavevmode
1911     \if@pboxswfalse
1912     \if@hboxRconstruct\@bidi@list@minipage@parbox@not@nobtrue\fi
1913     \if@RTL\if#1t\@bidi@list@minipage@parboxtrue\else\if#1b\@bidi@list@minipage@parboxtrue\el
1914     \setlength\@tempdima{#4}%
1915     \def\@mpargs{{#1}{#2}[#3]{#4}}%
1916     \setbox\@tempboxa\vbox\bgroup
1917     \color@begingroup
1918         \hsize\@tempdima
1919         \textwidth\hsize \columnwidth\hsize
1920         \parboxrestore
1921         \def\@mpfn{mpfootnote}\def\thempfn{\thempfootnote}\c@mpfootnote\z@
1922         \let\@footnotetext\@mpfootnotetext
1923         \let\@LTRfootnotetext\@mpLTRfootnotetext
1924         \let\@RTLfootnotetext\@mpRTLfootnotetext
1925         \let\@listdepth\@mplistdepth \@mplistdepth\z@
1926         \minipagerestore
1927         \setminipage}
1928 \def\@testpach#1{\@chclass \ifnum \lastchclass=\tw@ 4 \else
1929     \ifnum \lastchclass=3 5 \else
1930     \z@ \if #1c\@chnum \z@ \else
1931         \if chnum@\#1 \z@ \else
1932             \if \if@RTLtab#1r\else#1l\fi\@chnum \one \else
1933                 \if \if@RTLtab#1 \else#1 \fi\@chnum \one \else
1934                     \if \if@RTLtab#1\else#1r\fi\@chnum \tw@ \else
1935                         \if \if@RTLtab#1 \else#1 \fi\@chnum \tw@ \else
1936                         \@chclass \if #1|\one \else
1937                             \if #1@\tw@ \else
1938                             \if #1p3 \else
1939                                 \if 3#1 \else \z@ \preamerr 0\fi
1940                                 \fi \fi \fi \fi \fi \fi \fi \fi
1941 \fi}%
1942 }{%
1943 \ifdefinitionfileloaded{array-xetex-bidi}{%
1944 \def\@testpach{\@chclass
1945 \ifnum \lastchclass=6 \one \@chnum \one \else
1946 \ifnum \lastchclass=7 5 \else
1947 \ifnum \lastchclass=8 \tw@ \else

```



```

1948     \ifnum \@lastchclass=9 \thr@@
1949 \else \z@%
1950 \ifnum \@lastchclass = 10 \else
1951 \edef\@nextchar{\expandafter\string\@nextchar}%
1952 \@chnum
1953 \if \@nextchar c\z@ \else
1954 \if \@nextchar @z\ \else
1955 \if \@nextchar \if@RTLtab r\else l\fi\@ne \else
1956 \if \@nextchar \if@RTLtab else\ fi\@ne\ \else
1957 \if \@nextchar \if@RTLtab l\else r\fi\@tw@ \else
1958 \if \@nextchar \if@RTLtab else\ @fi\@tw\ \else
1959 \z@ \@chclass
1960 \if\@nextchar |\@ne \else
1961 \if \@nextchar !6 \else
1962 \if \@nextchar @7 \else
1963 \if \@nextchar <8 \else
1964 \if \@nextchar >9 \else
1965 10
1966 \@chnum
1967 \if \@nextchar m\thr@@\else
1968 \if \@nextchar thr@@\else\-
1969 \if \@nextchar p4 \else
1970 \if \@nextchar 4 \else
1971 \if \@nextchar b5 \else
1972 \if \@nextchar 5 \else
1973 \z@ \@chclass \z@ \preamerr \z@ \fi \fi \fi \fi \fi \fi \fi \fi
1974 \fi }{%
1975 }
1976 \@ifdefinitionfileloaded{arydshln-xetex-bidi}{%
1977 \ifadl@usingarypkg
1978 \def\@testpach{\@chclass
1979 \ifnum \@lastchclass=6 \@ne \@chnum \@ne \else
1980 \ifnum \@lastchclass=7 5 \else
1981 \ifnum \@lastchclass=8 \@tw@ \else
1982 \ifnum \@lastchclass=9 \thr@@
1983 \else \z@%
1984 \ifnum \@lastchclass = 10 \else
1985 \edef\@nextchar{\expandafter\string\@nextchar}%
1986 \@chnum
1987 \if \@nextchar c\z@ \else
1988 \if \@nextchar @z\ \else
1989 \if \@nextchar \if@RTLtab r\else l\fi\@ne \else
1990 \if \@nextchar \if@RTLtab else\ fi\@ne\ \else
1991 \if \@nextchar \if@RTLtab l\else r\fi\@tw@ \else
1992 \if \@nextchar \if@RTLtab else\ @fi\@tw\ \else
1993 \z@ \@chclass
1994 \if\@nextchar |\@ne \let\@arrayrule\adl@arrayrule \else
1995 \if\@nextchar :\@ne \let\@arrayrule\adl@arraydashrule \else
1996 \if\@nextchar ;\@ne \let\@arrayrule\adl@argarraydashrule \else
1997 \if \@nextchar !6 \else
1998 \if \@nextchar @7 \else
1999 \if \@nextchar <8 \else
2000 \if \@nextchar >9 \else
2001 10

```



```

2002   \@chnum
2003   \if \@nextchar m\thr@@\else
2004   \if \@nextchar thr@@\else\
2005   \if \@nextchar p4 \else
2006   \if \@nextchar 4 \else
2007   \if \@nextchar b5 \else
2008   \if \@nextchar 5 \else
2009   \z@\@chclass \z@ \@preamerr \z@ \fi \fi \fi \fi \fi \fi \fi \fi \fi
2010   \fi \fi
2011
2012 \def\@classzf{\@classx
2013   \tempcnta \count@
2014   \prepnext@tok
2015   \addtopreamble{\ifcase \@chnum
2016     \hfil
2017     \adl@putlrc{\d@llarbegin \insert@column \d@llarend}\hfil \or
2018     \hskip1sp\adl@putlrc{\d@llarbegin \insert@column \d@llarend}\hfil \or
2019     \hfil\hskip1sp\adl@putlrc{\d@llarbegin \insert@column \d@llarend}\or
2020     \setbox\adl@box\hbox \adl@startmbox{\@nextchar}\insert@column
2021     \adl@endmbox\or
2022     \setbox\adl@box\vtop \startpbox{\@nextchar}\insert@column \endpbox \or
2023     \setbox\adl@box\vbox \startpbox{\@nextchar}\insert@column \endpbox
2024     \fi}\prepnext@tok}
2025 \def\adl@class@start{4}
2026 \def\adl@class@iiiorvii{7}
2027
2028 \else
2029 \def\@testpach#1{\@chclass \ifnum \lastchclass=\tw@ 4\relax \else
2030   \ifnum \lastchclass=\thr@ 5\relax \else
2031     \z@ \if #1c\@chnum \z@ \else
2032       \if \chnum\z@ \#1 \else
2033         \if \if@RTLtab#1\else#\fi\@chnum \one \else
2034           \if \if@RTLtab#1 \else#\fi\@chnum \one \else
2035             \if \if@RTLtab#1\else#\fi\@chnum \tw@ \else
2036               \if \if@RTLtab#1 \else#\fi\@chnum \tw@ \else
2037                 \@chclass
2038                   \if #1|\one \let\arrayrule\adl@arrayrule \else
2039                     \if #1:\one \let\arrayrule\adl@arraydashrule \else
2040                       \if #1;\one \let\arrayrule\adl@argarraydashrule \else
2041                         \if #1@\tw@ \else
2042                           \if #1p\thr@ \else
2043                             \if @@thr\ #1 \else\z@ \@preamerr 0\fi
2044                             \fi \fi \fi \fi \fi \fi \fi \fi \fi \fi
2045
2046 \def\@arrayclassz{\ifcase \lastchclass \acolampacol \or \campacol \or
2047   \or \or \@addamp \or
2048   \acolampacol \or \firststampfalse \acol \fi
2049   \edef\@preamble{\@preamble
2050     \ifcase \@chnum
2051       \hfil\adl@putlrc{$\relax\@sharp$}\hfil
2052       \or \adl@putlrc{$\relax\@sharp$}\hfil
2053       \or \hfil\adl@putlrc{$\relax\@sharp$\fi}}
2054 \def\@tabclassz{\ifcase \lastchclass \acolampacol \or \campacol \or
2055   \or \or \@addamp \or

```




```

2110 \def\@float@HH#1[H]{%
2111   \expandafter\let\csname end#1\endcsname\float@endH
2112   \let\@currbox\float@box
2113   \def\@captype{#1}\setbox\@floatcapt=\vbox{ }%
2114   \expandafter\ifx\csname fst@#1\endcsname\relax
2115     \@fstylefalse\else\@fstyletrue\fi
2116   \setbox\@currbox\color@vbox\normalcolor
2117   \vbox\bgroup \hsize\columnwidth \parboxrestore
2118   \floatboxreset \setnobreak
2119   \ignorespaces}
2120 \def\@float@[]#1# {%
2121   \expandafter\let\csname end#1\endcsname\float@endH
2122   \let\@currbox\float@box
2123   \def\@captype{#1}\setbox\@floatcapt=\vbox{ }%
2124   \expandafter\ifx\csname fst@#1\endcsname\relax
2125     \@fstylefalse\else\@fstyletrue\fi
2126   \setbox\@currbox\color@vbox\normalcolor
2127   \vbox\bgroup \hsize\columnwidth \parboxrestore
2128   \floatboxreset \setnobreak
2129   \ignorespaces}
2130 }{%
2131 \begingroup \catcode `|=0 \catcode `[= 1
2132 \catcode`]=2 \catcode ``\={12 \catcode `}`=12
2133 \catcode`\\=12 \gdef|@x@xepersian@localize@verbatim#1|[|] |1#}{      }
2134 |gdef|@sx@xepersian@localize@verbatim#1|[|*|] |1#|{*|}      }
2135 |endgroup
2136 \def\ {@\verbatim \frenchspacing}@vobeyspaces \x@xepersian@localize@verbatim}
2137 \def\end {\if@newlist \leavevmode\fi\endtrivlist}
2138 \ExplSyntaxOn
2139 \AtBeginDocument{\@namedef{ }{\@verbatim \fontspec_print_visible_spaces: \x@xepersian@localize@verbatim}}
2140 \ExplSyntaxOff
2141 \expandafter\let\csname end \endcsname =\end

```

45 File natbib-xepersian.def

```

2142 \ProvidesFile{natbib-xepersian.def}[2011/08/01 v0.1 adaptations for natbib package]
2143 \renewcommand{\NAT@set@cites}{%
2144   \ifNAT@numbers
2145     \ifNAT@super \let\@cite\NAT@citesuper
2146       \def\NAT@mbox##1{\unskip\nobreak\textsuperscript{##1}}%
2147       \let\citeyearpar=\citeyear
2148       \let\NAT@space\relax
2149       \def\NAT@super@kern{\kern\p@}%
2150   \else
2151     \let\NAT@mbox=\mbox
2152     \let\@cite\NAT@citenum
2153     \let\NAT@space\NAT@spacechar
2154     \let\NAT@super@kern\relax
2155   \fi
2156   \let\@citex\NAT@citexnum
2157   \let\@Latincitex\NAT@Latin@citexnum
2158   \let\@biblabel\NAT@biblabelnum
2159   \let\@bibsetup\NAT@bibsetnum
2160   \renewcommand{\NAT@idxtxt}{\NAT@name\NAT@spacechar\NAT@open\NAT@num\NAT@close}%

```



```

2161      \def\natexlab##1{%
2162      \def\NAT@penalty{\penalty\@m}%
2163  \else
2164      \let\@cite\NAT@cite
2165      \let\@citet\NAT@citet
2166      \let\@Latincitet\NAT@Latin@citet
2167      \let\@biblabel\NAT@biblabel
2168      \let\@bibsetup\NAT@bibsetup
2169      \let\NAT@space\NAT@spacechar
2170      \let\NAT@penalty\empty
2171      \renewcommand\NAT@idxtxt{\NAT@name\NAT@spacechar\NAT@open\NAT@date\NAT@close}%
2172      \def\natexlab##1{##1}%
2173  \fi}
2174 \newcommand\NAT@Latin@citet{}
2175 \def\NAT@Latin@citet{%
2176  [#1] [#2]#3{%
2177  \NAT@reset@parser
2178  \NAT@sort@cites{#3}%
2179  \NAT@reset@citea
2180  \@cite{\lrf{\let\NAT@nm\empty\let\NAT@year\empty
2181  \@for\@citere:=\NAT@cite@list\do
2182  {\@safe@activestrue
2183  \edef\@citere{\expandafter\@firstofone\@citere\empty}%
2184  \@safe@activesfalse
2185  \ifundefined{b@\@citere}\@extra@b@\citere}{\@citea{%
2186  \reset@font\bfseries ?}\NAT@citeundefined
2187  \PackageWarning{natbib}%
2188  {Citation `@citere' on page \thepage\ space undefined}\def\NAT@date{}%
2189  {\let\NAT@last@nm=\NAT@nm\let\NAT@last@yr=\NAT@year
2190  \NAT@parse{\@citere}}%
2191  \ifNAT@longnames\ifundefined{bv@\@citere}\@extra@b@\citere{%
2192  \let\NAT@name=\NAT@all@names
2193  \global\@namedef{bv@\@citere}\@extra@b@\citere}{}{}%
2194  \fi
2195  \ifNAT@full\let\NAT@nm\NAT@all@names\else
2196  \let\NAT@nm\NAT@name\fi
2197  \ifNAT@swa\ifcase\NAT@ctype
2198  \if\relax\NAT@date\relax
2199  \@citea\NAT@hyper{\NAT@nmfmt{\NAT@nm}\NAT@date}%
2200  \else
2201  \ifx\NAT@last@nm\NAT@nm\NAT@yrsep
2202  \ifx\NAT@last@yr\NAT@year
2203  \def\NAT@temp{?}%
2204  \ifx\NAT@temp\NAT@exlab\PackageWarning{natbib}%
2205  {Multiple citation on page \thepage: same authors and
2206  year\MessageBreak without distinguishing extra
2207  letter,\MessageBreak appears as question mark}\fi
2208  \NAT@hyper{\NAT@exlab}%
2209  \else\unskip\NAT@spacechar
2210  \NAT@hyper{\NAT@date}%
2211  \fi
2212  \else
2213  \@citea\NAT@hyper{%
2214  \NAT@nmfmt{\NAT@nm}}%

```



```

2215           \hyper@natlinkbreak{%
2216             \NAT@aysep\NAT@spacechar}{\@citeb\@extra@b@citeb
2217           }%
2218           \NAT@date
2219           }%
2220           \fi
2221           \fi
2222 \or\@citea\NAT@hyper@\{\NAT@nmfmt{\NAT@nm}\}%
2223 \or\@citea\NAT@hyper@\{\NAT@date\}%
2224 \or\@citea\NAT@hyper@\{\NAT@alias\}%
2225 \fi \NAT@def@citea
2226 \else
2227   \ifcase\NAT@ctype
2228     \if\relax\NAT@date\relax
2229       \NAT@hyper@\{\NAT@nmfmt{\NAT@nm}\}%
2230     \else
2231       \ifx\NAT@last@nm\NAT@nm\NAT@yrsep
2232         \ifx\NAT@last@yr\NAT@year
2233           \def\NAT@temp{\?}%
2234           \ifx\NAT@temp\NAT@exlab\PackageWarningNoLine{natbib}%
2235             {Multiple citation on page \thepage: same authors and
2236             year\MessageBreak without distinguishing extra
2237             letter,\MessageBreak appears as question mark}\fi
2238           \NAT@hyper@\{\NAT@exlab\}%
2239         \else
2240           \unskip\NAT@spacechar
2241           \NAT@hyper@\{\NAT@date\}%
2242         \fi
2243       \else
2244         \NAT@hyper@\{%
2245           \NAT@nmfmt{\NAT@nm}\}%
2246         \hyper@natlinkbreak{\NAT@spacechar\NAT@open\if*\#1*\else#1\NAT@spacechar\fi}%
2247           {\@citeb\@extra@b@citeb}\}%
2248         \NAT@date
2249       }%
2250     \fi
2251   \fi
2252 \or\@citea\NAT@hyper@\{\NAT@nmfmt{\NAT@nm}\}%
2253 \or\@citea\NAT@hyper@\{\NAT@date\}%
2254 \or\@citea\NAT@hyper@\{\NAT@alias\}%
2255 \fi
2256 \if\relax\NAT@date\relax
2257   \NAT@def@citea
2258 \else
2259   \NAT@def@citea@close
2260 \fi
2261 \fi
2262 }\}\ifNAT@swa\else\if*\#2*\else\NAT@cmt#2\fi
2263 \if\relax\NAT@date\relax\relax\else\NAT@close\fi\fi}\}\#1\}\#2\}
2264 \newcommand\NAT@Latin@citexnum{}
2265 \def\NAT@Latin@citexnum[#1] [#2] #3{%
2266   \NAT@reset@parser
2267   \NAT@sort@cites{#3}%
2268   \NAT@reset@citea

```



```

2269  \@cite{\lrc{\def{\NAT@num{-1}}{\let{\NAT@last@yr}{\relax}\let{\NAT@nm}{\empty
2270  \">@for{\citeb:=\NAT@cite@list}{\do
2271  {\@safe@activestrue
2272  \edef{\citeb}{\expandafter{\firstofone{\citeb}\empty}}%
2273  \@safe@activesfalse
2274  \ifundefined{b@\citeb}{\extra@b@\citeb}{%
2275  {\reset@font\bfseries?}
2276  \NAT@citeundefined\PackageWarning[natbib]{%
2277  {Citation `{\citeb}' on page \thepage\space undefined}}%
2278  {\let{\NAT@last@num}{\NAT@num}\let{\NAT@last@nm}{\NAT@nm}
2279  \NAT@parse{\citeb}}%
2280  \ifNAT@longnames{\ifundefined{bv@\citeb}{\extra@b@\citeb}{%
2281  {\let{\NAT@name}{\NAT@all@names
2282  \global\camedef{bv@\citeb}{\extra@b@\citeb}{}{}}}}%
2283  \fi
2284  \ifNAT@full{\let{\NAT@nm}{\NAT@all@names}\else
2285  {\let{\NAT@nm}{\NAT@name}\fi
2286  \ifNAT@swa
2287  {\ifnum{\NAT@ctype}>\@ne}{%
2288  \citeda
2289  \NAT@hyper{\ifnum{\NAT@ctype=\tw@}{\NAT@test{\NAT@ctype}}{\NAT@alias}}}}%
2290  \}%
2291  \cifnum{\NAT@cmptrs}{z@}{%
2292  \NAT@ifcat@num{\NAT@num
2293  {\let{\NAT@nm}{\NAT@num}}%
2294  {\def{\NAT@nm{-2}}{}}%
2295  \NAT@ifcat@num{\NAT@last@num
2296  {\@tempcnta=\NAT@last@num\relax}}%
2297  {\@tempcnta@m@ne}}%
2298  \cifnum{\NAT@nm}{\@tempcnta}{%
2299  \cifnum{\NAT@merge}{\@ne}{\NAT@last@yr@mbox}}%
2300  \}%
2301  \advance{\@tempcnta}{\@ne}
2302  \cifnum{\NAT@nm}{\@tempcnta}{%
2303  \ifx{\NAT@last@yr}{\relax}
2304  {\def{\NAT@last@yr}{\citeda}}%
2305  \else
2306  {\def{\NAT@last@yr}{--\NAT@penalty}}%
2307  \fi
2308  \}%
2309  \NAT@last@yr@mbox
2310  \}%
2311  \}%
2312  \}%
2313  \tempswatrue
2314  \cifnum{\NAT@merge}{\@ne}{\cifnum{\NAT@last@num}{\NAT@num\relax}{\tempswafalse}{}}{%
2315  \iftempswa{\NAT@citeda@mbox}\fi
2316  \}%
2317  \}%
2318  \NAT@def@citeda
2319  \else
2320  \ifcase{\NAT@ctype}
2321  \ifx{\NAT@last@nm}{\NAT@nm}
2322  {\NAT@yrsep\NAT@penalty\NAT@space\else
  \citeda\NAT@test{\@ne}\NAT@spacechar\NAT@mbox{\NAT@super@kern\NAT@open}}%

```



```

2323         \fi
2324         \if*#1*\else#1\NAT@spacechar\fi
2325         \NAT@mbox{\NAT@hyper@{\{\citemenumfont{\NAT@num}\}}}%%
2326         \NAT@def@citea@box
2327         \or
2328             \NAT@hyper@citea@space{\NAT@test{\NAT@ctype}}%
2329         \or
2330             \NAT@hyper@citea@space{\NAT@test{\NAT@ctype}}%
2331         \or
2332             \NAT@hyper@citea@space\NAT@alias
2333         \fi
2334     \fi
2335 }%
2336 }%
2337     @ifnum{\NAT@cmprs>\z@}{\NAT@last@yr}{}%
2338     \ifNAT@swa\else
2339         @ifnum{\NAT@ctype=\z@}%
2340             \if*#2*\else\NAT@cmt#2\fi
2341         }{%
2342             \NAT@mbox{\NAT@@close}}%
2343         \fi
2344     }{\#1}{\#2}%
2345 }%
2346 \AtBeginDocument{\NAT@set@cites}
2347 \DeclareRobustCommand\Latincite
2348     {\begingroup\let\NAT@ctype\z@\NAT@partrue\NAT@swatru
2349         \@ifstar{\NAT@fulltrue\NAT@Latin@cites}{\NAT@fullfalse\NAT@Latin@cites}}
2350 \newcommand\NAT@Latin@cites{@ifnextchar [{\NAT@@Latin@@citetp}{%
2351     \ifNAT@numbers\else
2352     \NAT@swafalse
2353     \fi
2354     \NAT@@Latin@@citetp[]}}}
2355 \newcommand\NAT@@Latin@@citetp{}
2356 \def\NAT@@Latin@@citetp[#1]{@ifnextchar [{\@Latincitex[#1]}{\@Latincitex[] [#1]}}}
```

46 File packages-localise-xepersian.def

```

2357 packages}      \-localise-xepersian.def}[2013/04/24 v0.2 localising LaTeX2e Packages]
2358 color}    \}{color}      @-localise-xepersian.def}{}}
2359 @ifpackageloaded{multicol}{%
2360 \newenvironment{ }{\begin{multicols}}{\end{multicols}}%
2361 \newenvironment{*}{\begin{multicols*}}{\end{multicols*}}%
2362 }{%
2363 @ifpackageloaded{verbatim}{%
2364 \begingroup
2365   \vrb@catcodes
2366   \lccode`!=`\ \
2367   \catcode`~-=\active \lccode`~-=`^M
2368   \lccode`C=`\C
2369   \lowercase{\endgroup
2370     \def\xepersian@localize@verbatim@start#1{%
2371       \verbatim@startline
2372       \if\noexpand#1\noexpand~%
2373         \let\next\xepersian@localize@verbatim@
```



```

2374     \else \def\next{\xepersian@localize@verbatim@#1}\fi
2375     \next}%
2376 \def\xepersian@localize@verbatim@#1~{\xepersian@localize@verbatim@0#1! \ @nil}%
2377 \def\xepersian@localize@verbatim@#1! {%
2378     \verbatim@addtoline{#1}%
2379     \futurelet\next\xepersian@localize@verbatim@000}%
2380 \def\xepersian@localize@verbatim@00#1\@nil{%
2381     \ifx\next\@nil
2382         \verbatim@processline
2383         \verbatim@startline
2384         \let\next\xepersian@localize@verbatim@
2385     \else
2386         \def@\tempa##1! \ @nil{##1}%
2387         \temptokena{! }%
2388         \def\next{\expandafter\xepersian@localize@verbatim@test\@tempa#1\@nil~}%
2389     \fi \next}%
2390 \def\xepersian@localize@verbatim@test#1{%
2391     \let\next\xepersian@localize@verbatim@test
2392     \if\noexpand#1\noexpand~%
2393         \expandafter\verbatim@addtoline
2394             \expandafter{\the\temptokena}%
2395         \verbatim@processline
2396         \verbatim@startline
2397         \let\next\xepersian@localize@verbatim@
2398     \else \if\noexpand#1
2399         \temptokena\expandafter{\the\temptokena#1}%
2400     \else \if\noexpand#1\noexpand[%
2401         \let@\tempc\empty
2402         \let\next\xepersian@localize@verbatim@testend
2403     \else
2404         \expandafter\verbatim@addtoline
2405             \expandafter{\the\temptokena}%
2406             \def\next{\xepersian@localize@verbatim@#1}%
2407     \fi\fi\fi
2408     \next}%
2409 \def\xepersian@localize@verbatim@testend#1{%
2410     \if\noexpand#1\noexpand~%
2411         \expandafter\verbatim@addtoline
2412             \expandafter{\the\temptokena[]}%
2413         \expandafter\verbatim@addtoline
2414             \expandafter{\@tempc}%
2415         \verbatim@processline
2416         \verbatim@startline
2417         \let\next\xepersian@localize@verbatim@
2418     \else\if\noexpand#1\noexpand]%
2419         \let\next\xepersian@localize@verbatim@00testend
2420     \else\if\noexpand#1\noexpand!%
2421         \expandafter\verbatim@addtoline
2422             \expandafter{\the\temptokena[]}%
2423         \expandafter\verbatim@addtoline
2424             \expandafter{\@tempc}%
2425         \def\next{\xepersian@localize@verbatim@!}%
2426     \else \expandafter\def\expandafter@\tempc\expandafter
2427             {\@tempc#1}\fi\fi\fi

```



```

2428      \next}%
2429  \def\xepersian@localize@verbatim@@testend{%
2430    \ifx\@tempc\@currenvir
2431      \verbatim@finish
2432      \edef\next{\noexpand\end{\@currenvir}}%
2433          \noexpand\xepersian@localize@verbatim@rescan{\@currenvir}}}%
2434    \else
2435      \expandafter\verbatim@addtoline
2436        \expandafter{\the\@temptokena[]}%
2437        \expandafter\verbatim@addtoline
2438          \expandafter{\@tempc}}%
2439        \let\next\xepersian@localize@verbatim@%
2440    \fi
2441    \next}%
2442  \def\xepersian@localize@verbatim@rescan#1#2~{\if\noexpand~\noexpand#2~\else
2443    \warning{Characters dropped after `~\string\end{#1}`}\fi}%
2444 \def\    {\begingroup\@verbatim \frenchspacing\@vobeyspaces
2445          \xepersian@localize@verbatim@start}
2446 \namedef{   *}{\begingroup\@verbatim\xepersian@localize@verbatim@start}
2447 \def\end  {\endtrivlist\endgroup\@endpe}
2448 \expandafter\let\csname end      *\endcsname =\end
2449 }{ }
2450 \ExplSyntaxOn
2451 \AtBeginDocument{
2452   \xepersian_localize_patch_verbatim:
2453 }
2454 \cs_set:Npn \xepersian_localize_patch_verbatim: {
2455   \Ifpackageloaded{verbatim} {
2456     \cs_set:cpn {*} { }
2457     \group_begin: \overbatim \fontspec_print_visible_spaces: \xepersian@localize@verbatim@%
2458   }
2459 }
2460 }
2461 }
2462 \ExplSyntaxOff
2463 \Ifpackageloaded{graphicx}{%
2464 \def\Gin@boolkey#1#2{%
2465 \expandafter\Ifdefinable \csname Gin@#2 \endcsname{%
2466 \expandafter\let\csname Gin@#2 \expandafter\endcsname\csname Gin@#2true\endcsname}%
2467 \expandafter\Ifdefinable \csname Gin@#2 \endcsname{%
2468 \expandafter\let\csname Gin@#2 \expandafter\endcsname\csname Gin@#2false\endcsname}%
2469 \csname Gin@#2\ifx\relax#1\relax true\else#1\fi\endcsname}
2470 \define@key{Grot}{origin}[c]{%
2471 \tfor\@tempa:=#1\do{%
2472   \if l\@tempa \Grot@x\z@\else
2473   \if tempa@\ \Grot@x\z@\else
2474   \if r\@tempa \Grot@x\width\else
2475   \if tempa@\ \Grot@x\width\else
2476   \if t\@tempa \Grot@y\height\else
2477   \if tempa@\ \Grot@y\height\else
2478   \if b\@tempa \Grot@y-\depth\else
2479   \if tempa@\ \Grot@y-\depth\else
2480   \if B\@tempa \Grot@y\z@\else
2481   \if tempa@\ \Grot@y\z@\fi\fi\fi\fi\fi\fi\fi\fi\fi\fi\fi\fi\fi}}%

```



```

2482 {draft}{ }{Gin} @ \
2483 {origin}{ }{Gin} @ \
2484 {origin}{ }{Grot} @ \
2485 {clip}{ }{Gin} @ \
2486 {keepaspectratio}{ }{Gin} @ \
2487 {natwidth}{ }{Gin} @ \
2488 {nheight}{ }{Gin} @ \
2489 {bb}{ }{Gin} @ \
2490 {viewport}{ }{Gin} @ \
2491 {trim}{ }{Gin} @ \
2492 {angle}{ }{Gin} @ \
2493 {width}{ }{Gin} @ \
2494 {height}{ }{Gin} @ \
2495 {totalheight}{ }{Gin} @ \
2496 {scale}{ }{Gin} @ \
2497 {type}{ }{Gin} @ \
2498 {ext}{ }{Gin} @ \
2499 {read}{ }{Gin} @ \
2500 {command}{ }{Gin} @ \
2501 {x}{ }{Grot} @ \
2502 {y}{ }{Grot} @ \
2503 {units}{ }{Grot} @ \
2504 }{}
```

47 File url-xepersian.def

```

2505 \ProvidesFile{url-xepersian.def}[2022/02/18 v0.1 adaptations for url package]
2506 \begingroup
2507 \lccode`+=`\%
2508 \lowercase {\long\gdef\Url@actpercent{\Url@Edit\Url@String{+}{~}}%
2509 \ifnum\Umathcodenum`<32768 \def~{\%}\fi}%
2510 \endgroup%
```

48 File persian-tex-text.map

```

2511 LHSName "persian-TeX-text"
2512 RHSName "Unicode"
2513
2514 pass(Unicode)
2515 U+0030 <> U+06F0 ;
2516 U+0031 <> U+06F1 ;
2517 U+0032 <> U+06F2 ;
2518 U+0033 <> U+06F3 ;
2519 U+0034 <> U+06F4 ;
2520 U+0035 <> U+06F5 ;
2521 U+0036 <> U+06F6 ;
2522 U+0037 <> U+06F7 ;
2523 U+0038 <> U+06F8 ;
2524 U+0039 <> U+06F9 ;
2525
2526
2527 U+002C <> U+060C ; comma > arabic comma
2528 U+003F <> U+061F ; question mark -> arabic qm
2529 U+003B <> U+061B ; semicolon -> arabic semicolon
```



```

2530
2531 ; ligatures from Knuth's original CMR fonts
2532 U+002D U+002D <> U+2013 ; -- -> en dash
2533 U+002D U+002D U+002D <> U+2014 ; --- -> em dash
2534
2535 U+0027 <> U+2019 ; ' -> right single quote
2536 U+0027 U+0027 <> U+201D ; '' -> right double quote
2537 U+0022 > U+201D ; " -> right double quote
2538
2539 U+0060 <> U+2018 ; ` -> left single quote
2540 U+0060 U+0060 <> U+201C ; `` -> left double quote
2541
2542 U+0021 U+0060 <> U+00A1 ; !` -> inverted exclam
2543 U+003F U+0060 <> U+00BF ; ?` -> inverted question
2544
2545 ; additions supported in T1 encoding
2546 U+002C U+002C <> U+201E ; , , -> DOUBLE LOW-9 QUOTATION MARK
2547 U+003C U+003C <> U+00AB ; << -> LEFT POINTING GUILLEMET
2548 U+003E U+003E <> U+00BB ; >> -> RIGHT POINTING GUILLEMET

```

49 File persian-tex-text-nonumbers.map

```

2549 LHSName "persian-TeX-text-nonumbers"
2550 RHSName "Unicode"
2551
2552 pass(Unicode)
2553 U+002C <> U+060C ; comma > arabic comma
2554 U+003F <> U+061F ; question mark -> arabic qm
2555 U+003B <> U+061B ; semicolon -> arabic semicolon
2556
2557 ; ligatures from Knuth's original CMR fonts
2558 U+002D U+002D <> U+2013 ; -- -> en dash
2559 U+002D U+002D U+002D <> U+2014 ; --- -> em dash
2560
2561 U+0027 <> U+2019 ; ' -> right single quote
2562 U+0027 U+0027 <> U+201D ; '' -> right double quote
2563 U+0022 > U+201D ; " -> right double quote
2564
2565 U+0060 <> U+2018 ; ` -> left single quote
2566 U+0060 U+0060 <> U+201C ; `` -> left double quote
2567
2568 U+0021 U+0060 <> U+00A1 ; !` -> inverted exclam
2569 U+003F U+0060 <> U+00BF ; ?` -> inverted question
2570
2571 ; additions supported in T1 encoding
2572 U+002C U+002C <> U+201E ; , , -> DOUBLE LOW-9 QUOTATION MARK
2573 U+003C U+003C <> U+00AB ; << -> LEFT POINTING GUILLEMET
2574 U+003E U+003E <> U+00BB ; >> -> RIGHT POINTING GUILLEMET

```

50 File rapport1-xepersian.def

```

2575 \ProvidesFile{rapport1-xepersian.def}[2010/07/25 v0.1 adaptations for rapport1 class]
2576 \renewcommand*\thepart{\@tartibi\c@part}
2577 \renewcommand*\appendix{\par

```



```

2578 \setcounter{chapter}{0}%
2579 \setcounter{section}{0}%
2580 \gdef\@chapapp{\appendixname}%
2581 \gdef\thechapter{\@harfi\c@chapter}}

```

51 File rapport3-xepersian.def

```

2582 \ProvidesFile{rapport3-xepersian.def}[2010/07/25 v0.2 adaptations for rapport3 class]
2583 \renewcommand*\thepart{\@tartibi\c@part}
2584 \renewcommand*\appendix{\par
2585   \setcounter{chapter}{0}%
2586   \setcounter{section}{0}%
2587   \gdef\@chapapp{\appendixname}%
2588   \gdef\thechapter{\@harfi\c@chapter}}

```

52 File refrep-xepersian.def

```

2589 \ProvidesFile{refrep-xepersian.def}[2010/07/25 v0.2 adaptations for refrep class]
2590 \renewcommand \thepart {\@tartibi\c@part}
2591 \renewcommand\appendix{\par
2592   \setcounter{chapter}{0}%
2593   \setcounter{section}{0}%
2594   \gdef\@chapapp{\appendixname}%
2595   \gdef\thechapter{\@harfi\c@chapter}
2596 }%end appendix

```

53 File report-xepersian.def

```

2597 \ProvidesFile{report-xepersian.def}[2010/07/25 v0.2 adaptations for standard report class]
2598 \renewcommand \thepart {\@tartibi\c@part}
2599 \renewcommand\appendix{\par
2600   \setcounter{chapter}{0}%
2601   \setcounter{section}{0}%
2602   \gdef\@chapapp{\appendixname}%
2603   \gdef\thechapter{\@harfi\c@chapter}
2604 }%end appendix

```

54 File scrartcl-xepersian.def

```

2605 \ProvidesFile{scrartcl-xepersian.def}[2022/05/22 v0.3 adaptations for scrartcl class]
2606 \renewcommand*\thepart{\@tartibi\c@part}
2607 \renewcommand*\appendix{%
2608   \Ifstr{\@currenvir}{appendix}{%
2609     \ClassWarning{\KOMAClassName}{%
2610       You are using
2611       `\\string\\begin{appendix}...\\string\\end{appendix}'.\\MessageBreak
2612       You should note, that `\\string\\appendix' is a mostly
2613       globally\\MessageBreak
2614       working command not an enviroment with only local\\MessageBreak
2615       effects. Therefore `\\string\\end{appendix}' will neither\\MessageBreak
2616       switch back to normal section numbering nor finish\\MessageBreak
2617       every other effect of `\\string\\begin{appendix}'.\\MessageBreak
2618       Nevertheless, some effects may end with\\MessageBreak
2619       `\\string\\end{appendix}' and the document may become\\MessageBreak

```



```

2620     inconsistent.\MessageBreak
2621     Because of this, you should remove `\"string\end{appendix}`.\MessageBreak
2622     and replace `\"string\begin{appendix}` by command\MessageBreak
2623     `\"string\appendix`%
2624   }%
2625 }{%
2626 \par
2627 \setcounter{section}{0}%
2628 \setcounter{subsection}{0}%
2629 \gdef\thesection{\@harfi\c@section}%
2630 }
2631 \IfLTXAtLeastTF{2020/10/01}{%
2632   \g@addto@macro{\appendix}{\UseOneTimeHook{\KOMAClassName/appendix}}%
2633 }{%
2634 \g@addto@macro{\appendix}{\csname appendixmore\endcsname}%
2635 \renewcommand*{\@maybeautodot}[1]{%
2636   \ifx #1\@stop\let\@maybeautodot\relax
2637   \else
2638     \ifx #1\harfi \@autodottrue\fi
2639     \ifx #1\adadi \@autodottrue\fi
2640     \ifx #1\tartibi \@autodottrue\fi
2641     \ifx #1\Alph \@autodottrue\fi
2642     \ifx #1\alph \@autodottrue\fi
2643     \ifx #1\Roman \@autodottrue\fi
2644     \ifx #1\roman \@autodottrue\fi
2645     \ifx #1\@harfi \@autodottrue\fi
2646     \ifx #1\@adadi \@autodottrue\fi
2647     \ifx #1\@tartibi \@autodottrue\fi
2648     \ifx #1\@Alph \@autodottrue\fi
2649     \ifx #1\@alph \@autodottrue\fi
2650     \ifx #1\@Roman \@autodottrue\fi
2651     \ifx #1\@roman \@autodottrue\fi
2652     \ifx #1\romannumeral \@autodottrue\fi
2653   \fi
2654   \@@maybeautodot
2655 }

```

55 File scrbook-xepersian.def

```

2656 \ProvidesFile{scrbook-xepersian.def}[2022/05/22 v0.3 adaptations for scrbook class]
2657 \renewcommand*{\frontmatter}{%
2658   \if@twoside\cleardoubleoddpage\else\clearpage\fi
2659   \mainmatterfalse\pagenumbering{harfi}%
2660 }
2661 \renewcommand*{\thepart}{\tartibi\c@part}
2662 \renewcommand*\appendix{%
2663   \Ifstr{\currenvir}{appendix}{%
2664     \ClassWarning{\KOMAClassName}{%
2665       You are using
2666       `\"string\begin{appendix}...\"string\end{appendix}`.\MessageBreak
2667       You should note, that `\"string\appendix` is a mostly
2668       globally\MessageBreak
2669       working command not an enviroment with only local\MessageBreak
2670       effects. Therefore `\"string\end{appendix}` will neither\MessageBreak

```



```

2671     switch back to normal section numbering nor finish\MessageBreak
2672     every other effect of `\"string\begin{appendix}\'.\MessageBreak
2673     Nevertheless, some effects may end with\MessageBreak
2674     `\"string\end{appendix}' and the document may become\MessageBreak
2675     inconsistent.\MessageBreak
2676     Because of this, you should remove `\"string\end{appendix}'\MessageBreak
2677     and replace `\"string\begin{appendix}' by command\MessageBreak
2678     `\"string\appendix'%
2679   }%
2680 }{%
2681 \par
2682 \setcounter{chapter}{0}%
2683 \setcounter{section}{0}%
2684 \gdef\@chapapp{\appendixname}%
2685 \gdef\thechapter{\@harfi\c@chapter}%
2686 }
2687 \IfLTXAtLeastTF{2020/10/01}{%
2688   \g@addto@macro{\appendix}{\UseOneTimeHook{\KOMAClassName/appendix}}%
2689 }{%
2690 \g@addto@macro{\appendix}{\csname appendixmore\endcsname}%
2691 \renewcommand*{\@maybeautodot}[1]{%
2692   \ifx #1\@stop\let\@maybeautodot\relax
2693   \else
2694     \ifx #1\harfi \@autodottrue\fi
2695     \ifx #1\adadi \@autodottrue\fi
2696     \ifx #1\tartibi \@autodottrue\fi
2697     \ifx #1\Alph \@autodottrue\fi
2698     \ifx #1\alph \@autodottrue\fi
2699     \ifx #1\Roman \@autodottrue\fi
2700     \ifx #1\roman \@autodottrue\fi
2701     \ifx #1\sharfi \@autodottrue\fi
2702     \ifx #1\adadi \@autodottrue\fi
2703     \ifx #1\tartibi \@autodottrue\fi
2704     \ifx #1\@Alph \@autodottrue\fi
2705     \ifx #1\@alph \@autodottrue\fi
2706     \ifx #1\@Roman \@autodottrue\fi
2707     \ifx #1\@roman \@autodottrue\fi
2708     \ifx #1\romannumeral \@autodottrue\fi
2709   \fi
2710   \@@maybeautodot
2711 }

```

56 File scrreprt-xepersian.def

```

2712 \ProvidesFile{scrreprt-xepersian.def}[2022/05/22 v0.3 adaptations for scrreprt class]
2713 \renewcommand*{\thepart}{\tartibi\c@part}
2714 \renewcommand*\appendix{%
2715   \Ifstr{\currenvir}{appendix}{%
2716     \ClassWarning{\KOMAClassName}{%
2717       You are using
2718       `\"string\begin{appendix}...\string\end{appendix}'.\MessageBreak
2719       You should note, that `\"string\appendix' is a mostly
2720       globally\MessageBreak
2721       working command not an enviroment with only local\MessageBreak

```



```

2722     effects. Therefore `\"string\end{appendix}' will neither\MessageBreak
2723     switch back to normal section numbering nor finish\MessageBreak
2724     every other effect of `\"string\begin{appendix}\MessageBreak'.
2725     Nevertheless, some effects may end with\MessageBreak
2726     `\"string\end{appendix}' and the document may become\MessageBreak
2727     inconsistent.\MessageBreak
2728     Because of this, you should remove `\"string\end{appendix}\MessageBreak'
2729     and replace `\"string\begin{appendix}' by command\MessageBreak
2730     `\"string\appendix'%
2731     }%
2732   }{%
2733   \par
2734   \setcounter{chapter}{0}%
2735   \setcounter{section}{0}%
2736   \gdef\@chapapp{\appendixname}%
2737   \gdef\thechapter{\@harfi\c@chapter}%
2738 }
2739 \IfLTXAtLeastTF{2020/10/01}{%
2740   \g@addto@macro{\appendix}{\UseOneTimeHook{\KOMAClassName/appendix}}%
2741 }{%
2742 \g@addto@macro{\appendix}{\csname appendixmore\endcsname}%
2743 \renewcommand*{\@maybeautodot}[1]{%
2744   \ifx #1\@stop\let\@maybeautodot\relax
2745   \else
2746     \ifx #1\harfi \@autodottrue\fi
2747     \ifx #1\adadi \@autodottrue\fi
2748     \ifx #1\tartibi \@autodottrue\fi
2749     \ifx #1\Alph \@autodottrue\fi
2750     \ifx #1\alph \@autodottrue\fi
2751     \ifx #1\Roman \@autodottrue\fi
2752     \ifx #1\roman \@autodottrue\fi
2753     \ifx #1\harfi \@autodottrue\fi
2754     \ifx #1\adadi \@autodottrue\fi
2755     \ifx #1\tartibi \@autodottrue\fi
2756     \ifx #1\Alph \@autodottrue\fi
2757     \ifx #1\alph \@autodottrue\fi
2758     \ifx #1\Roman \@autodottrue\fi
2759     \ifx #1\roman \@autodottrue\fi
2760     \ifx #1\romannumeral \@autodottrue\fi
2761   \fi
2762   \@@maybeautodot
2763 }

```

57 File soul-xepersian.def

```

2764 \ProvidesFile{soul-xepersian.def}[2018/12/12 v0.2 adaptations for soul package]
2765 \let\SOUL@tt@latin\SOUL@tt
2766 \newfontface{\SOUL@tt@nonlatin}{Times New Roman}
2767 \def\SOUL@tt{%
2768   \if@nonlatin
2769     \SOUL@tt@nonlatin
2770   \else
2771     \SOUL@tt@latin
2772   \fi

```



```

2773 }
2774 \bidi@appto\resetlatinfont{%
2775   \setbox\z@\hbox{\SOUL@tt-}%
2776   \SOUL@ttwidth\wd\z@
2777 }
2778 \bidi@appto\setpersianfont{%
2779   \setbox\z@\hbox{\SOUL@tt-}%
2780   \SOUL@ttwidth\wd\z@
2781 }

```

58 File tkz-linknodes-xepersian.def

```

2782 \ProvidesFile{tkz-linknodes-xepersian.def}[2012/06/13 v0.1 adaptations for tkz-linknodes pack
2783 \renewcommand*{\@SetTab}{%
2784   \let\@alph\@latinalph%
2785   \ifnum \value{C@NumTab}>25\relax%
2786     \setcounter{C@NumTab}{1}%
2787   \else%
2788     \stepcounter{C@NumTab}%
2789   \fi%
2790   \setcounter{C@NumGroup}{0}%
2791 \newcommand*{\PrefixCurrentTab}{\alph{C@NumTab}}%
2792 \setboolean{B@FirstLink}{true}
2793 \setboolean{B@NewGroup}{false}
2794 \setcounter{C@NumGroup}{0}
2795 \setcounter{C@CurrentGroup}{0}
2796 \setcounter{NumC@Node}{0}
2797 \setcounter{NumC@Stop}{0}
2798 \setcounter{C@NextNode}{0}
2799 \setcounter{C@CurrentStop}{0}
2800 \setcounter{C@CurrentNode}{0}
2801 }%

```

59 File tocloft-xepersian.def

```

2802 \ProvidesFile{tocloft-xepersian.def}[2010/07/25 v0.1 bilingual captions for tocloft package]
2803 \renewcommand*{\cftchapname}{\if@RTL \else\ chapter\fi}
2804 \renewcommand*{\cftsecname}{\if@RTL \else\ section\fi}
2805 \renewcommand*{\cftsubsecname}{\if@RTL \else\ subsection\fi}
2806 \renewcommand*{\cftsubsubsecname}{\if@RTL \else\ subsubsection\fi}
2807 \renewcommand*{\cftparaname}{\if@RTL \else\ paragraph\fi}
2808 \renewcommand*{\cftsubparaname}{\if@RTL \else\ subparagraph\fi}
2809 \renewcommand*{\cftfigname}{\if@RTL \else\ figure\fi}
2810 \renewcommand*{\cftsubfigname}{\if@RTL \else\ subfigure\fi}
2811 \renewcommand*{\cfttabname}{\if@RTL \else\ table\fi}
2812 \renewcommand*{\cftsubtabname}{\if@RTL \else\ subtable\fi}

```

60 File varioref-xepersian.def

```

2813 \ProvidesFile{varioref-xepersian.def}[2018/09/29 v0.1 bilingual captions for varioref package]
2814 \def\reftextfaceafter{%
2815   \if@RTL
2816
2817 \reftextvario{ }{ }%

```



```

2818 \else
2819   on the \ref{textvario{facing}{next}} page%
2820 \fi
2821 }
2822 \def\ref{textfacebefore}{%
2823 \if@RTL
2824
2825 \ref{textvario{ }{ }%
2826 \else
2827   on the \ref{textvario{facing}{preceding}} page%
2828 \fi
2829 }
2830 \def\ref{textafter}{%
2831 \if@RTL
2832
2833 \ref{textvario{ }{ }%
2834 \else
2835   on the \ref{textvario{following}{next}} page%
2836 \fi
2837 }
2838 \def\ref{textbefore}{%
2839 \if@RTL
2840
2841 \ref{textvario{ }{ }%
2842 \else
2843   on the \ref{textvario{preceding}{previous}} page%
2844 \fi
2845 }
2846 \def\ref{textcurrent}{%
2847 \if@RTL
2848
2849 \ref{textvario{ }{ }%
2850 \else
2851   on \ref{textvario{this}{the current}} page%
2852 \fi
2853 }
2854 \def\ref{textfaraway}{%
2855 \if@RTL
2856 %
2857 ~\pageref{#1}%
2858 \else
2859   on page~\pageref{#1}%
2860 \fi
2861 }
2862 \def\ref{textpagerange}{%
2863 \if@RTL
2864 %
2865 ~\pageref{#1}--\pageref{#2}%
2866 \else
2867   on pages~\pageref{#1}--\pageref{#2}%
2868 \fi
2869 }
2870 \def\ref{textlabelrange}{%
2871 \if@RTL

```



```

2872     \ref{#1} \%ref{#2}\~
2873   \else
2874     \ref{#1} to~\ref{#2}%
2875   \fi
2876 }

```

61 File `xepersian.sty`

```

2877 \NeedsTeXFormat{LaTeX2e}
2878 \def\xepersian@version{25.8}
2879 \def\xepersiandate{2025/01/01}
2880 \def\xepersian@releasename{Mount Alvand}
2881 \def\xepersian@persian@@releasename{  {
2882 \newcommand*{\xepersianreleasename}{\if@RTL\xepersian@persian@@releasename\else\xepersian@rel
2883 \ProvidesPackage{xepersian}[\xepersiandate\space v\xepersian@version\space (Release \xepersia
2884 Persian typesetting in XeLaTeX]
2885 \newif\if@xepersian@banner
2886 \newif\if@xepersian@@computeautoilg
2887 \DeclareUnknownKeyHandler{%
2888   \PassOptionsToPackage{\CurrentOption}{bidi}%
2889 }
2890 \ExplSyntaxOn
2891 \keys_define:nn { xepersian }
2892   {
2893     banner .choice: ,
2894     banner / on .code:n =
2895       \@xepersian@bannertrue
2896       \PassOptionsToPackage{banner=on}{bidi} ,
2897     banner / off .code:n =
2898       \@xepersian@bannerfalse
2899       \PassOptionsToPackage{banner=off}{bidi} ,
2900     banner .default:n = on
2901   }
2902 \keys_define:nn { xepersian }
2903   {
2904     mathdigits .choice: ,
2905     mathdigits / automatic .code:n = \AtEndOfPackage{\AutoMathDigits} ,
2906     mathdigits / default .code:n = \AtEndOfPackage{\DefaultMathDigits} ,
2907     mathdigits / persian .code:n = \AtEndOfPackage{\PersianMathDigits}
2908   }
2909 \keys_define:nn { xepersian }
2910   {
2911     inlinemathdigits .choice: ,
2912     inlinemathdigits / automatic .code:n = \AtEndOfPackage{\AutoInlineMathDigits} ,
2913     inlinemathdigits / default .code:n = \AtEndOfPackage{\DefaultInlineMathDigits} ,
2914     inlinemathdigits / persian .code:n = \AtEndOfPackage{\PersianInlineMathDigits}
2915   }
2916 \keys_define:nn { xepersian }
2917   {
2918     displaymathdigits .choice: ,
2919     displaymathdigits / automatic .code:n = \AtEndOfPackage{\AutoDisplayMathDigits} ,
2920     displaymathdigits / default .code:n = \AtEndOfPackage{\DefaultDisplayMathDigits} ,
2921     displaymathdigits / persian .code:n = \AtEndOfPackage{\PersianDisplayMathDigits}
2922   }

```



```

2923 \keys_define:nn { xepersian }
2924   {
2925     Kashida .choice: ,
2926     Kashida / on .code:n = \AtEndOfPackage{\input{kashida-xepersian.def}} ,
2927     Kashida / off .code:n = \relax ,
2928     Kashida .default:n = on
2929   }
2930 \keys_define:nn { xepersian }
2931   {
2932     localise .choice: ,
2933     localise / on .code:n = \AtEndOfPackage{\input{localise-xepersian.def}} ,
2934     localise / off .code:n = \relax ,
2935     localise .default:n = on
2936   }
2937 \cs_new_protected:Npn \__xepersian_quickindex_variant:n #1
2938 {
2939   \AtEndOfPackage{%
2940     \ifwriteviii
2941       \c@ifclassloaded{memoir}{%
2942         \PackageError{xepersian}{%
2943           This~feature~does~not~yet~work~with~the~memoir~class}{}%
2944       }{%
2945         \renewcommand\printindex{\newpage%
2946           \immediate\closeout@indexfile
2947           \immediate\write18{%
2948             xindy--L-persian-variant#1--C-utf8--M-texindy--M-page-ranges~\jobname.idx}
2949             \input{\jobname.ind}}%
2950       }
2951     \else
2952       \PackageError{xepersian}{%
2953         "shell-escape"~(or~"write18")~is~not~enabled.~You~need~to~run~"xelatex---shell-esca
2954       \fi
2955     }
2956   }
2957 \keys_define:nn { xepersian }
2958   {
2959     quickindex-variant .choice: ,
2960     quickindex-variant / one .code:n = \__xepersian_quickindex_variant:n { 1 } ,
2961     quickindex-variant / two .code:n = \__xepersian_quickindex_variant:n { 2 } ,
2962     quickindex-variant / three .code:n = \__xepersian_quickindex_variant:n { 3 }
2963   }
2964 \keys_define:nn { xepersian }
2965   {
2966     abjad-variant .choice: ,
2967     abjad-variant / one .code:n =
2968       \def\PersianAlphs{%
2969         \let\@alph\@abjad
2970         \let\@Alpha\@abjad
2971       } ,
2972     abjad-variant / two .code:n =
2973       \def\PersianAlphs{%
2974         \let\@alph\@Abjad
2975         \let\@Alpha\@Abjad
2976       }

```



```

2977 }
2978 \keys_define:nn { xepersian }
2979 {
2980     defaultlatinfontfeatures .code:n = \AtEndOfPackage{\defaultfontfeatures[\latinfont]{#1}}
2981 }
2982 \keys_define:nn { xepersian }
2983 {
2984     mathfontsizescale .code:n = \def\xepersian@@math@fontsize@scale{#1}
2985 }
2986 \keys_define:nn { xepersian }
2987 {
2988     fontsizescale .code:n = \def\xepersian@@fontsize@scale{#1}
2989 }
2990 \keys_define:nn { xepersian }
2991 {
2992     fontsize .code:n = \AtEndOfPackage{\xepersian@@fontsize@branch{#1}}
2993 }
2994 \keys_define:nn { xepersian }
2995 {
2996     latinfontsizescale .code:n = \def\xepersian@@latin@fontsize@scale{#1}
2997 }
2998 \keys_define:nn { xepersian }
2999 {
3000     baselineskipscale .code:n = \def\xepersian@@baselineskip@scale{#1}
3001 }
3002 \keys_define:nn { xepersian }
3003 {
3004     latinbaselineskipscale .code:n = \def\xepersian@@latin@baselineskip@scale{#1}
3005 }
3006 \keys_define:nn { xepersian }
3007 {
3008     computeautoilg .choice: ,
3009     computeautoilg / on .code:n = \xepersian@@computeautoilgtrue ,
3010     computeautoilg / off .code:n = \xepersian@@computeautoilgfalse ,
3011     computeautoilg .default:n = on
3012 }
3013 \keys_define:nn { xepersian }
3014 {
3015     debugtextdigitfont .choice: ,
3016     debugtextdigitfont / on .code:n = \AtEndOfPackage{%
3017         \bidi@AtEndPreamble{%
3018             \bidi@patchcmd\xepersian@start@switch@textdigitfont\xepersian@textdigitfont{%
3019                 \addfontfeature{Color=C71585}
3020             }{}{}%
3021         }%
3022     } ,
3023     debugtextdigitfont / off .code:n = \relax ,
3024     debugtextdigitfont .default:n = on
3025 }
3026 \keys_set:nn { xepersian }
3027 {
3028     banner = on ,
3029     abjad-variant = two ,
3030     fontsizescale = \one ,

```



```

3031     latinfontsizescale = \@ne ,
3032     mathfontsizescale = \@ne ,
3033     baselineskipscale = \@ne ,
3034     latinbaselineskipscale = \@ne
3035 }
3036 \ExplSyntaxOff
3037 \ProcessKeyOptions
3038 \edef\xepersian@info{*****^~J%
3039 * ^~J%
3040 * xepersian package (Persian for LaTeX, using XeTeX engine)^~J%
3041 * ^~J%
3042 * Description: The package supports Persian^~J%
3043 * typesetting, using fonts provided in the^~J%
3044 * distribution.^~J%
3045 * ^~J%
3046 * Copyright (c) 2008--2025 Vafa Khalighi^~J%
3047 * Copyright (c) 2018--2020 bidi-tex GitHub Organization^~J%
3048 * ^~J%
3049 * v\xepersian@version\space (Release \xepersian@releasename), \xepersiandate^~J%
3050 * ^~J%
3051 * License: LaTeX Project Public License, version^~J%
3052 * 1.3c or higher (your choice)^~J%
3053 * ^~J%
3054 * Location on CTAN: /macros/xetex/latex/xepersian^~J%
3055 * ^~J%
3056 * Issue tracker: https://github.com/xepersian/xepersian/issues^~J%
3057 * ^~J%
3058 * Discussions: https://github.com/xepersian/xepersian/discussions^~J%
3059 * ^~J%
3060 * Primary author of xepersian package: Vafa Khalighi.^~J%
3061 * ^~J%
3062 *****}
3063 \edef\xepersian@everyjob{\the\everyjob}
3064 \if\xepersian@banner
3065   \typeout{\xepersian@info}
3066   \everyjob{\xepersian@everyjob\typeout{\xepersian@info}}
3067 \fi
3068 \RequirePackage{fontspec}
3069 \RequirePackage{xepersian-persiancal}
3070 \RequirePackage{xepersian-mathdigitspec}
3071 \RequirePackage[%]
3072   documentdirection=righttoleft,%
3073   tabledirection=righttoleft,%
3074   script=nonlatin,%
3075   footnotedirection=righttoleft,%
3076   footnoterule=automatic%
3077 ]{bidi}
3078 \newcommand*\xepersianversion
3079   {\l ensuremath\xepersian@version}
3080 \newcommand*\IfxepersianPackageVersionLater}[1]{%
3081   \ifdim\xepersian@version pt > #1 pt %
3082     \expandafter\@firstoftwo
3083   \else
3084     \expandafter\@secondoftwo

```



```

3085   \fi}
3086 \newcommand*{\IfxepersianPackageVersionBefore}[1]{%
3087   \ifdim\xepersian@version pt < #1 pt %
3088     \expandafter\@firstoftwo
3089   \else
3090     \expandafter\@secondoftwo
3091   \fi}
3092 \newcommand*{\IfxepersianPackageVersion}[1]{%
3093   \ifdim\xepersian@version pt = #1 pt %
3094     \expandafter\@firstoftwo
3095   \else
3096     \expandafter\@secondoftwo
3097   \fi}
3098 \def\prq{<}
3099 \def\plq{>}
3100 \def\xepersian@cmds@temp#1{%
3101   \begingroup\expandafter\expandafter\expandafter\endgroup
3102   \expandafter\ifx\csname xepersian@\#1\endcsname\relax
3103     \begingroup
3104       \escapechar=-1 %
3105       \edef\x{\expandafter\meaning\csname#1\endcsname}%
3106       \def\y{\#1}%
3107       \def\z{\#1->{\}}%
3108       \edef\y{\expandafter\z\meaning\y}%
3109     \expandafter\endgroup
3110     \ifx\x\y
3111       \expandafter\def\csname xepersian@\#1\expandafter\endcsname
3112         \expandafter{%
3113           \csname#1\endcsname
3114         }%
3115     \fi
3116   \fi
3117 }%
3118 \xepersian@cmds@temp{shellescape}
3119 \newif\ifwritexviii
3120 \ifnum\xepersian@shellescape=1\relax
3121   \writexviiittrue
3122 \else
3123   \writexviiifalse
3124 \fi
3125 \newfontscript{Persian}{arab}
3126 \newfontlanguage{Persian}{FAR}
3127 \ExplSyntaxOn
3128
3129 \keys_define:nn {fontspec-opentype}
3130   {
3131     Ligatures / PersianTeX .code:n = { \tl_set:Nn \l__fontspec_mapping_tl {persian-tex-text} },
3132     Ligatures / PersianTeXOff .code:n = { \tl_clear:N \l__fontspec_mapping_tl },
3133     Ligatures / PersianTeXReset .code:n = { \tl_clear:N \l__fontspec_mapping_tl },
3134   }
3135
3136 \keys_define:nn {fontspec-aat}
3137   {
3138     Ligatures / PersianTeX .code:n =

```



```

3139   {
3140     \tl_set:Nn \l__fontspec_mapping_tl { persian-tex-text }
3141   }
3142 }
3143
3144 \keys_define:nn {fontspec-opentype}
3145   {
3146     Ligatures / PersianTeXNoNumbers .code:n = { \tl_set:Nn \l__fontspec_mapping_tl {persian-#1} },
3147     Ligatures / PersianTeXNoNumbersOff .code:n = { \tl_clear:N \l__fontspec_mapping_tl },
3148     Ligatures / PersianTeXNoNumbersReset .code:n = { \tl_clear:N \l__fontspec_mapping_tl },
3149   }
3150
3151 \keys_define:nn {fontspec-aat}
3152   {
3153     Ligatures / PersianTeXNoNumbers .code:n =
3154     {
3155       \tl_set:Nn \l__fontspec_mapping_tl { persian-tex-text-nonumbers }
3156     }
3157   }
3158
3159 \DeclareDocumentCommand \settextfont { O{} m O{} }
3160   {
3161     \__xepersian_main_settextfont:nn {#1,#3} {#2}
3162     \ignorespaces
3163   }
3164 \cs_new:Nn \__xepersian_main_settextfont:nn
3165   {
3166     \fontspec_set_family:Nnn \l__fontspec_persianfont_family_tl {RawFeature={script=arab},Ligatures=PersianTeX, #1} {#2}
3167     \tl_set_eq:NN \rmdefault \l__fontspec_persianfont_family_tl
3168     \use:x { \exp_not:n { \ DeclareRobustCommand \persianfont }
3169       {
3170         \exp_not:N \fontencoding { \g__fontspec_nfss_enc_tl }
3171         \exp_not:N \fontfamily { \l__fontspec_persianfont_family_tl }
3172         \exp_not:N \selectfont
3173       }
3174     }
3175     \str_if_eq:eeT {\familydefault} {\rmdefault}
3176     { \tl_set_eq:NN \encodingdefault \g__fontspec_nfss_enc_tl }
3177     \__xepersian_settextfont_hook:nn {#1} {#2}
3178     \normalfont
3179   }
3180
3181 \cs_set_eq:NN \__xepersian_settextfont_hook:nn \use_none:nn
3182
3183 \DeclareDocumentCommand \settextdigitfont { O{} m O{} }
3184   {
3185     \__xepersian_main_settextdigitfont:nn {#1,#3} {#2}
3186     \ignorespaces
3187   }
3188 \cs_new:Nn \__xepersian_main_settextdigitfont:nn
3189   {
3190     \fontspec_set_family:Nnn \l__fontspec_textdigitfont_family_tl {Ligatures=PersianTeX, #1} {#2}
3191     \use:x
3192     {

```



```

3193 \exp_not:n { \DeclareRobustCommand \xepersian@textdigitfont }
3194 {
3195   \exp_not:N \fontfamily { \l__fontspec_textdigitfont_family_tl }
3196   \exp_not:N \fontencoding { \g__fontspec_nfss_enc_tl }
3197   \exp_not:N \selectfont
3198 }
3199 }
3200 \__xepersian_settextdigitfont_hook:nn {#1} {#2}
3201 \XeTeXinterchartoks \e@alloc@intercharclass@top \bidi@digits@charclass = {\xepersian@@start@switch@textdigitfont}
3202 \XeTeXinterchartoks \bidi@digits@charclass \e@alloc@intercharclass@top = {\xepersian@@stop@switch@textdigitfont}
3203 \XeTeXinterchartoks \z@ \bidi@digits@charclass = {\xepersian@@start@switch@textdigitfont}
3204 \XeTeXinterchartoks \bidi@digits@charclass \z@ = {\xepersian@@stop@switch@textdigitfont}
3205 \XeTeXinterchartoks \bidi@digits@charclass \bidi@sepmark@charclass = {\xepersian@@stop@switch@textdigitfont}
3206 \XeTeXinterchartoks \bidi@sepmark@charclass \bidi@digits@charclass = {\DigitsDotDashIntercharclass}
3207 \if@bidi@csundef{\xepersian@dualjoiner}{\%}
3208   \XeTeXinterchartoks \xepersian@dualjoiner \bidi@digits@charclass = {\xepersian@@start@switch@textdigitfont}
3209   \XeTeXinterchartoks \bidi@digits@charclass \xepersian@dualjoiner = {\xepersian@@stop@switch@textdigitfont}
3210   \XeTeXinterchartoks \xepersian@lam \bidi@digits@charclass = {\xepersian@@start@switch@textdigitfont}
3211   \XeTeXinterchartoks \bidi@digits@charclass \xepersian@lam = {\xepersian@@stop@switch@textdigitfont}
3212   \XeTeXinterchartoks \xepersian@alef \bidi@digits@charclass = {\xepersian@@start@switch@textdigitfont}
3213   \XeTeXinterchartoks \bidi@digits@charclass \xepersian@alef = {\xepersian@@stop@switch@textdigitfont}
3214   \XeTeXinterchartoks \xepersian@rightjoiner \bidi@digits@charclass = {\xepersian@@start@switch@textdigitfont}
3215   \XeTeXinterchartoks \bidi@digits@charclass \xepersian@rightjoiner = {\xepersian@@stop@switch@textdigitfont}
3216 }
3217 }
3218 }
3219 \newcommand*{\xepersian@@start@switch@textdigitfont}{\ifx\f@family\ttdefault\else\if@nonlatin}
3220 \newcommand*{\xepersian@@stop@switch@textdigitfont}{\ifx\f@family\ttdefault\else\if@nonlatin}
3221 }
3222 \cs_set_eq:NN \__xepersian_settextdigitfont_hook:nn \use_none:nn
3223
3224 \DeclareDocumentCommand \setdigitfont { O{} m O{} }
3225 {
3226   \__xepersian_main_settextdigitfont:nn {#1,#3} {#2}
3227   \__xepersian_main_setmathdigitfont:nn {#1,#3} {#2}
3228   \ignorespaces
3229 }
3230
3231
3232 \DeclareDocumentCommand \setlatintextfont { O{} m O{} }
3233 {
3234   \__xepersian_main_setlatintextfont:nn {#1,#3} {#2}
3235   \ignorespaces
3236 }
3237 \cs_new:Nn \__xepersian_main_setlatintextfont:nn
3238 {
3239   \fontspec_set_family:Nnn \l__fontspec_latinfont_family_tl {Ligatures=TeX,#1} {#2}
3240   \use:x { \exp_not:n { \DeclareRobustCommand \latinfont }
3241   {
3242     \exp_not:N \fontencoding { \g__fontspec_nfss_enc_tl }
3243     \exp_not:N \fontfamily { \l__fontspec_latinfont_family_tl }
3244     \exp_not:N \selectfont
3245   }
3246 }

```



```

3247 \str_if_eq:eeT {\familydefault} {\rmdefault}
3248   { \tl_set_eq:NN \encodingdefault \g__fontspec_nfss_enc_tl }
3249 \__xepersian_setlatintextfont_nn {#1} {#2}
3250 \normalfont
3251 }
3252
3253 \cs_set_eq:NN \__xepersian_setlatintextfont_nn \use_none:nn
3254
3255 \tl_set_eq:NN \setlatinsansfont \setsansfont
3256 \tl_set_eq:NN \setlatinmonofont \setmonofont
3257
3258 \DeclareDocumentCommand \defpersianfont { m O{} m O{} }
3259   {
3260     \__xepersian_main_defpersianfont:NnnN #1 {#2,#4} {#3}
3261     \NewDocumentCommand
3262   }
3263 \DeclareDocumentCommand \redefpersianfont { m O{} m O{} }
3264   {
3265     \__xepersian_main_defpersianfont:NnnN #1 {#2,#4} {#3}
3266     \RenewDocumentCommand
3267   }
3268 \cs_new:Nn \__xepersian_main_defpersianfont:NnnN
3269   {
3270     \fontspec_set_family:cnn { l__fontspec_ \cs_to_str:N #1 _family_tl } {RawFeature={script=ar}
3271     \use:x
3272     {
3273       \exp_not:N #4 \exp_not:N #1 {}
3274       {
3275         \exp_not:N \fontfamily { \use:c {l__fontspec_ \cs_to_str:N #1 _family_tl } }
3276         \exp_not:N \fontencoding { \g__fontspec_nfss_enc_tl }
3277         \exp_not:N \selectfont
3278       }
3279     }
3280   }
3281
3282 \DeclareDocumentCommand \deflatinfont { m O{} m O{} }
3283   {
3284     \__xepersian_main_deflatinfont:NnnN #1 {#2,#4} {#3}
3285     \NewDocumentCommand
3286   }
3287 \DeclareDocumentCommand \redeflatinfont { m O{} m O{} }
3288   {
3289     \__xepersian_main_deflatinfont:NnnN #1 {#2,#4} {#3}
3290     \RenewDocumentCommand
3291   }
3292 \cs_new:Nn \__xepersian_main_deflatinfont:NnnN
3293   {
3294     \fontspec_set_family:cnn { l__fontspec_ \cs_to_str:N #1 _family_tl } {Ligatures=TeX,#2} {#3}
3295     \use:x
3296     {
3297       \exp_not:N #4 \exp_not:N #1 {}
3298       {
3299         \exp_not:N \fontfamily { \use:c {l__fontspec_ \cs_to_str:N #1 _family_tl } }
3300         \exp_not:N \fontencoding { \g__fontspec_nfss_enc_tl }

```



```

3301      \exp_not:N \selectfont
3302  }
3303 }
3304 }
3305
3306 \newcommand{\persiansfdefault}{}
3307 \newcommand{\persianttdefault}{}
3308 \newcommand{\iranicdefault}{}
3309 \newcommand{\navardefault}{}
3310 \newcommand{\pookdefault}{}
3311 \newcommand{\sayehdefault}{}
3312 \DeclareRobustCommand{\persiansffamily}
3313   {\not@math@\alphabet{\persiansffamily\mathpersiansf
3314     \fontfamily{\persiansfdefault}\selectfont}}
3315 \DeclareRobustCommand{\persianttfamily}
3316   {\not@math@\alphabet{\persianttfamily\mathpersiantt
3317     \fontfamily{\persianttdefault}\selectfont}}
3318 \DeclareRobustCommand{\iranicfamily}
3319   {\not@math@\alphabet{\iranicfamily\mathiranic
3320     \fontfamily{\iranicdefault}\selectfont}}
3321 \DeclareRobustCommand{\navarfamly}
3322   {\not@math@\alphabet{\navarfamly\mathnavar
3323     \fontfamily{\navardefault}\selectfont}}
3324 \DeclareRobustCommand{\pookfamily}
3325   {\not@math@\alphabet{\pookfamily\mathpook
3326     \fontfamily{\pookdefault}\selectfont}}
3327 \DeclareRobustCommand{\sayehfamily}
3328   {\not@math@\alphabet{\sayehfamily\mathsayeh
3329     \fontfamily{\sayehdefault}\selectfont}}
3330 \DeclareTextFontCommand{\textpersiansf}{\persiansffamily}
3331 \DeclareTextFontCommand{\textpersiantt}{\persianttfamily}
3332 \DeclareTextFontCommand{\textiranic}{\iranicfamily}
3333 \DeclareTextFontCommand{\textnavar}{\navarfamly}
3334 \DeclareTextFontCommand{\textpook}{\pookfamily}
3335 \DeclareTextFontCommand{\textsayeh}{\sayehfamily}
3336
3337 \DeclareDocumentCommand{\setpersiansansfont}{O{} m O{}}
3338 {
3339   \__xepersian_main_setpersiansansfont:nn {#1, #3} {#2}
3340   \ignorespaces
3341 }
3342 \cs_new:Nn \__xepersian_main_setpersiansansfont:nn
3343 {
3344   \fontspec_set_family:Nnn \l__fontspec_persiansffamily_family_tl {RawFeature={script=arab},L
3345   \tl_set_eq:NN \persiansfdefault \l__fontspec_persiansffamily_family_tl
3346   \use:x { \exp_not:n { \DeclareRobustCommand{\persiansffamily} }
3347   {
3348     \exp_not:N \fontencoding { \g__fontspec_nfss_enc_tl }
3349     \exp_not:N \fontfamily { \l__fontspec_persiansffamily_family_tl }
3350     \exp_not:N \selectfont
3351   }
3352 }
3353 \str_if_eq:eeT {\familydefault} {\persiansfdefault}
3354   { \tl_set_eq:NN \encodingdefault \g__fontspec_nfss_enc_tl }

```



```

3355  \__xepersian_setpersiansansfont_hook:nn {#1} {#2}
3356  \normalfont
3357 }
3358
3359 \cs_set_eq:NN \__xepersian_setpersiansansfont_hook:nn \use_none:nn
3360
3361 \DeclareDocumentCommand \setpersianmonofont { O{} m O{} }
3362 {
3363   \__xepersian_main_setpersianmonofont:nn {#1,#3} {#2}
3364   \ignorespaces
3365 }
3366 \cs_new:Nn \__xepersian_main_setpersianmonofont:nn
3367 {
3368   \fontspec_set_family:Nnn \l__fontspec_persianttfamily_tl {RawFeature={script=arab},Ligat}
3369   \tl_set_eq:NN \persianttdefault \l__fontspec_persianttfamily_tl
3370   \use:x { \exp_not:n { \DeclareRobustCommand \persianttfamily }
3371   {
3372     \exp_not:N \fontencoding { \g__fontspec_nfss_enc_tl }
3373     \exp_not:N \fontfamily { \l__fontspec_persianttfamily_tl }
3374     \exp_not:N \selectfont
3375   }
3376 }
3377 \str_if_eq:eeT {\familydefault} {\persianttdefault}
3378   { \tl_set_eq:NN \encodingdefault \g__fontspec_nfss_enc_tl }
3379 \__xepersian_setpersianmonofont_hook:nn {#1} {#2}
3380 \normalfont
3381 }
3382
3383 \cs_set_eq:NN \__xepersian_setpersianmonofont_hook:nn \use_none:nn
3384
3385 \DeclareDocumentCommand \setnavarfont { O{} m O{} }
3386 {
3387   \__xepersian_main_setnavarfont:nn {#1,#3} {#2}
3388   \ignorespaces
3389 }
3390 \cs_new:Nn \__xepersian_main_setnavarfont:nn
3391 {
3392   \fontspec_set_family:Nnn \l__fontspec_navarfamily_family_tl {RawFeature={script=arab},Ligat}
3393   \tl_set_eq:NN \navardefault \l__fontspec_navarfamily_family_tl
3394   \use:x { \exp_not:n { \DeclareRobustCommand \navarfam }
3395   {
3396     \exp_not:N \fontencoding { \g__fontspec_nfss_enc_tl }
3397     \exp_not:N \fontfamily { \l__fontspec_navarfamily_family_tl }
3398     \exp_not:N \selectfont
3399   }
3400 }
3401 \str_if_eq:eeT {\familydefault} {\navardefault}
3402   { \tl_set_eq:NN \encodingdefault \g__fontspec_nfss_enc_tl }
3403 \__xepersian_setnavarfont_hook:nn {#1} {#2}
3404 \normalfont
3405 }
3406
3407 \cs_set_eq:NN \__xepersian_setnavarfont_hook:nn \use_none:nn
3408

```



```

3409 \DeclareDocumentCommand \setpookfont { O{} m O{} }
3410   {
3411     \__xepersian_main_setpookfont:nn {#1,#3} {#2}
3412     \ignorespaces
3413   }
3414 \cs_new:Nn \__xepersian_main_setpookfont:nn
3415   {
3416     \fontspec_set_family:Nnn \l__fontspec_pookfamily_family_tl {RawFeature={script=arab},Ligatu
3417     \tl_set_eq:NN \pookdefault \l__fontspec_pookfamily_family_tl
3418     \use:x { \exp_not:n { \DeclareRobustCommand \pookfamily }
3419       {
3420         \exp_not:N \fontencoding { \g__fontspec_nfss_enc_tl }
3421         \exp_not:N \fontfamily { \l__fontspec_pookfamily_family_tl }
3422         \exp_not:N \selectfont
3423       }
3424     }
3425     \str_if_eq:eeT {\familydefault} {\pookdefault}
3426     { \tl_set_eq:NN \encodingdefault \g__fontspec_nfss_enc_tl }
3427     \__xepersian_setpookfont_hook:nn {#1} {#2}
3428     \normalfont
3429   }
3430
3431 \cs_set_eq:NN \__xepersian_setpookfont_hook:nn \use_none:nn
3432
3433 \DeclareDocumentCommand \setsayehfont { O{} m O{} }
3434   {
3435     \__xepersian_main_setsayehfont:nn {#1,#3} {#2}
3436     \ignorespaces
3437   }
3438 \cs_new:Nn \__xepersian_main_setsayehfont:nn
3439   {
3440     \fontspec_set_family:Nnn \l__fontspec_sayehfamily_family_tl {RawFeature={script=arab},Ligatu
3441     \tl_set_eq:NN \sayehdefault \l__fontspec_sayehfamily_family_tl
3442     \use:x { \exp_not:n { \DeclareRobustCommand \sayehfamily }
3443       {
3444         \exp_not:N \fontencoding { \g__fontspec_nfss_enc_tl }
3445         \exp_not:N \fontfamily { \l__fontspec_sayehfamily_family_tl }
3446         \exp_not:N \selectfont
3447       }
3448     }
3449     \str_if_eq:eeT {\familydefault} {\sayehdefault}
3450     { \tl_set_eq:NN \encodingdefault \g__fontspec_nfss_enc_tl }
3451     \__xepersian_setsayehfont_hook:nn {#1} {#2}
3452     \normalfont
3453   }
3454
3455 \cs_set_eq:NN \__xepersian_setsayehfont_hook:nn \use_none:nn
3456
3457 \DeclareDocumentCommand \setiranicfont { O{} m O{} }
3458   {
3459     \__xepersian_main_setiranicfont:nn {#1,#3} {#2}
3460     \ignorespaces
3461   }
3462 \cs_new:Nn \__xepersian_main_setiranicfont:nn

```



```

3463 {
3464   \fontspec_set_family:Nnn \l__fontspec_iranicfamily_family_tl {RawFeature={script=arab},Liga
3465   \tl_set_eq:NN \iranicdefault \l__fontspec_iranicfamily_family_tl
3466   \use:x { \exp_not:n { \ DeclareRobustCommand \iranicfamily }
3467   {
3468     \exp_not:N \fontencoding { \g__fontspec_nfss_enc_tl }
3469     \exp_not:N \fontfamily { \l__fontspec_iranicfamily_family_tl }
3470     \exp_not:N \selectfont
3471   }
3472 }
3473 \str_if_eq:eeT {\familydefault} {\iranicdefault}
3474   { \tl_set_eq:NN \encodingdefault \g__fontspec_nfss_enc_tl }
3475 \__xepersian_setiranicfont_hook:nn {#1} {#2}
3476 \normalfont
3477 }
3478
3479 \cs_set_eq:NN \__xepersian_setiranicfont_hook:nn \use_none:nn
3480
3481 \ExplSyntaxOff
3482 \def\resetlatinfont{%
3483 \let\xepersian@@fontsize@scale\xepersian@@fontsize@scale%
3484 \let\xepersian@@baselineskip@scale\xepersian@@baselineskip@scale%
3485 \def\xepersian@@fontsize@scale{%
3486   \strip@pt\dimexpr 1pt * \dimexpr
3487   \xepersian@@latin@fontsize@scale pt\relax
3488   / \dimexpr \xepersian@@fontsize@scale pt\relax\relax
3489 }%
3490 \def\xepersian@@baselineskip@scale{%
3491   \strip@pt\dimexpr 1pt * \dimexpr
3492   \xepersian@@latin@baselineskip@scale pt\relax
3493   / \dimexpr \xepersian@@baselineskip@scale pt\relax\relax
3494 }%
3495 @nonlatinfalse%
3496 \let\normalfont\latinfont%
3497 \let\reset@font\normalfont%
3498 \latinfont%
3499 \fontsize\f@size\f@baselineskip%
3500 \selectfont%
3501 \let\xepersian@@fontsize@scale\xepersian@@latin@fontsize@scale%
3502 \let\xepersian@@baselineskip@scale\xepersian@@latin@baselineskip@scale%
3503 }
3504 \def\setpersianfont{%
3505 \let\xepersian@@fontsize@scale\xepersian@@fontsize@scale%
3506 \let\xepersian@@baselineskip@scale\xepersian@@baselineskip@scale%
3507 \let\xepersian@@fontsize@scale\@ne%
3508 \let\xepersian@@baselineskip@scale\@ne%
3509 @nonlatintrue%
3510 \let\normalfont\persianfont%
3511 \let\reset@font\normalfont%
3512 \persianfont%
3513 \fontsize\f@size\f@baselineskip%
3514 \selectfont%
3515 \let\xepersian@@fontsize@scale\xepersian@@fontsize@scale%
3516 \let\xepersian@@baselineskip@scale\xepersian@@baselineskip@scale%

```



```

3517 }
3518 \bidi@newrobustcmd*{\lr}[1]{\LRE{\resetlatinfont#1}}
3519 \bidi@newrobustcmd*{\rl}[1]{\RLE{\setpersianfont#1}}
3520 \def\latin{\LTR\LatinAlphs@\RTL@footnotefalse\resetlatinfont}
3521 \def\endlatin{\endLTR}
3522 \newenvironment{latin*}{\latin
3523   \everypar{%
3524     {\setbox\z@\lastbox
3525       \ifvoid\z@
3526         \kern-\parindent
3527         \fi}%
3528   }%
3529 }{\endlatin\@endpetrue}
3530 \def\persian{\RTL\PersianAlphs@\RTL@footnotetrue\setpersianfont}
3531 \def\endpersian{\endRTL}
3532 \newenvironment{persian*}{\persian
3533   \everypar{%
3534     {\setbox\z@\lastbox
3535       \ifvoid\z@
3536         \kern-\parindent
3537         \fi}%
3538   }%
3539 }{\endpersian\@endpetrue}
3540 \newenvironment{latinitems}{\begin{LTRitems}\LatinAlphs@\RTL@footnotefalse\resetlatinfont}{\end{LTRitems}}
3541 \newenvironment{persianitems}{\begin{RTLitems}\PersianAlphs@\RTL@footnotetrue\setpersianfont}{\end{RTLitems}}
3542 \let\originaltoday=\today
3543 \def\latintoday{\lr{\originaltoday}}
3544 \def\today{\rl{\persiantoday}}
3545 \def \@LTRmarginparreset {%
3546   \reset@font
3547   \resetlatinfont
3548   \normalsize
3549   \minipagetrue
3550   \everypar{\minipagetrue\everypar{}\beginL}%
3551 }
3552 \DeclareRobustCommand\Latincite{%
3553   \@ifnextchar [{\@tempswattrue\@Latincitex}{\@tempswafalse\@Latincitex[]]}
3554 \def\@Latincitex[#1]#2{\leavevmode
3555   \let\@citea\empty
3556   \@cite{\lr{\@for\@citeb:=#2\do
3557     {\@citea\def\@citea{,\penalty\@m\ }}%
3558     \edef\@citeb{\expandafter\@firstofone\@citeb\@empty}%
3559     \if@filesw\immediate\write\auxout{\string\citation{\@citeb}}\fi
3560     \ifundefined{b@\@citeb}{\hbox{\reset@font\bfseries ?}}%
3561       \G@refundefinedtrue
3562       \@latex@warning
3563         {Citation `@\@citeb' on page \thepage\space undefined}%
3564       \{@cite@ofmt{\csname b@\@citeb\endcsname}}}}}{#1}}
3565
3566 \renewcommand*{\bidi@font@outputpage}{\if@RTLmain\setpersianfont\else\resetlatinfont\fi}
3567
3568 \newcount\xepersian@tcl
3569 \newdimen\xepersian@ilg
3570 \newdimen\xepersian@strutilg

```



```

3571 \chardef\f@ur=4
3572 \newcommand*{\xepersian@computeautoilg}{% compute the interline glue
3573   \xepersian@tcl=1536\xepersian@ilg\z@\xepersian@strutilg\z@
3574   \loop
3575   \iffontchar\font\xepersian@tcl
3576   \ifdim\XeTeXglyphbounds\tw@ < \the\XeTeXcharglyph\xepersian@tcl>\z@
3577   \ifdim\XeTeXglyphbounds\tw@ < \the\XeTeXcharglyph\xepersian@tcl>\xepersian@ilg
3578     \xepersian@ilg=\XeTeXglyphbounds\tw@ \the\XeTeXcharglyph\xepersian@tcl
3579   \fi
3580   \else
3581   \ifdim\XeTeXglyphbounds\tw@ < \the\XeTeXcharglyph\xepersian@tcl<\z@
3582     \ifdim-\XeTeXglyphbounds\tw@ < \the\XeTeXcharglyph\xepersian@tcl>\xepersian@ilg
3583       \xepersian@ilg=-\XeTeXglyphbounds\tw@ \the\XeTeXcharglyph\xepersian@tcl
3584     \fi
3585   \fi
3586   \fi
3587   \ifdim\XeTeXglyphbounds\f@ur < \the\XeTeXcharglyph\xepersian@tcl>\z@
3588   \ifdim\XeTeXglyphbounds\f@ur < \the\XeTeXcharglyph\xepersian@tcl>\xepersian@strutilg
3589     \xepersian@strutilg=\XeTeXglyphbounds\f@ur \the\XeTeXcharglyph\xepersian@tcl
3590   \fi
3591   \else
3592   \ifdim\XeTeXglyphbounds\f@ur < \the\XeTeXcharglyph\xepersian@tcl<\z@
3593     \ifdim-\XeTeXglyphbounds\f@ur < \the\XeTeXcharglyph\xepersian@tcl>\xepersian@strutilg
3594       \xepersian@strutilg=-\XeTeXglyphbounds\f@ur \the\XeTeXcharglyph\xepersian@tcl
3595     \fi
3596   \fi
3597   \fi
3598   \fi
3599   \advance\xepersian@tcl\@ne
3600   \ifnum\xepersian@tcl<1792\repeat
3601   \advance\xepersian@strutilg\xepersian@ilg
3602 % \ifdim\xepersian@strutilg>\baselineskip
3603 %   \PackageInfo{xepersian}{character with height+depth greater than current baselineskip found}
3604 %   \PackageInfo{xepersian}{baselineskip changed to that height+depth!}
3605 %   \linespread{\strip@pt\dimexpr 1pt * \xepersian@strutilg / \baselineskip\relax}
3606 %   \selectfont
3607 % \fi
3608 }
3609
3610 \newif\if@@textdigitfont@on
3611
3612 \newcommand{\TextDigitFontOn}{\@@textdigitfont@ontrue}
3613 \newcommand{\TextDigitFontOff}{\@@textdigitfont@onfalse}
3614
3615 \TextDigitFontOn
3616
3617 \newcommand*{\xepersian@setlength}[4]{%
3618   \ifdim #2<\ifdim #2=\z@ \z@ \else \p@\fi
3619   \ifdim #3<\ifdim #3=\z@ \z@ \else \p@\fi
3620   \ifdim #4<\ifdim #4=\z@ \z@ \else \p@\fi
3621     \setlength{#1}{\p@ \oplus \p@ \ominus \p@}%
3622   \else
3623     \setlength{#1}{\p@ \oplus \p@ \ominus #4}%
3624   \fi

```



```

3625     \else
3626         \ifdim #4<\ifdim #4=\z@ \z@ \else \p@\fi
3627             \setlength{\#1}{\p@ \z@plus#3 \z@minus\p@}%
3628         \else
3629             \setlength{\#1}{\p@ \z@plus#3 \z@minus#4}%
3630         \fi
3631     \fi
3632 \else
3633     \ifdim #3<\ifdim #3=\z@ \z@ \else \p@\fi
3634         \ifdim #4<\ifdim #4=\z@ \z@ \else \p@\fi
3635             \setlength{\#1}{\#2 \z@plus\p@ \z@minus\p@}%
3636         \else
3637             \setlength{\#1}{\#2 \z@plus\p@ \z@minus#4}%
3638         \fi
3639     \else
3640         \ifdim #4<\ifdim #4=\z@ \z@ \else \p@\fi
3641             \setlength{\#1}{\#2 \z@plus#3 \z@minus\p@}%
3642         \else
3643             \setlength{\#1}{\#2 \z@plus#3 \z@minus#4}%
3644         \fi
3645     \fi
3646 \fi
3647 }
3648 \newcommand*{\setfontsize}[2][1.2\tempdima]{%
3649   \defaultunits\tempdima#2pt\relax\z@nil
3650   \setlength{\tempdimc}{\tempdima}%
3651   \addtolength{\tempdimc}{-10\p@}%
3652   \edef\ptsizes{\strip@pt\tempdimc}%
3653   \defaultunits\tempdimb#1pt\relax\z@nil
3654   \setlength{\tempdimc}{\dimexpr (100\tempdimb / \tempdima * \p@)}%
3655   \edef\tempb{\the\tempdimc}%
3656   \setlength{\tempdimc}{\tempdima}%
3657   \def\tempa##1##2##3##4##5\z@nil{\def##1{##2.##3##4}}%
3658   \expandafter\tempa\expandafter\tempb\tempb\z@nil%
3659   \xepersian@setlength{\abovedisplayskip}%
3660     {.8333\tempdimb}{.1667\tempdimb}{.5\tempdimb}%
3661   \xepersian@setlength{\abovedisplayshortskip}{\z@}{.25\tempdimb}{\z@}%
3662   \xepersian@setlength{\belowdisplayshortskip}%
3663     {.5\tempdimb}{.25\tempdimb}{.25\tempdimb}%
3664   \setlength{\belowdisplayskip}{\abovedisplayskip}%
3665   \edef\normalsize{%
3666     \noexpand\setfontsize\noexpand\normalsize
3667     {\the\tempdima}{\the\tempdimb}%
3668     \abovedisplayskip \the\abovedisplayskip
3669     \abovedisplayshortskip \the\abovedisplayshortskip
3670     \belowdisplayskip \the\belowdisplayskip
3671     \belowdisplayshortskip \the\belowdisplayshortskip
3672     \let\noexpand\listi\noexpand\listI
3673   }%
3674   \setlength{\tempdima}{0.9125\tempdimc}%
3675   \setlength{\tempdimb}{\tempb\tempdima}%
3676   \xepersian@setlength{\abovedisplayskip}%
3677     {.8333\tempdimb}{.1667\tempdimb}{.5\tempdimb}%
3678 }

```



```

3679      \xepersian@setlength{\abovedisplayshortskip}{\z@}{.25\@tempdimb}{\z@}%
3680      \xepersian@setlength{\belowdisplayshortskip}%
3681          {.5\@tempdimb}{.25\@tempdimb}{.25\@tempdimb}%
3682  \setlength{\belowdisplayskip}{\abovedisplayskip}%
3683  \edef\small{%
3684      \noexpand\@setfontsize\noexpand\small
3685      {\the\@tempdima}{\the\@tempdimb}%
3686      \abovedisplayskip \the\abovedisplayskip
3687      \abovedisplayshortskip \the\abovedisplayshortskip
3688      \belowdisplayskip \the\belowdisplayskip
3689      \belowdisplayshortskip \the\belowdisplayshortskip
3690      \let\noexpand\@listi\noexpand\@listi@small
3691  }%
3692  \setlength{\@tempdima}{.83334\@tempdimc}%
3693  \setlength{\@tempdimb}{\@tempb\@tempdima}%
3694  \xepersian@setlength{\abovedisplayskip}%
3695      {.8333\@tempdimb}{.1667\@tempdimb}{.5\@tempdimb}%
3696  \xepersian@setlength{\abovedisplayshortskip}{\z@}{.25\@tempdimb}{\z@}%
3697  \xepersian@setlength{\belowdisplayshortskip}%
3698      {.5\@tempdimb}{.25\@tempdimb}{.25\@tempdimb}%
3699  \setlength{\belowdisplayskip}{\abovedisplayskip}%
3700  \edef\footnotesize{%
3701      \noexpand\@setfontsize\noexpand\footnotesize
3702      {\the\@tempdima}{\the\@tempdimb}%
3703      \abovedisplayskip \the\abovedisplayskip
3704      \abovedisplayshortskip \the\abovedisplayshortskip
3705      \belowdisplayskip \the\belowdisplayskip
3706      \belowdisplayshortskip \the\belowdisplayshortskip
3707      \let\noexpand\@listi\noexpand\@listi@footnotesize
3708  }%
3709  \setlength{\@tempdima}{.66667\@tempdimc}%
3710  \setlength{\@tempdimb}{\@tempb\@tempdima}%
3711  \edef\scriptsize{%
3712      \noexpand\@setfontsize\noexpand\scriptsize
3713      {\the\@tempdima}{\the\@tempdimb}%
3714  }%
3715  \setlength{\@tempdima}{.5\@tempdimc}%
3716  \setlength{\@tempdimb}{\@tempb\@tempdima}%
3717  \edef\tiny{%
3718      \noexpand\@setfontsize\noexpand\tiny
3719      {\the\@tempdima}{\the\@tempdimb}%
3720  }%
3721  \setlength{\@tempdima}{1.2\@tempdimc}%
3722  \setlength{\@tempdimb}{\@tempb\@tempdima}%
3723  \edef\large{%
3724      \noexpand\@setfontsize\noexpand\large
3725      {\the\@tempdima}{\the\@tempdimb}%
3726  }%
3727  \setlength{\@tempdima}{1.44\@tempdimc}%
3728  \setlength{\@tempdimb}{\@tempb\@tempdima}%
3729  \edef\Large{%
3730      \noexpand\@setfontsize\noexpand\Large
3731      {\the\@tempdima}{\the\@tempdimb}%
3732  }%

```



```

3733 \setlength{\@tempdima}{1.728\@tempdimc}%
3734 \setlength{\@tempdimb}{\@tempb\@tempdima}%
3735 \edef\LARGE{%
3736   \noexpand\@setfontsize\noexpand\LARGE
3737   {\the\@tempdima}{\the\@tempdimb}%
3738 }%
3739 \setlength{\@tempdima}{2.074\@tempdimc}%
3740 \setlength{\@tempdimb}{\@tempb\@tempdima}%
3741 \edef\huge{%
3742   \noexpand\@setfontsize\noexpand\huge
3743   {\the\@tempdima}{\the\@tempdimb}%
3744 }%
3745 \setlength{\@tempdima}{2.488\@tempdimc}%
3746 \setlength{\@tempdimb}{\@tempb\@tempdima}%
3747 \edef\Huge{%
3748   \noexpand\@setfontsize\noexpand\Huge
3749   {\the\@tempdima}{\the\@tempdimb}%
3750 }%
3751 \normalsize
3752 \setlength{\@tempdimb}{\f@baselineskip}%
3753 \xepersian@setlength{\parsep}%
3754   {.3333\@tempdimb}{.1667\@tempdimb}{.0833\@tempdimb}%
3755 \xepersian@setlength{\topsep}%
3756   {.6667\@tempdimb}{.1667\@tempdimb}{.3333\@tempdimb}%
3757 \@tempswafalse
3758 \begingroup
3759   \def\@list@extra{\aftergroup\@tempswatrue}%
3760   \csname @listi\endcsname
3761 \endgroup
3762 \edef\@listi{\leftmargin\leftmargini
3763   \topsep \the\topsep
3764   \parsep \the\parsep
3765   \itemsep \parsep
3766   \if@tempswa\noexpand\@list@extra\fi
3767 }%
3768 \let\@listI\@listi
3769   \xepersian@setlength{\parsep}%
3770     {.1667\@tempdimb}{.0833\@tempdimb}{.0833\@tempdimb}%
3771   \xepersian@setlength{\topsep}%
3772     {.3333\@tempdimb}{.1667\@tempdimb}{.1667\@tempdimb}%
3773 \@tempswafalse
3774 \begingroup
3775   \def\@list@extra{\aftergroup\@tempswatrue}%
3776   \csname @listi\endcsname
3777 \endgroup
3778 \edef\@listi@small{\leftmargin\leftmargini
3779   \topsep \the\topsep
3780   \parsep \the\parsep
3781   \itemsep \parsep
3782   \if@tempswa\noexpand\@list@extra\fi
3783 }%
3784   \xepersian@setlength{\parsep}%
3785     {.125\@tempdimb}{.0625\@tempdimb}{.0625\@tempdimb}%
3786   \xepersian@setlength{\topsep}%

```



```

3787          {.25\@tempdimb}{.125\@tempdimb}{.125\@tempdimb}
3788 \@tempswafalse
3789 \begingroup
3790   \def\@list@extra{\aftergroup\@tempswatrue}%
3791   \csname @listi\endcsname
3792 \endgroup
3793 \edef\@listi@footnotesize{\leftmargin\leftmargini
3794   \topsep \the\topsep
3795   \parsep \the\parsep
3796   \itemsep \parsep
3797   \if@tempswa\noexpand\@list@extra\fi
3798 }%
3799   \xepersian@setlength{\parsep}%
3800   {.1667\@tempdimb}{.0833\@tempdimb}{.0833\@tempdimb}%
3801   \xepersian@setlength{\topsep}%
3802   {.3333\@tempdimb}{.1667\@tempdimb}{.0833\@tempdimb}%
3803 \@tempswafalse
3804 \begingroup
3805   \def\@list@extra{\aftergroup\@tempswatrue}%
3806   \csname @listii\endcsname
3807 \endgroup
3808 \edef\@listii{\leftmargin\leftmarginii
3809   \labelwidth=\dimexpr \leftmargin-\labelsep
3810   \topsep \the\topsep
3811   \parsep \the\parsep
3812   \itemsep \parsep
3813   \if@tempswa\noexpand\@list@extra\fi
3814 }%
3815   \xepersian@setlength{\topsep}%
3816   {.1667\@tempdimb}{.0833\@tempdimb}{.0833\@tempdimb}%
3817 \setlength{\partopsep}{\z@ \oplus\z@ \minus\p@}%
3818 \@tempswafalse
3819 \begingroup
3820   \def\@list@extra{\aftergroup\@tempswatrue}%
3821   \csname @listiii\endcsname
3822 \endgroup
3823 \edef\@listiii{\leftmargin\leftmarginiii
3824   \labelwidth=\dimexpr \leftmargin-\labelsep
3825   \topsep \the\topsep
3826   \parsep \z@
3827   \partopsep \the\partopsep
3828   \itemsep \topsep
3829   \if@tempswa\noexpand\@list@extra\fi
3830 }%
3831 \@tempswafalse
3832 \begingroup
3833   \def\@list@extra{\aftergroup\@tempswatrue}%
3834   \csname @listiv\endcsname
3835 \endgroup
3836 \edef\@listiv{\leftmargin\leftmarginiv
3837   \labelwidth=\dimexpr \leftmargin-\labelsep\relax
3838   \if@tempswa\noexpand\@list@extra\fi
3839 }%
3840 \@tempswafalse

```



```

3841 \begingroup
3842   \def\@list@extra{\aftergroup\@tempswatru%
3843   \csname @listv\endcsname
3844 \endgroup
3845 \edef\@listv{\leftmargin\leftmargininv
3846   \labelwidth=\dimexpr \leftmargin-\labelsep\relax
3847   \if@tempswa\noexpand\@list@extra\fi
3848 }%
3849 \atempswafalse
3850 \begingroup
3851   \def\@list@extra{\aftergroup\@tempswatru%
3852   \csname @listvi\endcsname
3853 \endgroup
3854 \edef\@listvi{\leftmargin\leftmarginvi
3855   \labelwidth=\dimexpr \leftmargin-\labelsep\relax
3856   \if@tempswa\noexpand\@list@extra\fi
3857 }%
3858 \@listi
3859   \setlength{\tempdimb}{\f@baselineskip}%
3860   \setlength{\footnotesep}{.555\tempdimb}%
3861   \xepersian@setlength{\skip\footins}%
3862     .75\tempdimb{.3333\tempdimb}{.1667\tempdimb}%
3863   \xepersian@setlength{\floatsep}%
3864     {\tempdimb}{.1667\tempdimb}{.1667\tempdimb}%
3865   \xepersian@setlength{\textfloatsep}%
3866     {1.6667\tempdimb}{.1667\tempdimb}{.3333\tempdimb}%
3867   \setlength{\intextsep}{\floatsep}%
3868   \setlength{\dblfloatsep}{\floatsep}%
3869   \setlength{\dbltextfloatsep}{\textfloatsep}%
3870   \setlength{\@fptop}{\z@ \oplus 1fil}%
3871   \setlength{\@fpsep}{.6667\tempdimb \oplus 2fil}%
3872   \setlength{\@fpbot}{\@fptop}%
3873   \setlength{\@dblfpbot}{\@fptop}%
3874   \setlength{\@dblfpsep}{\@fpsep}%
3875   \setlength{\@dblfpbot}{\@fptop}%
3876   \xepersian@setlength{\partopsep}{.2\tempdimb}{.1\tempdimb}{.1\tempdimb}%
3877 }
3878
3879 \renewcommand*{\@bidi@logo@}{%
3880   \@bidi@logo@hb@xt@columnwidth
3881   f\hss\bfseries
3882   {\today} {\TypesetTime}
3883   \textsf{\XePersian}\quad\@bidi@logo{xepersian-logo.pdf}}}
3884
3885 \renewcommand*{\@bidi@pdfcreator}{%
3886   The xepersian package, v\XePersian@version\space (Release \xepersian@releasename), \xepersian@release%
3887 }
3888
3889 \newcommand*{\@xepersian@pdfcustomproperties}{%
3890   This is the xepersian package, Version \XePersian@version\space (Release \xepersian@releasename), \xepersian@release%
3891   Released January 1, 2025.
3892 }
3893
3894 \newcommand\twocolumnstableofcontents{%

```




```

3949 number is 999,999,999. }%
3950 }
3951 \def\xepersian@numberstring#1#2#3#4{%
3952 \ifnum\number#1<\@ne%
3953 #3%
3954 \else\ifnum\number#1<1000000000 %
3955 \expandafter\xepersian@adadi\expandafter{\number#1}#2%
3956 \else%
3957 \xepersian@numberoutofrange{#1}{#4}%
3958 \fi\fi%
3959 }
3960 \def\xepersian@adadi#1#2{%
3961 \expandafter\xepersian@@adadi%
3962 \ifcase%
3963 \ifnum#1<10 1%
3964 \else\ifnum#1<100 2%
3965 \else\ifnum#1<\@m 3%
3966 \else\ifnum#1<\@M 4%
3967 \else\ifnum#1<100000 5%
3968 \else\ifnum#1<1000000 6%
3969 \else\ifnum#1<10000000 7%
3970 \else\ifnum#1<100000000 8%
3971 \else9%
3972 \fi\fi\fi\fi\fi\fi %
3973 \or0000000#1% case 1: Add 8 leading zeros
3974 \or000000#1% case 2: Add 7 leading zeros
3975 \or000000#1% case 3: Add 6 leading zeros
3976 \or00000#1% case 4: Add 5 leading zeros
3977 \or0000#1% case 5: Add 4 leading zeros
3978 \or000#1% case 6: Add 3 leading zeros
3979 \or00#1% case 7: Add 2 leading zeros
3980 \or0#1% case 8: Add 1 leading zero
3981 \or#1% case 9: Add no leading zeros
3982 \or%
3983 \@nil#2%
3984 \fi%
3985 }
3986 \def\xepersian@@adadi#1#2#3#4#5#6#7\or#8\@nil#9{%
3987 \ifnum#1#2#3>\z@%
3988 \xepersian@milyoongan#1#2#3%
3989 \ifnum#7>\z@\ifnum#4#5#6>\z@ \ \else\ \fi\else\ifnum#4#5#6>\z@ \ \fi\fi%
3990 \fi%
3991 \ifnum#4#5#6>\z@%
3992 \xepersian@sadgan#4#5#6{#1#2#3}{#4#5}\xepersian@yekani%
3993 \ifnum#4#5#6>\@ne\fi%
3994 %
3995 \ifnum#7>\z@ \ \fi%
3996 \fi%
3997 \xepersian@sadgan#7{#4#5#6}1#9%
3998 }
3999 \def\xepersian@milyoongan#1#2#3{%
4000 \ifnum#1#2#3=\@ne%
4001 \xepersian@sadgan#1#2#301\xepersian@yekanii%
4002 %

```



```

4003 %
4004 \else%
4005 \xepersian@sadgan#1#2#301\xepersian@yekanii%
4006 %
4007 %
4008 \fi%
4009 }
4010 \def\xepersian@sadgan#1#2#3#4#5#6{%
4011 \ifnum#1>\z@%
4012 \ifnum#4#1>\@ne\xepersian@yekaniv#1\fi%
4013 %
4014 \ifnum#2#3>\z@\\ \fi%
4015 \fi%
4016 \ifnum#2#3<20%
4017 \ifnum#5#2#3>\@ne#6{#2#3}\fi%
4018 \else%
4019 \xepersian@dahgan#2%
4020 \ifnum#3>\z@\\ \xepersian@yekani#3\fi%
4021 #60%
4022 \fi%
4023 }
4024 \def\xepersian@yekani#1{%
4025 \ifcase#1\@empty\or \or\ or\ or\ or\ or\ or\ %
4026 \or \or\ or\ or\ or\ or\ or\ %
4027 \or \or\ or\ or\ %
4028 \or \or\ %fi\
4029 }
4030 \def\xepersian@yekanii#1{%
4031 \ifcase#1\@empty\or %else\xepersian@yekani{#1}\fi\
4032 }
4033 \def\xepersian@yekaniii#1{%
4034 \ifcase#1\@empty\or %else\xepersian@yekani{#1}\fi\
4035 }
4036 \def\xepersian@yekaniv#1{%
4037 \ifcase#1\@empty\or \or\ or\ or\ or\ or\ %
4038 \or \or\ or\ %fi\
4039 }
4040 \def\xepersian@dahgan#1{%
4041 \ifcase#1\or \or\ or\ %
4042 \or \or\ or\ %
4043 \or %fi\
4044 }
4045 \newcommand{\tartibi}[1]{%
4046 \expandafter\@tartibi\csname c@#1\endcsname%
4047 }
4048 \newcommand{\@tartibi}[1]{%
4049 \xepersian@numberstring@tartibi{#1}\xepersian@tartibi{ }{ }%
4050 }
4051 \let\tartibinumeral\@tartibi%
4052 \def\xepersian@numberstring@tartibi#1#2#3#4{%
4053 \ifnum\@number#1<\@ne%
4054 #3%
4055 \else\ifnum\@number#1<1000000000 %
4056 \expandafter\xepersian@adadi@tartibi\expandafter{\@number#1}#2%

```



```

4057 \else%
4058 \xepersian@numberoutofrange{#1}{#4}%
4059 \fi\fi%
4060 }
4061 \def\xepersian@adadi@tartibi#1#2{%
4062 \expandafter\xepersian@@adadi@tartibi%
4063 \ifcase%
4064 \ifnum#1<10 1%
4065 \else\ifnum#1<100 2%
4066 \else\ifnum#1<\@m 3%
4067 \else\ifnum#1<\@M 4%
4068 \else\ifnum#1<100000 5%
4069 \else\ifnum#1<1000000 6%
4070 \else\ifnum#1<10000000 7%
4071 \else\ifnum#1<100000000 8%
4072 \else9%
4073 \fi\fi\fi\fi\fi\fi %
4074 \or0000000#1% case 1: Add 8 leading zeros
4075 \or000000#1% case 2: Add 7 leading zeros
4076 \or00000#1% case 3: Add 6 leading zeros
4077 \or0000#1% case 4: Add 5 leading zeros
4078 \or000#1% case 5: Add 4 leading zeros
4079 \or00#1% case 6: Add 3 leading zeros
4080 \or0#1% case 7: Add 2 leading zeros
4081 \or0#1% case 8: Add 1 leading zero
4082 \or#1% case 9: Add no leading zeros
4083 \or%
4084 \nil#2%
4085 \fi%
4086 }
4087 \def\xepersian@adadi@tartibi#1#2#3#4#5#6#7\or#8\@nil#9{%
4088 \ifnum#1#2#3>\z@%
4089 \xepersian@milyoongan@tartibi#1#2#3%
4090 \ifnum#7>\z@\ifnum#4#5#6>\z@\ \ \else\ \ \fi\else\ifnum#4#5#6>\z@\ \ \fi\fi%
4091 \fi%
4092 \ifnum#4#5#6>\z@%
4093 \xepersian@sadgan#4#5#6{#1#2#3}{#4#5}\xepersian@yekani%
4094 \ifnum#4#5#6>\@ne \fi%
4095 %
4096 \ifnum#7>\z@\ \ \fi%
4097 \fi%
4098 \xepersian@sadgan@tartibi#7{#4#5#6}1#9%
4099 }
4100 \def\xepersian@milyoongan@tartibi#1#2#3{%
4101 \ifnum#1#2#3=\@ne%
4102 \xepersian@sadgan@tartibi#1#2#301\xepersian@yekaniii%
4103 %
4104 %
4105 \else%
4106 \xepersian@sadgan#1#2#301\xepersian@yekanii%
4107 %
4108 %
4109 \fi%
4110 }

```



```

4111 \def\xepersian@sadgan@tartibi#1#2#3#4#5#6{%
4112 \ifnum#1>\z@%
4113 \ifnum#4#1>\@ne\xepersian@yekaniv#1\fi%
4114 %
4115 \ifnum#2#3>\z@\\ \fi%
4116 \fi%
4117 \ifnum#2#3<20%
4118 \ifnum#5#2#3>\@ne\ifnum#1#2#3#4#5=10001 %else#6{#2#3}\fi\fi\
4119 \else%
4120 \ifnum#2#3=30%
4121 \xepersian@dahgan@tartibi#2%
4122 \else%
4123 \xepersian@dahgan#2%
4124 \fi%
4125 \ifnum#3>\z@\\ \xepersian@yekanv#3\fi%
4126 #60%
4127 \fi%
4128 }
4129 \def\xepersian@dahgan@tartibi#1{%
4130 \ifcase#1\or\or\or\or\or\ %
4131 \or\or\or\or\or\or\ %
4132 \or\or\ %
4133 }
4134 \def\xepersian@tartibi#1{%
4135 \ifcase#1\or\or\or\or\or\ %
4136 \or\or\or\or\or\or\ %
4137 \or\or\or\or\or\ %
4138 \or\or\or\ %
4139 \or\or\or\ %
4140 }
4141 \def\xepersian@yekanv#1{%
4142 \ifcase#1\empty\or\or\or\or\or\or\or\ %
4143 \or\or\or\or\or\or\or\ %
4144 \or\or\or\ %
4145 \or\or\ %
4146 }
4147 \providetcommand*\xpg@warning{[1]{%
4148   \PackageWarning{XePersian}%
4149   {#1}}}
4150 \if@bidi@csundef{@abjad}{%
4151 \def@abjad#1{%
4152 \ifnum#1>1999 \xpg@warning{Illegal value (#1) for abjad numeral} {#1}%
4153 \else
4154   \ifnum#1<\z@\space\xpg@warning{Illegal value (#1) for abjad numeral}%
4155 \else
4156   \ifnum#1<10\expandafter\abj@num@i\number#1%
4157 \else
4158   \ifnum#1<100\expandafter\abj@num@ii\number#1%
4159 \else
4160   \ifnum#1<\@m\expandafter\abj@num@iii\number#1%
4161 \else
4162   \ifnum#1<\@M\expandafter\abj@num@iv\number#1%since #1<2000, we must have 1000
4163   \fi
4164 \fi

```



```

4165      \fi
4166      \fi
4167      \fi
4168 \fi
4169 }
4170 \def\abjad{\expandafter\abjad\csname c@\#1\endcsname}
4171 \let\abjadnumeral\abjad
4172 \def\abjad@zero{}
4173 \def\abj@num@i#1{%
4174   \ifcase#1\or \or\ or\ or\ %
4175     \or \or\ or\ or\ or\ fi\
4176   \ifnum#1=\z@\abjad@zero\fi}
4177 \def\abj@num@ii#1{%
4178   \ifcase#1\or \or\ or\ or\ or\ %
4179     \or \or\ or\ or\ or\ fi\
4180   \ifnum#1=\z@\fi\abj@num@i}
4181 \def\abj@num@iii#1{%
4182   \ifcase#1\or \or\ or\ or\ or\ or\ %
4183     \or \or\ or\ or\ or\ fi\
4184   \ifnum#1=\z@\fi\abj@num@ii}
4185 \def\abj@num@iv#1{%
4186   \ifcase#1\or fi\
4187   \ifnum#1=\z@\fi\abj@num@iii}
4188 }{%
4189 \let\@latinalph\@alph%
4190 \let\@latinAlph\@Alph%
4191 \def\LatinAlphs{%
4192   \let\@alph\@latinalph%
4193   \let\@Alph\@latinAlph%
4194 }
4195 \def\thempfootnote{\itshape\@latinalph\c@mpfootnote}}
4196 \renewcommand*{\bidi@@thebibliography@font@hook}{%
4197 \if@LTrbitems
4198   \resetlatinfont
4199 \fi}
4200 \bidi@AfterEndPreamble{%
4201 \if@bidi@csundef{persianfont}{%
4202 \PackageError{xepersian}{You have not specified any font\MessageBreak
4203 for the main Persian text}{Use '\settextfont' to load a font.}%
4204 }{%
4205 \@ifdefinitionfileloaded{loadingorder-xetex-bidi}{\input{loadingorder-xepersian.def}}{%
4206 \@ifdefinitionfileloaded{footnote-xetex-bidi}{\input{footnote-xepersian.def}}{%
4207 \ifpackageloaded{appendix}{\input{appendix-xepersian.def}}{%
4208 \ifpackageloaded{listings}{\input{listings-xepersian.def}}{%
4209 \ifpackageloaded{algorithmic}{\input{algorithmic-xepersian.def}}{%
4210 \ifpackageloaded{algorithm}{\input{algorithm-xepersian.def}}{%
4211 \ifpackageloaded{backref}{\input{backref-xepersian.def}}{%
4212 \ifpackageloaded{beamerbasetranslator}{\input{beamerbasetranslator-xepersian.def}}{%
4213 \ifpackageloaded{fancyref}{\input{fancyref-xepersian.def}}{%
4214 \ifpackageloaded{bidituftesidenote}{\input{bidituftesidenote-xepersian.def}}{%
4215 \ifpackageloaded{breqn}{\input{breqn-xepersian.def}}{%
4216 \ifpackageloaded{enumerate}{\input{enumerate-xepersian.def}}{%
4217 \ifpackageloaded{enumitem}{\input{enumitem-xepersian.def}}{%
4218 \ifpackageloaded{framed}{\input{framed-xepersian.def}}{%

```



```

4219 \@ifpackageloaded{glossaries}{\input{glossaries-xepersian.def}}{}
4220 \@ifpackageloaded{hyperref}{\input{hyperref-xepersian.def}}{}
4221 \@ifpackageloaded{minitoc}{\input{minitoc-xepersian.def}}{}
4222 \@ifpackageloaded{natbib}{\input{natbib-xepersian.def}}{}
4223 \@ifpackageloaded{soul}{\input{soul-xepersian.def}}{}
4224 \@ifpackageloaded{tkz-linknodes}{\input{tkz-linknodes-xepersian.def}}{}
4225 \@ifpackageloaded{tocloft}{\@ifclassloaded{memoir}{}{\input{tocloft-xepersian.def}}}={}
4226 \@ifpackageloaded{url}{\input{url-xepersian.def}}{}
4227 \@ifpackageloaded{variorref}{\input{variorref-xepersian.def}}{}
4228 \@ifclassloaded{article}{\input{article-xepersian.def}}{}
4229 \@ifclassloaded{extarticle}{\input{extarticle-xepersian.def}}{}
4230 \@ifclassloaded{artikel1}{\input{artikel1-xepersian.def}}{}
4231 \@ifclassloaded{artikel2}{\input{artikel2-xepersian.def}}{}
4232 \@ifclassloaded{artikel3}{\input{artikel3-xepersian.def}}{}
4233 \@ifclassloaded{amsart}{\input{amsart-xepersian.def}}{}
4234 \@ifclassloaded{beamer}{\input{beamer-xepersian.def}}{}
4235 \@ifclassloaded{bidimoderncv}{\input{bidimoderncv-xepersian.def}}{}
4236 \@ifclassloaded{report}{\input{report-xepersian.def}}{}
4237 \@ifclassloaded{extreport}{\input{extreport-xepersian.def}}{}
4238 \@ifclassloaded{rapport1}{\input{rapport1-xepersian.def}}{}
4239 \@ifclassloaded{rapport3}{\input{rapport3-xepersian.def}}{}
4240 \@ifclassloaded{scrartcl}{\input{scrartcl-xepersian.def}}{}
4241 \@ifclassloaded{scrbook}{\input{scrbook-xepersian.def}}{}
4242 \@ifclassloaded{scrreprt}{\input{scrreprt-xepersian.def}}{}
4243 \@ifclassloaded{amsbook}{\input{amsbook-xepersian.def}}{}
4244 \@ifclassloaded{boek3}{\input{boek3-xepersian.def}}{}
4245 \@ifclassloaded{boek}{\input{boek-xepersian.def}}{}
4246 \@ifclassloaded{bookest}{\input{bookest-xepersian.def}}{}
4247 \@ifclassloaded{extbook}{\input{extbook-xepersian.def}}{}
4248 \@ifclassloaded{book}{\input{book-xepersian.def}}{}
4249 \@ifclassloaded{refrep}{\input{refrep-xepersian.def}}{}
4250 \@ifclassloaded{memoir}{\input{memoir-xepersian.def}}{}
4251 \@ifclassloaded{imsproc}{\input{imsproc-xepersian.def}}{}
4252 \@ifdefinitionfileloaded{extrafootnotefeatures-xetex-bidi}{\input{extrafootnotefeatures-xepersian-def}}
4253
4254 \newtoks\xepersian@toks
4255 \def\xepersian@tempa#1{%
4256   \long\def\xepersian@resa\xepersian@@sp@def##1##2{%
4257     \futurelet\xepersian@resa\xepersian@@sp@d##2\@nil\@nil#1\@nil\relax##1}%
4258   \long\def\xepersian@@sp@d{%
4259     \ifx\xepersian@resa\@spoken
4260       \expandafter\xepersian@@sp@b
4261     \else
4262       \expandafter\xepersian@@sp@b\expandafter#1%
4263     \fi}%
4264   \long\def\xepersian@@sp@b##1\@nil{\xepersian@@sp@c##1}%
4265 }
4266 \xepersian@tempa{ }
4267 \long\def\xepersian@@sp@c##1\@nil#2\relax#3{\xepersian@toks{#1}\edef#3{\the\xepersian@toks}}%
4268 \def\xepersian@fontsize@branch#1{%
4269   \atempcnta\z@
4270   \for\xepersian@tmp:=#1\do{%
4271     \xepersian@@sp@def\xepersian@frag{\xepersian@tmp}%
4272     \ifcase\atempcnta\relax\% \cnta == 0

```



```

4273      \edef\xepersian@value{\xepersian@frag}%
4274      \setfontsize{\xepersian@frag}%
4275  \or% cnta == 1
4276      \setfontsize[\xepersian@frag]{\xepersian@value}%
4277  \else\fi
4278  \advance\@tempcnta\@ne}%
4279 }
4280
4281 \bidi@patchcmd{\set@fontsize}{\@tempdimb#2pt}{%
4282   \@tempdimb\xepersian@@fontsize@scale\dimexpr#2pt\relax
4283 }{}{%
4284
4285 \bidi@patchcmd{\set@fontsize}{\@tempskipa#3pt}{%
4286   \@tempskipa\xepersian@@baselineskip@scale\dimexpr#3pt\relax
4287 }{}{%
4288
4289
4290 \newcommand*\xepersian@update@math@fontsize}[1]{%
4291   \strip@pt\dimexpr\xepersian@@math@fontsize@scale
4292   \dimexpr 1pt * \dimexpr #1 pt\relax /
4293   \dimexpr \xepersian@@fontsize@scale pt\relax
4294   \relax\relax
4295 }
4296
4297 \bidi@patchcmd{\getanddefine@fonts}{%
4298   \xdef\font@name{\csname \string#2/\tf@size\endcsname}%
4299 }{}{%
4300   \xdef\font@name{\csname \string#2/\xepersian@update@math@fontsize\tf@size\endcsname}%
4301 }{}{%
4302
4303 \bidi@patchcmd{\getanddefine@fonts}{%
4304   \xdef\font@name{\csname \string#2/\sf@size\endcsname}%
4305 }{}{%
4306   \xdef\font@name{\csname \string#2/\xepersian@update@math@fontsize\sf@size\endcsname}%
4307 }{}{%
4308
4309 \bidi@patchcmd{\getanddefine@fonts}{%
4310   \xdef\font@name{\csname \string#2/\ssf@size\endcsname}%
4311 }{}{%
4312   \xdef\font@name{\csname \string#2/\xepersian@update@math@fontsize\ssf@size\endcsname}%
4313 }{}{%
4314
4315
4316 \if@xepersian@@computeautoilg
4317 \bidi@patchcmd{\set@fontsize}{%
4318 \baselineskip\f@baselineskip\relax
4319 }{}{%
4320 \baselineskip\f@baselineskip\relax
4321 \xepersian@computeautoilg
4322 \ifdim\xepersian@strutilg>\baselineskip
4323 \PackageInfo{xepersian}{character with height+depth greater than current baselineskip found}
4324 \PackageInfo{xepersian}{baselineskip changed to that height+depth!}%
4325 \baselineskip\xepersian@strutilg
4326 \ifdim\footnotesep=.7\baselineskip

```



```

4327 \else
4328   \footnotesep.7\baselineskip
4329 \fi
4330 \fi
4331 \{} \{}
4332 \fi
4333
4334 \AtEndOfPackage{%
4335   \setlatintextfont[%  

4336     Path,%  

4337     BoldFont={lmroman10-bold},%  

4338     BoldItalicFont={lmroman10-bolditalic},%  

4339     ItalicFont={lmroman10-italic},%  

4340     SmallCapsFont={lmromancaps10-regular},%  

4341     SlantedFont={lmromanslant10-regular},%  

4342     BoldSlantedFont={lmromanslant10-bold}}%  

4343 \{lmroman10-regular}
4344 }
4345 \PersianAlphs

```

62 File `xepersian-magazine.cls`

```

4346 \NeedsTeXFormat{LaTeX2e}
4347 \ProvidesClass{xepersian-magazine}[2010/07/25 v0.2 Typesetting Persian magazines in XeLaTeX]
4348 \RequirePackage{ifthen}
4349 \newlength{\xepersian@imgsize}
4350 \newlength{\xepersian@coltitsize}
4351 \newlength{\xepersian@pageneed}
4352 \newlength{\xepersian@pageleft}
4353 \newlength{\xepersian@indexwidth}
4354 \newcommand{\xepersian@ncolumns}{0}
4355 \newlength{\columnlines}
4356 \setlength{\columnlines}{0 pt} % no lines by default
4357 \newboolean{xepersian@hyphenatedtitles}
4358 \setboolean{xepersian@hyphenatedtitles}{true}
4359 \newboolean{xepersian@ninepoints}
4360 \setboolean{xepersian@ninepoints}{false}
4361 \newboolean{xepersian@showgrid}
4362 \setboolean{xepersian@showgrid}{false}
4363 \newboolean{xepersian@a3paper}
4364 \setboolean{xepersian@a3paper}{false}
4365 \newboolean{xepersian@insidefrontpage}
4366 \setboolean{xepersian@insidefrontpage}{false}
4367 \newboolean{xepersian@insideweather}
4368 \setboolean{xepersian@insideweather}{false}
4369 \newboolean{xepersian@insideindex}
4370 \setboolean{xepersian@insideindex}{false}
4371 \newcount\xepersian@gridrows
4372 \newcount\xepersian@gridcolumns
4373 \xepersian@gridrows=40
4374 \xepersian@gridcolumns=50
4375 \newcount\minraggedcols
4376 \minraggedcols=5
4377 \DeclareOption{10pt}{\PassOptionsToClass{10pt}{article}}

```



```

4378 \DeclareOption{11pt}{\PassOptionsToClass{11pt}{article}}
4379 \DeclareOption{12pt}{\PassOptionsToClass{12pt}{article}}
4380 \DeclareOption{twocolumn}%
4381 {\ClassWarning{xepersian-magazine}{Option 'twocolumn' not available for xepersian-magazine.}}
4382 \DeclareOption{notitlepage}%
4383 {\ClassWarning{xepersian-magazine}{Option 'notitlepage' not available for xepersian-magazine.}}
4384 \DeclareOption{twoside}%
4385 {\ClassWarning{xepersian-magazine}{Option 'twoside' not available for xepersian-magazine.}}
4386 \DeclareOption{9pt}{\setboolean{xepersian@ninepoints}{true}}
4387 \DeclareOption{hyphenatedtitles}{\setboolean{xepersian@hyphenatedtitles}{false}}
4388 \DeclareOption{columnlines}{\setlength{\columnlines}{0.1 pt}}
4389 \DeclareOption{showgrid}{\setboolean{xepersian@showgrid}{true}}
4390 \DeclareOption{a3paper}{\setboolean{xepersian@a3paper}{true}}
4391 \ProcessOptions\relax
4392 \LoadClass[10pt, onecolumn, titlepage, a4paper]{article}
4393 \RequirePackage{ifxetex}
4394 \RequirePackage{multido}
4395 \RequirePackage{datetime}
4396 \RequirePackage{multicol}
4397 \RequirePackage{fancyhdr}
4398 \RequirePackage{fancybox}
4399 \ifthenelse{\boolean{xepersian@a3paper}}{%
4400 \RequirePackage[a3paper,headsep=0.5cm,vmargin={2cm,2cm},hmargin={1.5cm,1.5cm}]{geometry}
4401 }{%
4402 \RequirePackage[headsep=0.5cm,vmargin={2cm,2cm},hmargin={1.5cm,1.5cm}]{geometry}
4403 }%
4404 \RequirePackage[absolute]{textpos} % absoulte positioning
4405 \RequirePackage{hyphenat} % when hyphenate
4406 \RequirePackage{lastpage} % to know the last page number
4407 \RequirePackage{setspace} % set space between lines
4408 \RequirePackage{ragged2e}
4409 \newcommand{\raggedFormat}{\RaggedLeft}
4410 \AtEndOfClass{\xepersianInit}
4411 \ifthenelse{\boolean{xepersian@showgrid}}{%
4412 \AtBeginDocument{%
4413 \grid[show]{\xepersian@gridrows}{\xepersian@gridcolumns}}
4414 \advance\minraggedcols by -1
4415 }{%
4416 \AtBeginDocument{%
4417 \grid[]{\xepersian@gridrows}{\xepersian@gridcolumns}}
4418 \advance\minraggedcols by -1
4419 }%
4420 \ifthenelse{\boolean{xepersian@ninepoints}}{%
4421 \renewcommand{\normalsize}{%
4422 \@setfontsize{\normalsize}{9pt}{10pt}%
4423 \setlength{\abovedisplayskip}{5pt plus 1pt minus .5pt}%
4424 \setlength{\belowdisplayskip}{\abovedisplayskip}%
4425 \setlength{\abovedisplayshortskip}{3pt plus 1pt minus 2pt}%
4426 \setlength{\belowdisplayshortskip}{\abovedisplayshortskip}%
4427 }%
4428 \renewcommand{\tiny}{\@setfontsize{\tiny}{5pt}{6pt}}
4429 }%
4430 \renewcommand{\scriptsize}{\@setfontsize{\scriptsize}{7pt}{8pt}}
4431

```



```

4432 \renewcommand{\small}{%
4433   \@setfontsize{\small}{8pt}{9pt}%
4434   \setlength{\abovedisplayskip}{4pt plus 1pt minus 1pt}%
4435   \setlength{\belowdisplayskip}{\abovedisplayskip}%
4436   \setlength{\abovedisplayshortskip}{2pt plus 1pt}%
4437   \setlength{\belowdisplayshortskip}{\abovedisplayshortskip}%
4438 }
4439 \renewcommand{\footnotesize}{%
4440   \@setfontsize{\footnotesize}{8pt}{9pt}%
4441   \setlength{\abovedisplayskip}{4pt plus 1pt minus .5pt}%
4442   \setlength{\belowdisplayskip}{\abovedisplayskip}%
4443   \setlength{\abovedisplayshortskip}{2pt plus 1pt}%
4444   \setlength{\belowdisplayshortskip}{\abovedisplayshortskip}%
4445 }
4446 \renewcommand{\large}{\@setfontsize{\large}{11pt}{13pt}}
4447 \renewcommand{\Large}{\@setfontsize{\Large}{14pt}{18pt}}
4448 \renewcommand{\LARGE}{\@setfontsize{\LARGE}{18pt}{20pt}}
4449 \renewcommand{\huge}{\@setfontsize{\huge}{20pt}{25pt}}
4450 \renewcommand{\Huge}{\@setfontsize{\Huge}{25pt}{30pt}}
4451 }{%
4452 \def\customwwwTxt#1{\gdef\@customwwwTxt{\lr{#1}}}
4453 \newcommand{\xepersian@wwwFormat}{\sffamily}
4454 \newcommand{\xepersian@www}{%
4455 \raisebox{-3pt}{{\xepersian@wwwFormat\@customwwwTxt}}%
4456 }
4457 \newcommand{\xepersian@edition}{%
4458 \newcommand{\editionFormat}{\large\bfseries\texttt}
4459 \newcommand{\xepersian@editionLogo}{%
4460 \raisebox{-3pt}{%
4461 {\editionFormat\xepersian@edition}%
4462 }%
4463 }%
4464 \newcommand{\indexFormat}{\large\bfseries}
4465 \newcommand{\xepersian@indexFrameTitle}[1]{%
4466 {\begin{flushright}{\indexFormat #1}\end{flushright}}%
4467 }
4468 \newcommand{\indexEntryFormat}{\normalsize}
4469 \newcommand{\xepersian@indexEntry}[1]{%
4470 {\begin{minipage}{13\TPHorizModule}%
4471 \indexEntryFormat\noindent\ignorespaces{#1}%
4472 \end{minipage}}%
4473 \newcommand{\indexEntrySeparator}{\rule{\xepersian@indexwidth}{.1pt}}%
4474 \newcommand{\indexEntryPageTxt}{%
4475 \newcommand{\xepersian@indexEntryPage}[1]{%
4476 {\indexEntryPageFormat{\indexEntryPageTxt{}~#1}}%
4477 }%
4478 \newcommand{\headDateFormat}{%
4479 \newcommand{\xepersian@headDateTime}{%
4480 \headDateFormat\date\hspace{5pt}\$parallel\$hspace{5pt}%
4481 \currenttime %
4482 }%
4483 \newcommand{\weatherFormat}{\bfseries}
4484 \newcommand{\xepersian@weather}[1]{%
4485 \noindent{\weatherFormat #1}}%

```



```

4486 }
4487 \newcommand{\weatherTempFormat}{\small
4488 \newcommand{\weatherUnits}{\textdegree{}C}
4489 \newcommand{\xepersian@section}[0]{%
4490 \newcommand{\xepersian@headleft}{%
4491 {\small\bfseries @custommagazinename} \date
4492 }
4493 \newcommand{\xepersian@headcenter}{%
4494 \xepersian@section{%
4495 }
4496 \newcommand{\xepersian@headright}{%
4497 \small\xepersian@edition%
4498 \hspace*{5pt}\beginL\thepage\ / \pageref{LastPage}\endL
4499 }
4500
4501 \newcommand{\heading}[3]{%
4502 \renewcommand{\xepersian@headleft}{\beginR#1\endR}%
4503 \renewcommand{\xepersian@headcenter}{\beginR#2\endR}%
4504 \renewcommand{\xepersian@headright}{\beginR#3\endR}%
4505 }
4506 \newcommand{\xepersian@footright}{%
4507 {\footnotesize\lr{\copyright\ @customwwwTxt{}}-- - \lr{\XePersian}}%
4508 }
4509 \newcommand{\xepersian@footcenter}{%
4510 }
4511 \newcommand{\xepersian@footleft}{%
4512 }
4513
4514 \newcommand{\foot}[3]{%
4515 \renewcommand{\xepersian@footleft}{\beginR#1\endR}%
4516 \renewcommand{\xepersian@footcenter}{\beginR#2\endR}%
4517 \renewcommand{\xepersian@footright}{\beginR#3\endR}%
4518 }
4519 \newcommand{\firstTitleFormat}{\Huge\bfseries\flushright}
4520 \newcommand{\xepersian@firstTitle}[1]{%
4521 }%
4522 \begin{spacing}{2.0}{%
4523 \noindent\noirespaces
4524 \ifthenelse{\boolean{xepersian@hyphenatedtitles}}{%
4525 {\nohyphens{\firstTitleFormat #1}}%
4526 {\firstTitleFormat #1}}%
4527 }%
4528 \end{spacing}%
4529 }%
4530 }
4531 \newcommand{\firstTextFormat}{}
4532 \newcommand{\xepersian@firstText}[1]{%
4533 {\noindent\noirespaces\firstTextFormat #1}%
4534 }
4535 \newcommand{\secondTitleFormat}{\LARGE\bfseries}
4536 \newcommand{\xepersian@secondTitle}[1]{%
4537 \begin{spacing}{1.5}{%
4538 \noindent\noirespaces\flushright
4539 \ifthenelse{\boolean{xepersian@hyphenatedtitles}}{%

```



```

4540 {\nohyphens{\secondTitleFormat #1}}%
4541 { {\secondTitleFormat #1}}%
4542 }\end{spacing}%
4543 }
4544 \newcommand{\secondSubtitleFormat}{\large}
4545 \newcommand{\xepersian@secondSubtitle}[1]{%
4546 {\noindent\ignorespaces\secondSubtitleFormat #1}}%
4547 }
4548 \newcommand{\secondTextFormat}{}%
4549 \newcommand{\xepersian@secondText}[1]{%
4550 \begin{multicols}{2}%
4551 {\noindent\ignorespaces\secondTextFormat #1}%
4552 \end{multicols}%
4553 }
4554 \newcommand{\thirdTitleFormat}{\Large\bfseries}
4555 \newcommand{\xepersian@thirdTitle}[1]{%
4556 \begin{spacing}{1.5}}%
4557 \noindent\ignorespaces\flushright
4558 \ifthenelse{\boolean{xepersian@hyphenatedtitles}}{%
4559 {\nohyphens{\thirdTitleFormat #1}}%
4560 {\ {\thirdTitleFormat #1}}%
4561 }\end{spacing}%
4562 }
4563 \newcommand{\thirdSubtitleFormat}{\large}
4564 \newcommand{\xepersian@thirdSubtitle}[1]{%
4565 {\noindent\ignorespaces\thirdSubtitleFormat #1}}%
4566 \newcommand{\thirdTextFormat}{}%
4567 \newcommand{\xepersian@thirdText}[1]{ {\ {\thirdTextFormat #1}}}
4568 \newcommand{\pictureCaptionFormat}{\small\bfseries}
4569 \newcommand{\xepersian@pictureCaption}[1]{%
4570 {\noindent\pictureCaptionFormat #1}}%
4571 }
4572 \newcommand{\pagesFormat}{\bfseries\footnotesize}
4573 \newcommand{\xepersian@pages}[1]{%
4574 {\noindent{\pagesFormat\MakeUppercase{#1}}}}
4575 \newcommand{\innerTitleFormat}{\Huge}
4576 \newcommand{\xepersian@innerTitle}[1]{%
4577 \begin{flushright}{%
4578 \noindent
4579 \ifthenelse{\boolean{xepersian@hyphenatedtitles}}{%
4580 {\nohyphens{\innerTitleFormat #1}}%
4581 {\ {\innerTitleFormat #1}}%
4582 }%
4583 \\%
4584 \end{flushright}}%
4585 }
4586 \newcommand{\innerSubtitleFormat}{\large}
4587 \newcommand{\xepersian@innerSubtitle}[1]{ {\ {\innerSubtitleFormat #1}}}
4588 \newcommand{\timestampTxt}{}%
4589 \newcommand{\timestampSeparator}{|}%
4590 \newcommand{\timestampFormat}{\small}
4591 \newcommand{\timestamp}[1]{%
4592 {\timestampFormat%
4593 #1-\timestampTxt{}}%

```



```

4594 }~\timestampSeparator{}%
4595 }
4596 \newcommand{\innerAuthorFormat}{\footnotesize}
4597 \newcommand{\innerPlaceFormat}{\footnotesize\bfseries}
4598 \newcommand{\innerTextFinalMark}{\rule{0.65em}{0.65em}}
4599 \newcommand{\editorialTitleFormat}{\LARGE\textrit}
4600 \newcommand{\xepersian@editorialTitle}[1]{\editorialTitleFormat{#1}}
4601 \newcommand{\editorialAuthorFormat}{\textsc}
4602 \newcommand{\shortarticleTitleFormat}{\LARGE\bfseries}
4603 \newcommand{\xepersian@shortarticleTitle}[1]{{\shortarticleTitleFormat #1}}
4604 \newcommand{\shortarticleSubtitleFormat}{\Large}
4605 \newcommand{\xepersian@shortarticleSubtitle}[1]{{\shortarticleSubtitleFormat #1}}
4606 \newcommand{\shortarticleItemFormat}{\large\bfseries}
4607 \newcommand{\xepersian@shortarticleItemTitle}[1]{{\shortarticleItemFormat #1}}
4608 \renewcommand{\maketitle}{\begin{titlepage}%
4609   \let\footnotesize\small
4610   \let\footnoterule\relax
4611   \let \footnote \thanks
4612   \null\vf
4613   \vskip 60\p@
4614   \begin{center}%
4615     {\LARGE \@title \par}%
4616     \vskip 1em%
4617     {\LARGE «\xepersian@edition» \par}%
4618     \vskip 3em%
4619     {\large
4620       \lineskip .75em%
4621       \begin{tabular}[t]{c}%
4622         \author
4623       \end{tabular}\par}%
4624     \vskip 1.5em%
4625     {\large \@date \par}%
4626   \end{center}\par
4627   \thanks
4628   \vf\null
4629   \end{titlepage}%
4630   \setcounter{footnote}{0}%
4631   \global\let\thanks\relax
4632   \global\let\maketitle\relax
4633   \global\let\@thanks\empty
4634   \global\let\author\empty
4635   \global\let\@date\empty
4636   \global\let\@title\empty
4637   \global\let\title\relax
4638   \global\let\author\relax
4639   \global\let\date\relax
4640   \global\let\and\relax
4641 }
4642 \newcommand{\xepersian@say}[1]{\typeout{#1}}
4643 \newsavebox{\xepersian@fmbox}
4644 \newenvironment{xepersian@fmpage}[1]
4645 {\begin{lrbox}{\xepersian@fmbox}\begin{minipage}{#1}}
4646 {\end{minipage}\end{lrbox}\fbox{\usebox{\xepersian@fmbox}}}
4647 \newcommand{\image}[2]{%

```



```

4648 \vspace{5pt}
4649 \setlength{\fboxsep}{1pt}
4650 \addtolength{\xepersian@imgsize}{\columnwidth}
4651 \addtolength{\xepersian@imgsize}{-\columnsep}
4652 \ifxetex
4653 \setlength{\xepersian@pageneed}{1.5\xepersian@imgsize}
4654 \addtolength{\xepersian@pageneed}{50pt}
4655 \ClassWarning{xepersian-magazine}{%
4656 Image #1 needs: \the\xepersian@pageneed \space %
4657 and there is left: \the\page@free\space%
4658 }
4659 \ifdim \xepersian@pageneed < \page@free
4660
4661 {\centering\fbox{%
4662 \includegraphics[width = \xepersian@imgsize,
4663 height = \xepersian@imgsize,
4664 keepaspectratio ]{#1}}}
4665 \xepersian@pictureCaption{#2}
4666
4667 \vspace{5pt}
4668 \else
4669 \ClassWarning{Image #1 needs more space!}{%
4670 It was not inserted!}
4671 \fi
4672 \fi
4673 }
4674 \textblockorigin{1cm}{1cm}
4675 \newdimen\xepersian@dx
4676 \newdimen\xepersian@dy
4677 \newcount\xepersian@cx
4678 \newcount\xepersian@cy
4679 \newcommand{\grid}[3][]{%
4680 \xepersian@dx=\textwidth%
4681 \xepersian@dy=\textheight%
4682 \xepersian@cx=#3% %columns
4683 \xepersian@cy=#2% %rows
4684
4685 \count1=#3%
4686 \advance\count1 by 1
4687
4688 \count2=#2%
4689 \advance\count2 by 1
4690
4691 \divide\xepersian@dx by #3
4692 \divide\xepersian@dy by #2
4693
4694 \setlength{\TPHorizModule}{\xepersian@dx}
4695 \setlength{\TPVertModule}{\xepersian@dy}
4696
4697 \ifthenelse{\equal{#1}{show}}{%
4698 \multido{\xepersian@nrow=0+1}{\count2}{%
4699 \begin{textblock}{\xepersian@cx}(0,\xepersian@nrow)
4700 \rule[0pt]{\textwidth}{.1pt}
4701 \end{textblock}}

```



```

4702 }
4703
4704 \multido{\xepersian@ncol=0+1}{\count1}{
4705 \begin{textblock}{\xepersian@cy}(\xepersian@ncol,0)
4706 \rule[0pt]{.1pt}{\textheight}
4707 \end{textblock}
4708 }
4709 }f}
4710 }
4711 \newcommand{\xepersianInit}{
4712 \setlength{\headheight}{14pt}
4713 \renewcommand{\headrulewidth}{0.4pt}
4714
4715 \pagestyle{fancy}
4716
4717 \setlength{\columnseprule}{\columnlines}
4718 \setlength{\fboxrule}{0.1 pt}
4719
4720 }
4721
4722 \def\customlogo#1{\gdef\@customlogo{\beginR#1\endR}}
4723 \def\customminilogos#1{\gdef\@customminilogos{\beginR#1\endR}}
4724 \def\custommagazinename#1{\gdef\@custommagazinename{\beginR#1\endR}}
4725 \newcommand{\logo}[0]{
4726 %% Heading %%
4727 \noindent\hrulefill\hspace{10pt}\xepersian@editionLogo\hspace{5pt}\xepersian@www
4728
4729 \vspace*{-3pt}
4730
4731 {\Large\bfseries \@customlogo}
4732 \hrulefill
4733 \hspace{10pt}\xepersian@headDateTime
4734
4735 }
4736 \newcommand{\minilogos}[0]{
4737 {\large\bfseries \@customminilogos}
4738
4739 \vspace*{5pt}
4740 }
4741 \newcommand{\mylogo}[1]{
4742 {\beginR#1\endR}
4743
4744 \noindent
4745 \xepersian@editionLogo\hspace{5pt}
4746 \hrulefill
4747 \hspace{5pt}\xepersian@headDateTime
4748 }
4749 \newcommand{\edition}[1]{\renewcommand{\xepersian@edition}{#1}}
4750 \newenvironment{frontpage}[0]
4751 {
4752 \setboolean{xepersian@insidefrontpage}{true}
4753 \thispagestyle{empty}
4754 \logo
4755

```



```

4756 }%
4757 {
4758 \thispagestyle{empty}
4759 \clearpage
4760 \newpage
4761 \fancyhead{}
4762 \fancyfoot{}
4763 \fancyhead[RO,LE]{\beginR\xepersian@headright\endR}
4764 \fancyhead[LO,RE]{\beginR\xepersian@headleft\endR}
4765 \fancyhead[C]{\beginR\xepersian@headcenter\endR}
4766 \fancyfoot[RO,LE]{\beginR\xepersian@footright\endR}
4767 \fancyfoot[LO,RE]{\beginR\xepersian@footleft\endR}
4768 \fancyfoot[C]{\beginR\xepersian@footcenter\endR}
4769 \renewcommand{\headrulewidth}{0.4pt}
4770 \setboolean{xepersian@insidefrontpage}{false}
4771 }
4772 }
4773 \newcommand{\firstarticle}[3]
4774 {
4775 \ifthenelse{\boolean{xepersian@insidefrontpage}}{%
4776 \ifthenelse{\boolean{xepersian@hyphenatedtitles}}{%
4777 \begin{textblock}{24}(22,5)
4778 }
4779 {
4780 \begin{textblock}{28}(22,5)
4781 }
4782 \vspace{-7pt}
4783 \xepersian@firstTitle{#1}
4784 \end{textblock}
4785 \begin{textblock}{29}(22,10)
4786 \vspace{5pt plus 2pt minus 2pt}
4787
4788 \xepersian@firstText{\timestamp{#3}~#2}
4789
4790 \end{textblock}
4791
4792 \begin{textblock}{50}(0,15)
4793 \rule{50\TPHorizModule}{.3pt}
4794 \end{textblock}
4795 }{\%else
4796 \ClassError{xepersian-magazine}{%
4797 \protect\firstarticle\space in a wrong place.\MessageBreak
4798 \protect\firstarticle\space may only appear inside frontpage environment.
4799 }{\%
4800 \protect\firstarticle\space may only appear inside frontpage environment.
4801 }%
4802 }
4803 }
4804 \newcommand{\secondarticle}[5]
4805 {
4806 \ifthenelse{\boolean{xepersian@insidefrontpage}}{%
4807 \begin{textblock}{33}(2,16)
4808 \xepersian@pages{#4}
4809 \vspace{-5pt}

```



```

4810 \xepersian@secondTitle{#1}
4811
4812 \vspace*{5pt}
4813
4814 \xepersian@secondSubtitle{#2}
4815
4816 \vspace*{-7pt}
4817
4818 \xepersian@secondText{\timestamp{#5}~#3}
4819
4820 \end{textblock}
4821
4822 \begin{textblock}{33}(2,25)
4823 \vspace{5pt plus 2pt minus 2pt}
4824
4825 \noindent\ignorespaces\rule{33\TPHorizModule}{.3pt}
4826 \end{textblock}
4827 }%else
4828 \ClassError{xepersian-magazine}{%
4829 \protect\secondarticle\space in a wrong place.\MessageBreak
4830 \protect\secondarticle\space may only appear inside frontpage environment.
4831 }%
4832 \protect\secondarticle\space may only appear inside frontpage environment.
4833 }%
4834 }
4835 }
4836 \newcommand{\thirdarticle}[6]
4837 {
4838 \ifthenelse{\boolean{xepersian@insidefrontpage}}{%
4839 \begin{textblock}{32}(2,26)
4840 \xepersian@pages{#5}
4841 \vspace{-5pt}
4842 \setlength{\fboxsep}{1pt}
4843 \xepersian@thirdTitle{#1}
4844
4845 \vspace*{5pt}
4846
4847 \xepersian@thirdSubtitle{#2}
4848
4849 \vspace*{5pt}
4850
4851 {\noindent\ignorespaces %
4852 \ifthenelse{\equal{#4}{}}{}{}}
4853
4854 \xepersian@thirdText{\timestamp{#6}~#3}
4855
4856 }
4857
4858 \vspace*{5pt}
4859
4860 \end{textblock}
4861 }%else
4862 \ClassError{xepersian-magazine}{%
4863 \protect\thirdarticle\space in a wrong place.\MessageBreak

```



```

4864 \protect\thirdarticle\space may only appear inside frontpage environment.
4865 }{%
4866 \protect\thirdarticle\space may only appear inside frontpage environment.
4867 }%
4868 }
4869 }
4870 \newcommand{\firstimage}[2]
4871 {
4872 \ifthenelse{\boolean{xepersian@insidefrontpage}}{%
4873 \begin{textblock}{18}(2,5)
4874 \setlength{\fboxsep}{1pt}
4875 \ifxetex % only in PDF
4876 \noindent\fbox{\includegraphics[width = 18\TPHorizModule ]{#1}}
4877 \fi
4878
4879 \xepersian@pictureCaption{#2}
4880 \end{textblock}%
4881 }
4882 {\ClassError{xepersian-magazine}{%
4883 \protect\firstimage\space in a wrong place.\MessageBreak
4884 \protect\firstimage\space may only appear inside frontpage environment.
4885 }{%
4886 \protect\firstimage\space may only appear inside frontpage environment.
4887 }}%
4888 }%
4889 \newcommand{\weatheritem}[5]{%
4890 \ifthenelse{\boolean{xepersian@insideweather}}{%
4891 \begin{minipage}{45pt}
4892 \ifxetex
4893 \includegraphics[width=40pt]{#1}
4894 \fi
4895 \end{minipage}
4896 \begin{minipage}{50pt}
4897 \weatherTempFormat
4898 #2\ \
4899 \beginL#3 $| $ #4 \lr{\weatherUnits{}}\endL\ \
4900 #5
4901 \end{minipage}
4902 }{\%else
4903 \ClassError{xepersian-magazine}{%
4904 \protect\weatheritem\space in a wrong place.\MessageBreak
4905 \protect\weatheritem\space may only appear inside weatherblock environment.
4906 }{%
4907 \protect\weatheritem\space may only appear inside weatherblock environment.\MessageBreak
4908 weatherblock environment may only appear inside frontpage environment.
4909 }{%
4910 }
4911 }
4912 \newenvironment{weatherblock}[1]
4913 {
4914 \ifthenelse{\boolean{xepersian@insidefrontpage}}{%
4915 \setboolean{xepersian@insideweather}{true}
4916 \begin{textblock}{32}(2,38)
4917 \vspace*{-15pt}

```



```

4918
4919 \xepersian@weather{\beginR#1\endR}
4920
4921 \vspace*{5pt}
4922
4923 \noindent\begin{xepersian@fmpage}{32\TPHorizModule}
4924 \begin{minipage}{32\TPHorizModule}
4925 \hspace{5pt}
4926
4927 }{%
4928 \ClassError{xepersian-magazine}{%
4929 weatherblock in a wrong place.\MessageBreak
4930 weatherblock may only appear inside frontpage environment.
4931 }{%
4932 weatherblock may only appear inside frontpage environment.
4933 }
4934 }
4935 }%
4936 {
4937 \end{minipage}
4938 \end{xepersian@fmpage}
4939 \end{textblock}
4940 \setboolean{xepersian@insideweather}{false}
4941 }
4942 \newenvironment{authorblock}[0]
4943 {
4944 \ifthenelse{\boolean{xepersian@insidefrontpage}}{%
4945 \begin{textblock}{15}(36,35)
4946 \setlength{\fboxsep}{5pt}
4947 \begin{xepersian@fmpage}{13\TPHorizModule}
4948 \begin{minipage}{13\TPHorizModule}
4949 \centering
4950 \minilogo
4951 }{%
4952 }{%
4953 \ClassError{xepersian-magazine}{%
4954 authorblock in a wrong place.\MessageBreak
4955 authorblock may only appear inside frontpage environment.
4956 }{%
4957 authorblock may only appear inside frontpage environment.
4958 }
4959 }
4960 }
4961 {
4962 \end{minipage}
4963 \end{xepersian@fmpage}
4964 \end{textblock}
4965 }
4966 \newenvironment{indexblock}[1]
4967 {
4968 \ifthenelse{\boolean{xepersian@insidefrontpage}}{%
4969 \setboolean{xepersian@insideindex}{true} \%let's in
4970 \begin{textblock}{15}(36,16)
4971 \setlength{\xepersian@indexwidth}{13\TPHorizModule}

```



```

4972 \xepersian@indexFrameTitle{#1}
4973
4974 \setlength{\fboxsep}{5pt} %espacio entre el frame y la imagen
4975 \begin{xepersian@fmpage}{\xepersian@indexwidth}
4976 \begin{minipage}{\xepersian@indexwidth}
4977 \vspace*{10pt}
4978 }%else
4979 \ClassError{xepersian-magazine}{%
4980 indexblock in a wrong place.\MessageBreak
4981 indexblock may only appear inside frontpage environment.
4982 }%
4983 indexblock may only appear inside frontpage environment.
4984 }
4985 }
4986 }%
4987 {
4988 \end{minipage}
4989 \end{xepersian@fmpage}
4990 \end{textblock}
4991 \setboolean{xepersian@insideindex}{false}%let's out
4992 }
4993 \newcommand{\indexitem}[2]
4994 {
4995 \ifthenelse{\boolean{xepersian@insideindex}}{%
4996 \xepersian@indexEntry{#1} \xepersian@indexEntryPage{\pageref{#2}}}
4997
4998 \vspace{0.5cm}
4999
5000 \noindent\ignorespaces\indexEntrySeparator{}
5001 }%else
5002 \ClassError{xepersian-magazine}{%
5003 \protect\indexitem\space in a wrong place.\MessageBreak
5004 \protect\indexitem\space may only appear inside indexblock environment.
5005 }%
5006 \protect\indexitem\space may only appear inside indexblock environment.\MessageBreak
5007 indexblock environment may only appear inside frontpage environment.
5008 }%
5009 }
5010 }
5011 \newcommand{\xepersian@inexpandedtitle}[1]{
5012 \begin{minipage}{.95\textwidth}
5013 \begin{center}
5014 \noindent\Large\textrm{\bf\beginR#1\endR}
5015 \end{center}
5016 \end{minipage}
5017 }
5018 \newcommand{\expandedtitle}[2]{
5019 \end{multicols}
5020
5021 \begin{center}
5022 \setlength{\fboxsep}{5pt}
5023 \setlength{\shadowsize}{2pt}
5024 \ifthenelse{\equal{#1}{shadowbox}}{%
5025 \shadowbox{%

```



```

5026 \xepersian@inexpandedtitle{#2}%
5027 }%
5028 }{%
5029 \ifthenelse{\equal{#1}{doublebox}}{%
5030 \doublebox{%
5031 \xepersian@inexpandedtitle{#2}%
5032 }%
5033 }{%
5034 \ifthenelse{\equal{#1}{ovalbox}}{%
5035 \ovalbox{%
5036 \xepersian@inexpandedtitle{#2}%
5037 }%
5038 }{%
5039 \ifthenelse{\equal{#1}{Ovalbox}}{%
5040 \Ovalbox{%
5041 \xepersian@inexpandedtitle{#2}%
5042 }%
5043 }{%
5044 \ifthenelse{\equal{#1}{lines}}{%
5045 \hrule
5046 \vspace*{8pt}
5047 \begin{center}
5048 \noindent\Large\textbf{#2}
5049 \end{center}
5050 \vspace*{8pt}
5051 \hrule
5052 }{%
5053 \end{center}
5054
5055 \begin{multicols}{\xepersian@ncolumns{}}
5056 \ifnum \xepersian@ncolumns > \minraggedcols
5057 \raggedFormat
5058 \fi
5059 }
5060 \newcommand{\xepersian@incolumntitle}[2]{
5061 \begin{minipage}{#1}
5062 \begin{center}
5063 \noindent\normalsize\textbf{#2}
5064 \end{center}
5065 \end{minipage}
5066 }
5067
5068 \newcommand{\columntitle}[2]{
5069 \vspace*{5pt}
5070 \begin{center}
5071 \setlength{\fboxsep}{5pt}
5072 \setlength{\shadowsize}{2pt}
5073 \addtolength{\xepersian@coltitsize}{\columnwidth}
5074 \addtolength{\xepersian@coltitsize}{-1\columnsep}
5075 \addtolength{\xepersian@coltitsize}{-5pt}
5076 \addtolength{\xepersian@coltitsize}{-1\shadowsize}
5077 \ifthenelse{\equal{#1}{shadowbox}}{%
5078 \shadowbox{%
5079 \xepersian@incolumntitle{\xepersian@coltitsize}{#2}%

```



```

5080 }%
5081 }{%
5082 \ifthenelse{\equal{#1}{doublebox}}{%
5083 \doublebox{%
5084 \xepersian@inolumntitle{\xepersian@coltitsize}{#2}}%
5085 }%
5086 }{%
5087 \ifthenelse{\equal{#1}{ovalbox}}{%
5088 \ovalbox{%
5089 \xepersian@inolumntitle{\xepersian@coltitsize}{#2}}%
5090 }%
5091 }{%
5092 \ifthenelse{\equal{#1}{Ovalbox}}{%
5093 \Ovalbox{%
5094 \xepersian@inolumntitle{\xepersian@coltitsize}{#2}}%
5095 }%
5096 }{%
5097 \ifthenelse{\equal{#1}{lines}}{%
5098 \hrule
5099 \vspace*{5pt}
5100 \begin{center}
5101 \noindent\normalsize\textbf{#2}
5102 \end{center}
5103 \vspace*{5pt}
5104 \hrule
5105 }{%
5106 \end{center}
5107 }
5108 \renewcommand{\date}{%
5109 \longdate{\today}%
5110 }
5111 \newcommand{\authorandplace}[2]{%
5112 \rightline{%
5113 {\innerAuthorFormat #1},\space{}{\innerPlaceFormat #2}}%
5114 }%
5115 \par %
5116 }
5117 \newcommand{\newsection}[1]{%
5118 \renewcommand{\xepersian@section}{#1}
5119 }
5120 \newenvironment{article}[5]
5121 {
5122 \xepersian@say{Adding a new piece of article}
5123 \renewcommand{\xepersian@ncolumns}{#1}
5124 \begin{multicols}{#1}[
5125 \xepersian@pages{#4}
5126 \xepersian@innerTitle{#2}%
5127 \xepersian@innerSubtitle{#3}%
5128 ] [4cm]%
5129 \label{#5}
5130 \ifnum #1 > \minraggedcols
5131 \raggedFormat
5132 \fi
5133 }

```



```

5134 {~\innerTextFinalMark{}}
5135 \end{multicols}
5136 }
5137 \newcommand{\articlesep}{%
5138 \setlength{\xepersian@pageneed}{16000pt}
5139 \setlength\xepersian@pageleft{\pagegoal}
5140 \addtolength\xepersian@pageleft{-\pagetotal}
5141
5142 \xepersian@say{How much left \the\xepersian@pageleft}
5143
5144 \ifdim \xepersian@pageneed < \xepersian@pageleft
5145 \xepersian@say{Not enough space}
5146 \else
5147 \xepersian@say{Adding sep line between articles}
5148 \vspace*{10pt plus 10pt minus 5pt}
5149 \hrule
5150 \vspace*{10pt plus 5pt minus 5pt}
5151 \fi
5152
5153 }
5154 \newcommand{\xepersian@editorialTit}[2]{%
5155 \setlength{\arrayrulewidth}{.1pt}
5156 \begin{center}
5157 \begin{tabular}{c}
5158 \noindent
5159 \xepersian@editorialTitle{#1}
5160 \vspace{2pt plus 1pt minus 1pt}
5161 \\
5162 \hline
5163 \vspace{2pt plus 1pt minus 1pt}
5164 \\
5165 \editorialAuthorFormat{#2}
5166 \end{tabular}
5167 \end{center}
5168 }
5169 \newenvironment{editorial}[4]
5170 {
5171 \xepersian@say{Adding a new editorial}
5172 \begin{multicols}{#1}[%]
5173 \xepersian@editorialTit{#2}{#3}%
5174 ] [4cm]
5175 \label{#4}
5176 \ifnum #1 > \minraggedcols
5177 \raggedFormat
5178 \fi
5179 }
5180 {
5181 \end{multicols}
5182 }
5183 \newcommand{\xepersian@shortarticleTit}[2]{%
5184 \begin{center}
5185 \vbox{%
5186 \noindent
5187 \xepersian@shortarticleTitle{#1}

```



```

5188 \vspace{4pt plus 2pt minus 2pt}
5189 \hrule
5190 \vspace{4pt plus 2pt minus 2pt}
5191 \xepersian@shortarticleSubtitle{\#2}
5192 }
5193 \end{center}
5194 }
5195 \newenvironment{shortarticle}[4]
5196 {
5197 \xepersian@say{Adding a short article block}
5198 \begin{multicols}{\#1}[\xepersian@shortarticleTit{\#2}{\#3}] [4cm] %
5199 \label{\#4}
5200 \par %
5201 \ifnum #1 > \minraggedcols
5202 \raggedFormat
5203 \fi
5204 }
5205 {
5206 \end{multicols}
5207 }
5208 \newcommand{\shortarticleitem}[2]{
5209 \goodbreak
5210 \vspace{5pt plus 3pt minus 3pt}
5211 {\vbox{\noindent\xepersian@shortarticleItemTitle{\#1}}}
5212 \vspace{5pt plus 3pt minus 3pt}
5213 {\noindent \#2}\\
5214 }

```

63 File `xepersian-mathdigitspec.sty`

```

5215 \NeedsTeXFormat{LaTeX2e}
5216 \ProvidesPackage{xepersian-mathdigitspec}
5217 [2025/01/01 v1.2.1 Unicode Persian math digits in XeLaTeX]
5218 \def\new@mathgroup{\alloc@8\mathgroup\chardef\@cclvi}
5219 \let\newfam\new@mathgroup
5220 \def\select@group#1#2#3#4{%
5221 \ifx\math@bgroup\math@bgroup\else\relax\expandafter\@firstofone\fi
5222 {%
5223 \ifmmode
5224 \ifnum\csname c@mv@\math@version\endcsname<\@cclvi
5225 \begingroup
5226 \escapechar\m@ne
5227 \getanddefine@fonts{\csname c@mv@\math@version\endcsname}#3%
5228 \globaldefs\@ne \math@fonts
5229 \endgroup
5230 \init@restore@version
5231 \xdef#1{\noexpand\use@mathgroup\noexpand#2%
5232 {\number\csname c@mv@\math@version\endcsname}%
5233 \global\advance\csname c@mv@\math@version\endcsname\@ne
5234 \else
5235 \let#1\relax
5236 \@latex@error{Too many math alphabets used in
5237 version \math@version}%
5238 \fi

```



```

5239   \fi
5240 \else \expandafter\non@alpherr\fi
5241 #1{#4}%
5242 }%
5243 }
5244 \def\document@select@group#1#2#3#4{%
5245 \ifx\math@bgroup\pgroup\else\relax\expandafter@\firstofone\fi
5246 {%
5247 \ifmmode
5248 \ifnum\csname c@mv@\math@version\endcsname<\@cclvi
5249 \begingroup
5250 \escapechar\m@ne
5251 \getanddefine@fonts{\csname c@mv@\math@version\endcsname}#3%
5252 \globaldefs\@ne \math@fonts
5253 \endgroup
5254 \expandafter\extract@alph@from@version
5255 \csname mv@\math@version\expandafter\endcsname
5256 \expandafter{\number\csname
5257 c@mv@\math@version\endcsname}%
5258 #1%
5259 \global\advance\csname c@mv@\math@version\endcsname\@ne
5260 \else
5261 \let#1\relax
5262 \@latex@error{Too many math alphabets used
5263 in version \math@version}%
5264 \c@eha
5265 \fi
5266 \else \expandafter\non@alpherr\fi
5267 #1{#4}%
5268 }%
5269 }
5270 \ExplSyntaxOn
5271 \bool_set_false:N \g__fontspec_math_bool
5272 \tl_map_inline:nn
5273 {
5274 \new@mathgroup\cdp@list\cdp@elt\DeclareMathSizes
5275 \@DeclareMathSizes\newmathalphabet\newmathalphabet@@\newmathalphabet@@@
5276 \DeclareMathVersion\define@mathalphabet\define@mathgroup\addtoversion
5277 \version@list\version@elt\alpha@list\alpha@elt
5278 \restore@mathversion\init@restore@version\dorestore@version\process@table
5279 \new@mathversion\DeclareSymbolFont\group@list\group@elt
5280 \new@symbolfont\SetSymbolFont\SetSymbolFont@{\get@cdp
5281 \DeclareMathAlphabet\new@mathalphabet\SetMathAlphabet\SetMathAlphabet@%
5282 \DeclareMathAccent\set@mathaccent\DeclareMathSymbol\set@mathchar
5283 \set@mathsymbol\DeclareMathDelimiter@xx\DeclareMathDelimiter
5284 \@DeclareMathDelimiter@x\DeclareMathDelimiter\set@mathdelimiter
5285 \set@mathdelimiter\DeclareMathRadical\mathchar@type
5286 \DeclareSymbolFontAlphabet\DeclareSymbolFontAlphabet@%
5287 }
5288 {
5289 \tl_remove_once:Nn \preamblecmds {\do#1}
5290 }
5291 \ExplSyntaxOff
5292 \newcommand\xepersian@PackageInfo[1]{\PackageInfo{xepersian-mathdigitspec}{#1}}

```



```

5293 \newcommand\SetMathCode[4]{%
5294   \Umathcode#1=\mathchar@type#2 \csname sym#3\endcsname #4\relax}
5295 \newcommand\SetMathCharDef[4]{%
5296   \Umathchardef#1=\mathchar@type#2 \csname sym#3\endcsname #4\relax}
5297 \ExplSyntaxOn
5298 \cs_new_eq:NN \orig_mathbf:n \mathbf
5299 \cs_new_eq:NN \orig_mathit:n \mathit
5300 \cs_new_eq:NN \orig_mathrm:n \mathrm
5301 \cs_new_eq:NN \orig_mathsf:n \mathsf
5302 \cs_new_eq:NN \orig_mathtt:n \mathtt
5303 %\int_const:Nn \c_one_int { 1 }
5304 \NewDocumentCommand \new@mathbf { m } {
5305   \orig_mathbf:n {
5306     \int_step_inline:nnnn { `0 } { \c_one_int } { `9 } {
5307       \mathcode ##1 = \numexpr "100 * \symnew@mathbf@font@digits + ##1 \relax
5308     }
5309     #1
5310   }
5311 }
5312 \NewDocumentCommand \new@mathit { m } {
5313   \orig_mathit:n {
5314     \int_step_inline:nnnn { `0 } { \c_one_int } { `9 } {
5315       \mathcode ##1 = \numexpr "100 * \symnew@mathit@font@digits + ##1 \relax
5316     }
5317     #1
5318   }
5319 }
5320 \NewDocumentCommand \new@mathrm { m } {
5321   \orig_mathrm:n {
5322     \int_step_inline:nnnn { `0 } { \c_one_int } { `9 } {
5323       \mathcode ##1 = \numexpr "100 * \symnew@mathrm@font@digits + ##1 \relax
5324     }
5325     #1
5326   }
5327 }
5328 \NewDocumentCommand \new@mathsf{ m } {
5329   \orig_mathsf:n {
5330     \int_step_inline:nnnn { `0 } { \c_one_int } { `9 } {
5331       \mathcode ##1 = \numexpr "100 * \symnew@mathsf@font@digits + ##1 \relax
5332     }
5333     #1
5334   }
5335 }
5336 \NewDocumentCommand \new@mathtt{ m } {
5337   \orig_mathtt:n {
5338     \int_step_inline:nnnn { `0 } { \c_one_int } { `9 } {
5339       \mathcode ##1 = \numexpr "100 * \symnew@mathtt@font@digits + ##1 \relax
5340     }
5341     #1
5342   }
5343 }
5344
5345 \cs_new:Npn \__xepersian_mathdigspec_error:nxx { \msg_error:nxx } {xepersian-mathdigit}
5346 \cs_new:Nn \__xepersian_mathdigspec_msg_new:nnnn

```



```

5347 { \msg_new:nnxx {#1} {#2} { \tl_trim_spaces:n {#3} } { \tl_trim_spaces:n {#4} } }
5348 \char_set_catcode_space:n {32}
5349 \__xepersian_mathdigitspec_msg_new:nnnn {xepersian-mathdigitspec} {char-not-exist}
5350 {
5351   The font "#1" does not contain U+#2.
5352 }
5353 {
5354   Select another font and rerun xelatex.
5355 }
5356 \char_set_catcode_ignore:n {32}
5357
5358 \%__kernel_primitive:NN \iffontchar \tex_iffontchar:D
5359 \prg_new_conditional:Nnn \__xepersian_mathdigitspec_primitive_font_char_if_exist:n {p,TF,T,F}
5360 {
5361   \tex_iffontchar:D \l_fontsname_font "#1 \scan_stop:
5362   \prg_return_true:
5363   \else:
5364   \prg_return_false:
5365   \fi:
5366 }
5367
5368 \clist_new:N \l_xepersian_mathdigitspec_char_clist
5369
5370 \cs_new:Nn \__xepersian_mathdigitspec_char_set_not_exist_error:nn
5371 {
5372   \clist_set:Nn \l_xepersian_mathdigitspec_char_clist { #1 }
5373   \clist_map_inline:Nn \l_xepersian_mathdigitspec_char_clist {
5374     \__xepersian_mathdigitspec_primitive_font_char_if_exist:nF { ##1 }{ \__xepersian_mathdi
5375   }
5376 }
5377
5378 \cs_new:Nn \__xepersian_mathdigitspec_char_prepend_not_exist_error:nn
5379 {
5380   \clist_put_left:Nn \l_xepersian_mathdigitspec_char_clist { #1 }
5381   \clist_map_inline:Nn \l_xepersian_mathdigitspec_char_clist {
5382     \__xepersian_mathdigitspec_primitive_font_char_if_exist:nF { ##1 }{ \__xepersian_mathdi
5383   }
5384 }
5385
5386 \cs_new:Nn \__xepersian_mathdigitspec_char_append_not_exist_error:nn
5387 {
5388   \clist_put_right:Nn \l_xepersian_mathdigitspec_char_clist { #1 }
5389   \clist_map_inline:Nn \l_xepersian_mathdigitspec_char_clist {
5390     \__xepersian_mathdigitspec_primitive_font_char_if_exist:nF { ##1 }{ \__xepersian_mathdi
5391   }
5392 }
5393
5394 \cs_new:Nn \__xepersian_mathdigitspec_char_not_exist_error:n
5395 {
5396   \__xepersian_mathdigitspec_char_set_not_exist_error:nn {
5397     06F0 , 06F1 , 06F2 , 06F3 , 06F4 , 06F5 , 06F6 , 06F7 , 06F8 ,
5398     06F9 , 066A , 066B
5399   } { #1 }
5400 }

```



```

5401 \DeclareDocumentCommand \setmathdigitfont { O{} m O{} }
5402   {
5403     \__xepersian_main_setmathdigitfont:nn {#1,#3} {#2}
5404   }
5405 }
5406 \cs_new:Nn \__xepersian_main_setmathdigitfont:nn
5407 {
5408   \let\glb@currsize\relax
5409   \fontspec_set_family:Nnn \g__xepersian_mathdigitsfamily_tl {Ligatures=PersianTeX,#1} {#2}
5410   \__xepersian_setmathdigitfont_hook:nn {#1} {#2}
5411   \xepersian@PackageInfo{Defining the default Persian math digits font as '#2'}
5412   \ DeclareSymbolFont{OPERATORS} {\g_fontspec_encoding_t1}{\g__xepersian_mathdigitsfamily_tl}
5413   \ DeclareSymbolFont{new@mathbf@font@digits}{\g_fontspec_encoding_t1}{\g__xepersian_mathdigi}
5414   \ DeclareSymbolFont{new@mathit@font@digits}{\g_fontspec_encoding_t1}{\g__xepersian_mathdigi}
5415   \ DeclareSymbolFont{new@mathrm@font@digits}{\g_fontspec_encoding_t1}{\g__xepersian_mathdigi}
5416   \__xepersian_mathdigitspec_char_not_exist_error:n { #2 }
5417   \def\persianmathdigits{%
5418     \SetMathCode`0{\mathalpha}{OPERATORS}{`0}
5419     \SetMathCode`1{\mathalpha}{OPERATORS}{`1}
5420     \SetMathCode`2{\mathalpha}{OPERATORS}{`2}
5421     \SetMathCode`3{\mathalpha}{OPERATORS}{`3}
5422     \SetMathCode`4{\mathalpha}{OPERATORS}{`4}
5423     \SetMathCode`5{\mathalpha}{OPERATORS}{`5}
5424     \SetMathCode`6{\mathalpha}{OPERATORS}{`6}
5425     \SetMathCode`7{\mathalpha}{OPERATORS}{`7}
5426     \SetMathCode`8{\mathalpha}{OPERATORS}{`8}
5427     \SetMathCode`9{\mathalpha}{OPERATORS}{`9}
5428     \SetMathCode`\%{\mathbin}{OPERATORS}{` }
5429     \SetMathCharDef{\persiandecimalseparator}{\mathord}{OPERATORS}{`066B}
5430     \tl_set_eq:NN \mathbf \new@mathbf
5431     \tl_set_eq:NN \mathit \new@mathit
5432     \tl_set_eq:NN \mathrm \new@mathrm
5433   }
5434
5435 \cs_set_eq:NN \__xepersian_setmathdigitfont_hook:nn      \use_none:nn
5436
5437 \DeclareDocumentCommand \setmathsfdigitfont { O{} m O{} }
5438   {
5439     \__xepersian_main_setmathsf digitfont:nn {#1,#3} {#2}
5440   }
5441 \cs_new:Nn \__xepersian_main_setmathsf digitfont:nn
5442 {
5443   \fontspec_set_family:Nnn \g__xepersian_mathsfdigitfamily_tl {Ligatures=PersianTeX,#1} {#2}
5444   \__xepersian_setmathsf digitfont_hook:nn {#1} {#2}
5445   \ DeclareSymbolFont{new@mathsf@font@digits}{\g_fontspec_encoding_t1}{\g__xepersian_maths}
5446   \__xepersian_mathdigitspec_char_not_exist_error:n { #2 }
5447   \def\persianmathsf digits{\tl_set_eq:NN \mathsf \new@mathsf}
5448 }
5449
5450 \cs_set_eq:NN \__xepersian_setmathsf digitfont_hook:nn      \use_none:nn
5451
5452 \DeclareDocumentCommand \setmathtt digitfont { O{} m O{} }
5453   {
5454     \__xepersian_main_setmathtt digitfont:nn {#1,#3} {#2}

```



```

5455 }
5456 \cs_new:Nn \__xepersian_main_setmathtdigitfont:nn
5457 {
5458   \fontspec_set_family:Nnn \g__xepersian_mathtdigitfamily_tl {Ligatures=PersianTeX,#1} {#2}
5459   \__xepersian_setmathtdigitfont_hook:nn {#1} {#2}
5460   \DeclareSymbolFont{new@mathtt}{font@digits}{\g_fontspec_encoding_tl}{\g__xepersian_mathtdigitfamily_tl}
5461   \__xepersian_mathdigitspec_char_not_exist_error:n { #2 }
5462   \def\persianmathtdigits{\tl_set_eq:NN \mathtt \new@mathtt}
5463 }
5464
5465 \cs_set_eq:NN \__xepersian_setmathtdigitfont_hook:nn \use_none:nn
5466
5467 \ExplSyntaxOff
5468 \mathchardef\decimalseparator@point="013A
5469 %%
5470 % \catcode`\.=\active
5471 % \gdef.{\begingroup\obeyspaces\futurelet\@let@token\decimalseparator@pointcheck}
5472 \bgroup
5473   \uccode`~\%
5474   \uppercase{%
5475 \egroup
5476   \def~{\begingroup\obeyspaces\futurelet\@let@token\decimalseparator@pointcheck}
5477 \def\decimalseparator@pointcheck{\decimalseparator@check\MathDecimalSeparator\decimalseparator@pointcheck}
5478 \def\decimalseparator@check#1#2{%
5479   \ifx\@let@token1\endgroup#1\else
5480     \ifx\@let@token2\endgroup#1\else
5481       \ifx\@let@token3\endgroup#1\else
5482         \ifx\@let@token4\endgroup#1\else
5483           \ifx\@let@token5\endgroup#1\else
5484             \ifx\@let@token6\endgroup#1\else
5485               \ifx\@let@token7\endgroup#1\else
5486                 \ifx\@let@token8\endgroup#1\else
5487                   \ifx\@let@token9\endgroup#1\else
5488                     \ifx\@let@token0\endgroup#1\else
5489                       \ifx\@let@token\dot\endgroup#1\else
5490                         \ifx\@let@token\overline\endgroup#1\else
5491                           \endgroup#2%
5492                         \fi
5493                       \fi
5494                     \fi
5495                   \fi
5496                 \fi
5497               \fi
5498             \fi
5499           \fi
5500         \fi
5501       \fi
5502     \fi
5503   \fi}
5504 \AtBeginDocument{\mathcode`.=8000\relax}
5505 \def\MathDecimalSeparator{\ifx\persiandecimalseparator\undefined .\else \persiandecimalseparator\fi}
5506 \def\DefaultMathDecimalSeparator{.}
5507 \def\DefaultInlineMathDigits{\def\SetInlineMathDigits{}}
5508 \def\DefaultDisplayMathDigits{\def\SetDisplayMathDigits{}}}
```



```

5509 \def\DefaultMathDigits{%
5510   \DefaultInlineMathDigits%
5511   \DefaultDisplayMathDigits%
5512 }
5513 \def\PersianInlineMathDigits{\def\SetInlineMathDigits{%
5514 \ifx\persianmathdigits\undefined\else\persianmathdigits\fi%
5515 \ifx\persianmathsf digits\undefined\else\persianmathsf digits\fi%
5516 \ifx\persianmathtt digits\undefined\else\persianmathtt digits\fi}}
5517 \def\PersianDisplayMathDigits{\def\SetDisplayMathDigits{%
5518 \ifx\persianmathdigits\undefined\else\persianmathdigits\fi%
5519 \ifx\persianmathsf digits\undefined\else\persianmathsf digits\fi%
5520 \ifx\persianmathtt digits\undefined\else\persianmathtt digits\fi}}
5521 \def\PersianMathDigits{%
5522   \PersianInlineMathDigits%
5523   \PersianDisplayMathDigits%
5524 }
5525 \def\AutoInlineMathDigits{\def\SetInlineMathDigits{%
5526 \ifx\persianmathdigits\undefined\else\if@nonlatin\persianmathdigits\fi\fi%
5527 \ifx\persianmathsf digits\undefined\else\if@nonlatin\persianmathsf digits\fi\fi}
5528 \def\AutoDisplayMathDigits{\def\SetDisplayMathDigits{%
5529 \ifx\persianmathdigits\undefined\else\if@nonlatin\persianmathdigits\fi\fi%
5530 \ifx\persianmathsf digits\undefined\else\if@nonlatin\persianmathsf digits\fi\fi%
5531 \ifx\persianmathtt digits\undefined\else\if@nonlatin\persianmathtt digits\fi\fi}}
5532 \def\AutoMathDigits{%
5533   \AutoInlineMathDigits%
5534   \AutoDisplayMathDigits%
5535 }
5536 }
5537 \AutoMathDigits
5538 \everymath\expandafter{\the\everymath\SetInlineMathDigits%
5539   \let\SetDisplayMathDigits\relax%
5540 }
5541 \everydisplay\expandafter{%
5542   \the\everydisplay\SetDisplayMathDigits%
5543   \let\SetInlineMathDigits\relax%
5544 }
5545
5546 \ExplSyntaxOn
5547 \cs_new_eq:NN \orig_MathDecimalSeparator \MathDecimalSeparator
5548
5549 \NewDocumentCommand \SwitchToDefaultMathDigits { } {
5550   \int_step_inline:nnnn { `0 } { `c_one_int } { `9 } {
5551     \SetMathCode{##1}{\mathalpha}{operators}{##1}
5552   }
5553   \SetMathCode{`\%}{\mathbin}{operators}{`\%}
5554   \tl_set_eq:NN \MathDecimalSeparator \DefaultMathDecimalSeparator
5555   \tl_set_eq:NN \mathbf \orig_mathbf:n
5556   \tl_set_eq:NN \mathit \orig_mathit:n
5557   \tl_set_eq:NN \mathrm \orig_mathrm:n
5558   \tl_set_eq:NN \mathsf \orig_mathsf:n
5559   \tl_set_eq:NN \mathtt \orig_mathtt:n
5560 }
5561
5562 \NewDocumentCommand \SwitchToPersianMathDigits { } {

```



```

5563 \int_step_inline:nnnn { `0 } { \c_one_int } { `9 } {
5564     \SetMathCode{##1}{\mathalpha}{OPERATORS}{##1}
5565 }
5566 \SetMathCode{`\%}{\mathbin}{OPERATORS}{` }
5567 \tl_set_eq:NN \MathDecimalSeparator \orig_MathDecimalSeparator
5568 \tl_set_eq:NN \mathbf \new@mathbf
5569 \tl_set_eq:NN \mathit \new@mathit
5570 \tl_set_eq:NN \mathrm \new@mathrm
5571 \tl_set_eq:NN \mathsf \new@mathsf
5572 \tl_set_eq:NN \mathtt \new@mathtt
5573 }
5574 \ExplSyntaxOff

```

64 File `xepersian-multiplechoice.sty`

```

5575 \NeedsTeXFormat{LaTeX2e}
5576 \ProvidesPackage{xepersian-multiplechoice}[2010/07/25 v0.2
5577                                     Multiple Choice Questionnaire class for Persian in XeLaTeX]
5578 \RequirePackage{pifont}
5579 \RequirePackage{fullpage}
5580 \RequirePackage{ifthen}
5581 \RequirePackage{calc}
5582 \RequirePackage{verbatim}
5583 \RequirePackage{tabularx}
5584 \def\@headerfont{\bfseries}
5585 \newcommand\headerfont[1]{\gdef\@headerfont{#1}}
5586 \def\@X{X}
5587 \newcommand\X[1]{\gdef\@X{#1}}
5588 \def\pbs#1{\let\tmp=\#1\let\\=\tmp}
5589 \newcolumntype{D}{>{\pbs\centering}X}
5590 \newcolumntype{Q}{>{\@headerfont}X}
5591
5592 \renewcommand\tabularxcolumn[1]{m{#1}}
5593 \newcommand\makeform@nocorrection{%
5594   \addtocontents{frm}{\protect\end{tabularx}}
5595   \@starttoc{frm}}
5596 \newcommand\makeform@correction{%
5597   \addtocontents{frm}{\protect\end{tabularx}}}
5598 \newcommand\makemask@nocorrection{%
5599   \addtocontents{msk}{\protect\end{tabularx}}}
5600   \@starttoc{msk}}
5601 \newcommand\makemask@correction{%
5602   \addtocontents{msk}{\protect\end{tabularx}}}
5603 \newlength\questionspace
5604 \setlength\questionspace{0pt}
5605 \newcommand\answerstitle[1]{\gdef\@answerstitle{#1}}
5606 \def\@answerstitlefont{\bfseries}
5607 \newcommand\answerstitlefont[1]{\gdef\@answerstitlefont{#1}}
5608 \def\@answernumberfont{\bfseries}
5609 \newcommand\answernumberfont[1]{\gdef\@answernumberfont{#1}}
5610 \newcounter{question}\stepcounter{question}
5611 \newcounter{@choice}
5612 \def\@init@check{%
5613   \xdef\@choices{\the@choice}%

```



```

5614 \setcounter{@choice}{1}%
5615 \gdef\@arraydesc{|Q||}%
5616 \gdef\@headerline{}%
5617 \whiledo{\not{\value{@choice}>\@choices}}{%
5618   \xdef\@arraydesc{\@arraydesc D|}%
5619   \def\@appendheader{\g@addto@macro\@headerline}%
5620   \@appendheader{\&\protect\@headerfont}%
5621   \edef\@the@choice{\{\alph{@choice}\}}%
5622   \expandafter\@appendheader\@the@choice
5623   \stepcounter{@choice}%
5624   \addtocontents{frm}{%
5625     \protect\begin{tabularx}{\protect\ linewidth}{\@arraydesc}%
5626     \protect\hline
5627     \@headerline\protect\\ \protect\hline\protect\hline}%
5628   \addtocontents{msk}{%
5629     \protect\begin{tabularx}{\protect\ linewidth}{\@arraydesc}%
5630     \protect\hline
5631     \@headerline\protect\\ \protect\hline\protect\hline}%
5632 \gdef\@initorcheck{%
5633   \ifthenelse{\value{@choice} = \@choices}{}{%
5634     \ClassError{xpersian-multiplechoice}{Question \thequestion: wrong number of choices
5635       (\the@choice space instead of \@choices)}{%
5636         Questions must all have the same number of proposed answers.%}
5637       \MessageBreak
5638       Type X <return> to quit, fix your MCQ (multiple choice question) and rerun XeLaTeX.}%
5639 \newenvironment{question}[1]{%
5640   %% \begin{question}
5641   \begin{minipage}{\textwidth}
5642     \xdef\@formanswerline{\@questionheader}%
5643     \xdef\@maskanswerline{\@questionheader}%
5644     \fbox{\parbox[c]{\linewidth}{\#1}}
5645     \vspace\questionspace\par
5646     {\@answerstitlefont\@answerstitle}
5647     \begin{list}{\@answernumberfont\alph{@choice})~}{\usecounter{@choice}}}%
5648 %% \end{question}
5649   \end{list}
5650   \@initorcheck%
5651   \addtocontents{frm}{\@formanswerline\protect\\ \protect\hline}%
5652   \addtocontents{msk}{\@maskanswerline\protect\\ \protect\hline}%
5653   \end{minipage}
5654   \stepcounter{question}%
5655 \def\@truesymbol{\ding{52}~}
5656 \def\@falsesymbol{\ding{56}~}
5657 \newcommand\truesymbol[1]{\gdef\@truesymbol{\#1}}
5658 \newcommand\falsesymbol[1]{\gdef\@falsesymbol{\#1}}
5659 \def\@true@nocorrection{\item}
5660 \def\@false@nocorrection{\item}
5661 \def\@true@correction{\item[\@truesymbol\refstepcounter{@choice}]}
5662 \def\@false@correction{\item[\@falsesymbol\refstepcounter{@choice}]}
5663 \newcommand\true{%
5664   \xdef\@formanswerline{\@formanswerline&}%
5665   \xdef\@maskanswerline{\@maskanswerline&\@X}%
5666   \@true}%
5667 \newcommand\false{%

```



```

5668 \xdef\@formanswerline{\@formanswerline}%
5669 \xdef\@maskanswerline{\@maskanswerline}%
5670 \@false}%
5671 \def\@correctionstyle{\itshape}
5672 \newcommand\correctionstyle[1]{\gdef\@correctionstyle{#1}}
5673 \newenvironment{@correction}{\@correctionstyle{}}
5674 \def\@questionheader{\thequestion}
5675 \answerstitle{:
5676 \DeclareOption{nocorrection}{%
5677 \let\@true\@true@nocorrection
5678 \let\@false\@false@nocorrection
5679 \let\correction\comment
5680 \let\endcorrection\endcomment
5681 \def\makeform{\makeform@nocorrection}
5682 \def\makemask{\makemask@nocorrection}%
5683 \DeclareOption{correction}{%
5684 \let\@true\@true@correction
5685 \let\@false\@false@correction
5686 \let\correction\@correction
5687 \let\endcorrection\end@correction
5688 \def\makeform{\makeform@correction}
5689 \def\makemask{\makemask@correction}%
5690 \ExecuteOptions{nocorrection}
5691 \newcommand\questiontitle[1]{\gdef\@questiontitle{#1}}
5692 \def\@questiontitlefont{\bfseries}
5693 \newcommand\questiontitlefont[1]{\gdef\@questiontitlefont{#1}}
5694 \newlength\questiontitlespace
5695 \setlength\questiontitlespace{5pt}
5696 \newlength\questionsepspace
5697 \setlength\questionsepspace{20pt}
5698 \gdef\@questionsepspace{0pt}
5699 \let\old@question\question
5700 \let\old@endquestion\endquestion
5701 \renewenvironment{question}[1]{%
5702 %% \begin{question}
5703 \vspace{\questionsepspace}
5704 \fbox{\parbox[c]{0.25\linewidth}{\@questiontitlefont\@questiontitle}}
5705 \nopagebreak\vspace{\questiontitlespace}\par
5706 \old@question{#1}}%
5707 %% \end{question}
5708 \old@endquestion
5709 \gdef\@questionsepspace{\questionsepspace}%
5710 \questiontitle{\thequestion:}
5711 \ProcessOptions

```

65 File *xepersian-persiancal.sty*

```

5712 \NeedsTeXFormat{LaTeX2e}
5713 \ProvidesPackage{xepersian-persiancal}[2025/01/01 v0.3 provides Persian calendar]
5714
5715 \newif\ifXePersian@leap \newif\ifXePersian@kabiseh
5716 \newcount\XePersian@i \newcount\XePersian@y \newcount\XePersian@m \newcount\XePersian@d
5717 \newcount\XePersian@latini \newcount\XePersian@persiani
5718 \newcount\XePersian@latinii \newcount\XePersian@persianii

```



```

5719 \newcount\XePersian@latiniii \newcount\XePersian@persianiii
5720 \newcount\XePersian@latiniv \newcount\XePersian@persianiv
5721 \newcount\XePersian@latinv \newcount\XePersian@persianv
5722 \newcount\XePersian@latinvi \newcount\XePersian@persianvi
5723 \newcount\XePersian@latinvii \newcount\XePersian@persianvii
5724 \newcount\XePersian@latinviii \newcount\XePersian@persianviii
5725 \newcount\XePersian@latinix \newcount\XePersian@persianix
5726 \newcount\XePersian@latinx \newcount\XePersian@persianx
5727 \newcount\XePersian@latinxi \newcount\XePersian@persianxi
5728 \newcount\XePersian@latinxii \newcount\XePersian@persianxii
5729 \newcount\XePersian@persianxiii
5730
5731 \newcount\XePersian@temp
5732 \newcount\XePersian@temptwo
5733 \newcount\XePersian@tempthree
5734 \newcount\XePersian@yModHundred
5735 \newcount\XePersian@thirtytwo
5736 \newcount\XePersian@dn
5737 \newcount\XePersian@sn
5738 \newcount\XePersian@mminusone
5739
5740
5741 \XePersian@y=\year \XePersian@m=\month \XePersian@d=\day
5742 \XePersian@temp=\XePersian@y
5743 \divide\XePersian@temp by 100\relax
5744 \multiply\XePersian@temp by 100\relax
5745 \XePersian@yModHundred=\XePersian@y
5746 \advance\XePersian@yModHundred by -\XePersian@temp\relax
5747 \ifodd\XePersian@yModHundred
5748   \XePersian@leapfalse
5749 \else
5750   \XePersian@temp=\XePersian@yModHundred
5751   \divide\XePersian@temp by 2\relax
5752   \ifodd\XePersian@temp\XePersian@leapfalse
5753   \else
5754     \ifnum\XePersian@yModHundred=0%
5755       \XePersian@temp=\XePersian@y
5756       \divide\XePersian@temp by 400\relax
5757       \multiply\XePersian@temp by 400\relax
5758       \ifnum\XePersian@y=\XePersian@temp\XePersian@leaptrue\else\XePersian@leapfalse\fi
5759     \else\XePersian@leaptrue
5760     \fi
5761   \fi
5762 \fi
5763 \XePersian@latini=31\relax
5764 \ifXePersian@leap
5765   \XePersian@latinii = 29\relax
5766 \else
5767   \XePersian@latinii = 28\relax
5768 \fi
5769 \XePersian@latiniii = 31\relax
5770 \XePersian@latiniv = 30\relax
5771 \XePersian@latinv = 31\relax
5772 \XePersian@latinvi = 30\relax

```



```

5773 \XePersian@latinvii = 31\relax
5774 \XePersian@latinviii = 31\relax
5775 \XePersian@latinix = 30\relax
5776 \XePersian@latinx = 31\relax
5777 \XePersian@latinxi = 30\relax
5778 \XePersian@latinxii = 31\relax
5779 \XePersian@thirtytwo=32\relax
5780 \XePersian@temp=\XePersian@y
5781 \advance\XePersian@temp by -17\relax
5782 \XePersian@temptwo=\XePersian@temp
5783 \divide\XePersian@temptwo by 33\relax
5784 \multiply\XePersian@temptwo by 33\relax
5785 \advance\XePersian@temp by -\XePersian@temptwo
5786 \ifnum\XePersian@temp=\XePersian@thirtytwo\XePersian@kabisehfalse
5787 \else
5788   \XePersian@temptwo=\XePersian@temp
5789   \divide\XePersian@temptwo by 4\relax
5790   \multiply\XePersian@temptwo by 4\relax
5791   \advance\XePersian@temp by -\XePersian@temptwo
5792   \ifnum\XePersian@temp=\z@\XePersian@kabisehtrue\else\XePersian@kabisehfalse\fi
5793 \fi
5794 \XePersian@tempthree=\XePersian@y % Number of Leap years
5795 \advance\XePersian@tempthree by -1
5796 \XePersian@temp=\XePersian@tempthree % T := (MY-1) div 4
5797 \divide\XePersian@temp by 4\relax
5798 \XePersian@temptwo=\XePersian@tempthree % T := T - ((MY-1) div 100)
5799 \divide\XePersian@temptwo by 100\relax
5800 \advance\XePersian@temp by -\XePersian@temptwo
5801 \XePersian@temptwo=\XePersian@tempthree % T := T + ((MY-1) div 400)
5802 \divide\XePersian@temptwo by 400\relax
5803 \advance\XePersian@temp by \XePersian@temptwo
5804 \advance\XePersian@tempthree by -611 % Number of Kabise years
5805 \XePersian@temptwo=\XePersian@tempthree % T := T - ((SY+10) div 33) * 8
5806 \divide\XePersian@temptwo by 33\relax
5807 \multiply\XePersian@temptwo by 8\relax
5808 \advance\XePersian@temp by -\XePersian@temptwo
5809 \XePersian@temptwo=\XePersian@tempthree %
5810 \divide\XePersian@temptwo by 33\relax
5811 \multiply\XePersian@temptwo by 33\relax
5812 \advance\XePersian@tempthree by -\XePersian@temptwo
5813 \ifnum\XePersian@tempthree=32\advance\XePersian@temp by 1\fi % if (SY+10) mod 33=32 then Inc
5814 \divide\XePersian@tempthree by 4\relax % T := T - ((SY+10) mod 33) div 4
5815 \advance\XePersian@temp by -\XePersian@tempthree
5816 \advance\XePersian@temp by -137 % T := T - 137 Adjust the value
5817 \XePersian@persiani=31
5818 \advance\XePersian@persiani by -\XePersian@temp % now 31 - T is the persiani
5819 \XePersian@persianii = 30\relax
5820 \ifXePersian@kabiseh
5821   \XePersian@persianiii = 30\relax
5822 \else
5823   \XePersian@persianiii = 29\relax
5824 \fi
5825 \XePersian@persianiv = 31\relax
5826 \XePersian@persianv = 31\relax

```



```

5827 \XePersian@persianvi = 31\relax
5828 \XePersian@persianvii = 31\relax
5829 \XePersian@persianviii= 31\relax
5830 \XePersian@persianix = 31\relax
5831 \XePersian@persianx = 30\relax
5832 \XePersian@persianxi = 30\relax
5833 \XePersian@persianxii = 30\relax
5834 \XePersian@persianxiii= 30\relax
5835 \XePersian@dn= 0\relax
5836 \XePersian@sn= 0\relax
5837 \XePersian@mminusone=\XePersian@m
5838 \advance\XePersian@mminusone by -1\relax
5839 \XePersian@i=0\relax
5840 \ifnum\XePersian@i < \XePersian@mminusone
5841 \loop
5842 \advance \XePersian@i by 1\relax
5843 \advance\XePersian@dn by \csname XePersian@latin\romannumeral\the\XePersian@i\endcsname
5844 \ifnum\XePersian@i<\XePersian@mminusone \repeat
5845 \fi
5846 \advance \XePersian@dn by \XePersian@d
5847 \XePersian@i=1\relax
5848 \XePersian@sn = \XePersian@persiani
5849 \ifnum \XePersian@sn<\XePersian@dn
5850 \loop
5851 \advance \XePersian@i by 1\relax
5852 \advance\XePersian@sn by \csname XePersian@persian\romannumeral\the\XePersian@i\endcsname
5853 \ifnum \XePersian@sn<\XePersian@dn \repeat
5854 \fi
5855 \ifnum \XePersian@i < 4
5856 \XePersian@m = 9 \advance\XePersian@m by \XePersian@i
5857 \advance \XePersian@y by -622\relax
5858 \else
5859 \XePersian@m = \XePersian@i \advance \XePersian@m by -3\relax
5860 \advance \XePersian@y by -621\relax
5861 \fi
5862 \advance\XePersian@sn by -\csname XePersian@persian\romannumeral\the\XePersian@i\%
5863 \endcsname
5864 \ifnum\XePersian@i = 1
5865 \XePersian@d = \XePersian@dn \advance \XePersian@d by 30 \advance\XePersian@d by -\XePersia
5866 \else
5867 \XePersian@d = \XePersian@dn \advance \XePersian@d by -\XePersian@sn
5868 \fi
5869 \newcommand*\persiantoday}{%
5870 \number\XePersian@d\space%
5871 \XePersian@persian@month{\XePersian@m}\space\number\XePersian@y%
5872 }
5873 \let\persianyear\XePersian@y
5874 \let\persianmonth\XePersian@m
5875 \let\persianday\XePersian@d
5876 \def\XePersian@persian@month#1{\ifcase#1\or \or \
5877 \or \
5878 \or \or \
5879 \or \
5880 \or \or \

```



```
5881 or\    or\  
5882 or\    or\  
5883 {fi\  
5884  
5885 \newcommand*{\persianseason}{%  
5886   \ifcase\persianmonth\or  
5887   or\    or\    or\    or\    or\    or\    or\  
5888   or\    or\    or\    or\    or\    or\    fi\  
5889 }
```



Index

Symbols	
\!	2366
\%	2507, 2509, 5428, 5553, 5566
\.	5470, 5473
\@and	3915
\@math	195
\@maybeautodot	2635, 2636, 2654, 2691, 2692, 2710, 2743, 2744, 2762
\@par	1893
\@textdigitfont@onfalse	3613
\@textdigitfont@ontrue	3612
\@Abjad	1238, 2974, 2975, 3924, 3932, 3933
\@Alph	2648, 2704, 2756, 2970, 2975, 4190, 4193
\@DeclareMathDelimiter	5284
\@DeclareMathSizes	5275
\@False	183, 185
\@Kashida@onfalse	1619
\@Kashida@ontrue	1618
\@LTRfootnotetext	1923
\@LTRmarginparreset	3545
\@Latincitex	73, 74, 2157, 2166, 2356, 3553, 3554
\@M	199, 3966, 4067, 4162
\@Mi	195
\@Mii	1816
\@Mii	1818
\@RTL@footnotefalse	3520, 3540
\@RTL@footnotetrue	3530, 3541
\@RTLfalse	165, 177, 190
\@RTLfootnotetext	1924
\@Roman	2650, 2706, 2758
\@SepMark	1752
\@SetTab	2783
\@True	178, 184
\@X	5586, 5587, 5665
\@abjad	1239, 2969, 2970, 4151, 4170, 4171
\@acol	2048, 2056
\@acolampacol	2046, 2048, 2054, 2056
\@adadi	1236, 2646, 2702, 2754, 3940, 3942, 3945
\@addamp	2047, 2055
\@addtopreamble	2015
\@alph	2649, 2705, 2757, 2784, 2969, 2974, 4189, 4192
\@ampacol	2046, 2054
\@answernumberfont	5608, 5609, 5647
\@answerstitle	5605, 5646
\@answerstitlefont	5606, 5607, 5646
\@appendheader	5619, 5620, 5622
\@arrayclassz	2046
\@arraydesc	5615, 5618, 5625, 5629
\@arrayrule	1994, 1995, 1996, 2038, 2039, 2040
\@author	4622, 4634
\@autodottrue	2638, 2639, 2640, 2641, 2642, 2643, 2644, 2645, 2646, 2647, 2648, 2649, 2650, 2651, 2652, 2694, 2695, 2696, 2697, 2698, 2699, 2700, 2701, 2702, 2703, 2704, 2705, 2706, 2707, 2708, 2746, 2747, 2748, 2749, 2750, 2751, 2752, 2753, 2754, 2755, 2756, 2757, 2758, 2759, 2760
\@auxout	3559
\@begin@tempboxa	1893
\@biblabel	2158, 2167
\@bibsetup	2159, 2168
\@bidi@list@minipage@parbox@not@nobtrue	1890, 1912
\@bidi@list@minipage@parboxtrue	1891, 1913
\@bidi@logo	3883
\@bidi@logo@	3879
\@bidi@logo@hb@xt@columnwidth	3880
\@bidi@pdfcreator	3885
\@biditufte sidenote@LTRmarginfont	115
\@biditufte sidenote@RTLmarginfont	117
\@bsphack	1815
\@capttype	1803, 1866, 2113, 2123
\@ccclvi	5218, 5224, 5248
\@chapapp	30, 131, 142, 149, 161, 1314, 1326, 1758, 2580, 2587, 2594, 2602, 2684, 2736

\@chclass . 1928, 1936, 1944, 1959,
 1973, 1978, 1993, 2009, 2029,
 2037, 2067, 2090, 2104
 \@chnum 1930, 1931, 1932, 1933, 1934,
 1935, 1945, 1952, 1966, 1979,
 1986, 2002, 2015, 2031, 2032,
 2033, 2034, 2035, 2036, 2050,
 2058, 2068, 2075, 2097
 \@choices .. 5613, 5617, 5633, 5635
 \@cite 2145, 2152, 2164, 2180, 2269,
 3556
 \@cite@ofmt 3564
 \@citea 2185, 2199, 2213, 2222, 2223,
 2224, 2229, 2244, 2252, 2253,
 2254, 2288, 2304, 2322, 3555,
 3557
 \@citeb 2181, 2183, 2185, 2188, 2190,
 2191, 2193, 2216, 2247, 2270,
 2272, 2274, 2277, 2279, 2280,
 2282, 3556, 3558, 3559, 3560,
 3563, 3564
 \@citex 2156, 2165
 \@classx 2012
 \@classz 2012
 \@correction 5686
 \@correctionstyle .. 5671, 5672,
 5673
 \@ctrerr 3931, 3936
 \@currbox . 1823, 1869, 1873, 2112,
 2116, 2122, 2126
 \@currenvir 2430, 2432, 2433, 2608,
 2663, 2715
 \@customlogo 4722, 4731
 \@custommagazinename . 4491, 4724
 \@customminilogos . 4723, 4737
 \@customwwwTxt .. 4452, 4455, 4507
 \@date 4625, 4635
 \@dblpbot 3875
 \@dblpsep 3874
 \@dblpstop 3873
 \@defaultunits 3650, 3654
 \@dgroup 177
 \@dmath 165, 194
 \@doendpe 2447
 \@dseries 190
 \@eha 5238, 5264
 \@empty 180, 1810, 2170, 2180, 2183,
 2269, 2272, 2401, 3555, 3558,
 4025, 4031, 4034, 4037, 4142,
 4633, 4634, 4635, 4636
 \@emptytoks 179
 \@enGroup 1228
 \@enLabel . 1219, 1220, 1221, 1222,
 1223, 1224, 1225, 1226
 \@enOther 1230
 \@enSpace 1227
 \@end@tempboxa 1908
 \@endpbox 2022, 2023
 \@endptrue 3529, 3539
 \@enhook 1231
 \@enloop@ 1218
 \@entemp .. 1219, 1220, 1221, 1222,
 1223, 1224, 1225, 1226, 1227,
 1228, 1229
 \@enum@ 1229
 \@extra@b@citeb 2185, 2191, 2193,
 2216, 2247, 2274, 2280, 2282
 \@false 5670, 5678, 5685
 \@false@correction .. 5662, 5685
 \@false@nocorrection . 5660, 5678
 \@falsesymbol .. 5656, 5658, 5662
 \@firststampfalse 2048, 2056
 \@firststofone 1543, 1544, 2183, 2272,
 3558, 5221, 5245
 \@firstsofttwo 3082, 3088, 3094
 \@float@HH 2109, 2110
 \@float@Hx 2108, 2109
 \@float@ 2109, 2120
 \@floatboxreset .. 1879, 2118, 2128
 \@floatcapt 2113, 2123
 \@floatpenalty .. 1816, 1818, 1821
 \@flstylefalse 2115, 2125
 \@flstyletrue 2115, 2125
 \@fltofvf 1871
 \@footnotetext 1922
 \@for 2181, 2270, 3556, 4270
 \@formanswerline 5642, 5651, 5664,
 5668
 \@fpbot 3872
 \@fps .. 1804, 1805, 1807, 1810, 1827
 \@fpsadddefault 1808, 1811
 \@fpsep 3871, 3874
 \@fptop 3870, 3872, 3873, 3875
 \@freelist 1823
 \@gobble 1229
 \@harfi 12, 20, 31, 34, 43, 49, 55, 61,
 132, 143, 150, 162, 1237, 1304,
 1315, 1327, 1565, 1759, 2581,
 2588, 2595, 2603, 2629, 2645,



2685, 2701, 2737, 2753, 3934,
 3937, 3938
 \@headerfont 5584, 5585, 5590, 5620
 \@headerline 5616, 5619, 5627, 5631
 \@ifclassloaded 2941, 4225, 4228,
 4229, 4230, 4231, 4232, 4233,
 4234, 4235, 4236, 4237, 4238,
 4239, 4240, 4241, 4242, 4243,
 4244, 4245, 4246, 4247, 4248,
 4249, 4250, 4251
 \@ifdefinable 2465, 2467
 \@ifdefinitionfileloaded 1800,
 1943, 1976, 2066, 2107, 4205,
 4206, 4252
 \@ifnextchar 2109, 2350, 2356, 3553
 \@ifnum 2287, 2289, 2291, 2298, 2299,
 2302, 2314, 2337, 2339
 \@ifpackageloaded 76, 1674, 1678,
 2359, 2363, 2455, 2463, 4207,
 4208, 4209, 4210, 4211, 4212,
 4213, 4214, 4215, 4216, 4217,
 4218, 4219, 4220, 4221, 4222,
 4223, 4224, 4225, 4226, 4227
 \@ifstar 2349
 \@undefined 72, 2185, 2191, 2274,
 2280, 3560
 \@ignoretrue 201
 \@iiiminipage 1909
 \@iiiparbox 1887
 \@indexfile 2946
 \@initorcheck ... 5612, 5632, 5650
 \@inlabelfalse 168
 \@input@ 2949
 \@lastchclass ... 1928, 1929, 1945,
 1946, 1947, 1948, 1950, 1979,
 1980, 1981, 1982, 1984, 2029,
 2030, 2046, 2054, 2068, 2069,
 2070, 2071, 2073
 \@latex@error 5236, 5262
 \@latex@warning 3562
 \@latinAlph 4190, 4193
 \@latinalph 2784, 4189, 4192, 4195
 \@let@token 5471, 5476, 5479, 5480,
 5481, 5482, 5483, 5484, 5485,
 5486, 5487, 5488, 5489, 5490
 \@list@extra 3759, 3766, 3775, 3782,
 3790, 3797, 3805, 3813, 3820,
 3829, 3833, 3838, 3842, 3847,
 3851, 3856
 \@listI 3673, 3768
 \@listdepth 1925
 \@listi 3673, 3690, 3707, 3762, 3768,
 3858
 \@listi@footnotesize . 3707, 3793
 \@listi@small 3690, 3778
 \@listii 3808
 \@listiii 3823
 \@listiv 3836
 \@listv 3845
 \@listvi 3854
 \@m ... 2162, 3557, 3965, 4066, 4160
 \@mainmatterfalse . 126, 137, 155,
 1308, 2659
 \@maskanswerline 5643, 5652, 5665,
 5669
 \@memfront 1750
 \@minipagefalse 3550
 \@minipagerestore 1926
 \@minipagetrue 3549
 \@minus 3621, 3623, 3627, 3629, 3635,
 3637, 3641, 3643, 3817
 \@mpLTRfootnotetext 1923
 \@mpRTLfootnotetext 1924
 \@mpargs 1915
 \@mpfn 1921
 \@mpfootnotetext 1922
 \@mplistdepth 1925
 \@namedef .. 2139, 2193, 2282, 2446
 \@ne .. 1833, 1839, 1932, 1933, 1936,
 1945, 1955, 1956, 1960, 1979,
 1989, 1990, 1994, 1995, 1996,
 2033, 2034, 2038, 2039, 2040,
 2068, 2078, 2079, 2091, 2287,
 2299, 2301, 2314, 2322, 3030,
 3031, 3032, 3033, 3034, 3507,
 3508, 3599, 3952, 3993, 4000,
 4012, 4017, 4053, 4094, 4101,
 4113, 4118, 4278, 5228, 5233,
 5252, 5259
 \@next 1823
 \@nextchar 1951, 1953, 1954, 1955,
 1956, 1957, 1958, 1960, 1961,
 1962, 1963, 1964, 1967, 1968,
 1969, 1970, 1971, 1972, 1985,
 1987, 1988, 1989, 1990, 1991,
 1992, 1994, 1995, 1996, 1997,
 1998, 1999, 2000, 2003, 2004,
 2005, 2006, 2007, 2008, 2020,
 2022, 2023, 2074, 2076, 2077,
 2078, 2079, 2080, 2081, 2082,



2083, 2084, 2085, 2086, 2087,
 2088, 2089, 2091, 2092, 2093,
 2094, 2095, 2098, 2099, 2100,
 2102, 2103
`\@nextchar` 2101
`\@nil` . 2376, 2380, 2381, 2386, 2388,
 3983, 3986, 4084, 4087, 4257,
 4264, 4267
`\@nnil` 3650, 3654, 3658, 3659
`\@nodocument` 1802
`\@nonlatinfalse` 3495
`\@nonlatintrue` 3509
`\@onelevel@sanitize` 1805
`\@parboxrestore` 1878, 1893, 1920,
 2117, 2127
`\@parboxto` 1896, 1905
`\@parmoderr` 1821
`\@pboxswfalse` 1889, 1911
`\@pboxswtrue` 1903
`\@plus` 3621, 3623, 3627, 3629, 3635,
 3637, 3641, 3643, 3817, 3870,
 3871
`\@ppssavesec` 25
`\@preamble` 2049, 2057
`\@preamblecmds` 5289
`\@preamerr` 1939, 1973, 2009, 2043,
 2104
`\@ptsize` 3653
`\@questionheader` 5642, 5643, 5674
`\@questionsepspace` . 5698, 5703,
 5709
`\@questiontitle` 5691, 5704
`\@questiontitlefont` 5692, 5693,
 5704
`\@resets@pp` 24, 1549, 1550
`\@roman` 2651, 2707, 2759
`\@safe@activesfalse` . 2184, 2273
`\@safe@activestrue` .. 2182, 2271
`\@secondoftwo` ... 3084, 3090, 3096
`\@setfontsize` .. 3667, 3684, 3701,
 3712, 3718, 3724, 3730, 3736,
 3742, 3748, 4422, 4428, 4430,
 4433, 4440, 4446, 4447, 4448,
 4449, 4450
`\@setfpsbit` 1843, 1846, 1849, 1852,
 1855, 1858
`\@setminipage` 1927
`\@setnobreak` 2118, 2128
`\@sharp` 2051, 2052, 2053, 2059, 2060,
 2061

`\@smemfront` 1751
`\@sptoken` 1227, 4259
`\@startpbox` 2022, 2023
`\@starttoc` 3899, 5595, 5600
`\@stop` 2636, 2692, 2744
`\@sx@xepersian@localize@verbatim`
 2139
`\@tabclassz` 2054
`\@tartibi` 9, 16, 39, 45, 51, 57,
 123, 134, 145, 157, 1235, 1300,
 1310, 1322, 1562, 1753, 1754,
 2576, 2583, 2590, 2598, 2606,
 2647, 2661, 2703, 2713, 2755,
 4046, 4048, 4051
`\@tempa` 1219, 1220, 1221, 1222, 1223,
 1224, 1225, 1226, 1227, 1228,
 1229, 1230, 1233, 2386, 2388,
 2471, 2472, 2473, 2474, 2475,
 2476, 2477, 2478, 2479, 2480,
 2481, 3658, 3659
`\@tempb` 3656, 3659, 3676, 3693, 3710,
 3716, 3722, 3728, 3734, 3740,
 3746
`\@tempboxa` 1916
`\@tempc` 2401, 2414, 2424, 2426, 2427,
 2430, 2438
`\@tempcnta` 1825, 1831, 1833, 1837,
 1839, 1861, 1862, 1868, 1869,
 2013, 2296, 2297, 2298, 2301,
 2302, 4269, 4272, 4278
`\@tempcntb` 1866, 1867, 1868
`\@tempdima` 1892, 1893, 1914, 1918,
 3649, 3650, 3651, 3655, 3657,
 3668, 3675, 3676, 3685, 3692,
 3693, 3702, 3709, 3710, 3713,
 3715, 3716, 3719, 3721, 3722,
 3725, 3727, 3728, 3731, 3733,
 3734, 3737, 3739, 3740, 3743,
 3745, 3746, 3749
`\@tempdimb` 1895, 1896, 3654, 3655,
 3661, 3662, 3664, 3668, 3676,
 3678, 3679, 3681, 3685, 3693,
 3695, 3696, 3698, 3702, 3710,
 3713, 3716, 3719, 3722, 3725,
 3728, 3731, 3734, 3737, 3740,
 3743, 3746, 3749, 3752, 3754,
 3756, 3770, 3772, 3785, 3787,
 3800, 3802, 3816, 3859, 3860,
 3862, 3864, 3866, 3871, 3876,
 4281, 4282



```

\@tempdimc 3651, 3652, 3653, 3655,
            3656, 3657, 3675, 3692, 3709,
            3715, 3721, 3727, 3733, 3739,
            3745
\@tempskipa ..... 4285, 4286
\@tempswafalse . 2314, 3553, 3757,
            3773, 3788, 3803, 3818, 3831,
            3840, 3849
\@tempswatrue .. 2313, 3553, 3759,
            3775, 3790, 3805, 3820, 3833,
            3842, 3851
\@temptokena 2387, 2394, 2399, 2405,
            2412, 2422, 2436
\@testpach 1928, 1944, 1978, 2029,
            2067
\@tfor ..... 1826, 2471
\@thanks ..... 4627, 4633
\@the@choice ..... 5621, 5622
\@title ..... 4615, 4636
\@true ..... 5666, 5677, 5684
\@true@correction ... 5661, 5684
\@true@nocorrection . 5659, 5677
\@truesymbol .... 5655, 5657, 5661
\@verbatim 2136, 2139, 2444, 2446,
            2457
\@vobeyspaces ..... 2136, 2444
\@warning ..... 2443
\@x@xepersian@localize@verbatim
            ..... 2136
\@xDeclareMathDelimiter .. 5284
\@xepersian@@baselineskip@scale
            .. 3484, 3493, 3506, 3516
\@xepersian@@computeautoilgfalse
            ..... 3010
\@xepersian@@computeautoilgtrue
            ..... 3009
\@xepersian@@fontsize@scale .
            .. 3483, 3488, 3505, 3515
\@xepersian@bannerfalse .. 2898
\@xepersian@bannertrue .. 2895
\@xepersian@info 3038, 3065, 3066
\@xepersian@pdfcustomproperties
            ..... 3889
\@xfloat ..... 1801, 2108, 2109
\@xxDeclareMathDelimiter . 5283
\@xxxii ..... 1867
            @\ ..... 1780, 1781
            @\ ..... 1776, 1777, 1779
            @\ ..... 2358
\@ [ ..... 2366
\\ 2133, 2366, 4583, 4898, 4899, 5161,
            5164, 5213, 5588, 5627, 5631,
            5651, 5652
\{ ..... 2132, 2366
\} ..... 2132, 2366
\l 1502, 1504, 3557, 3989, 3995, 4014,
            4020, 4090, 4096, 4115, 4125,
            4498, 4507
\] ..... 2366
\^ ..... 2367
\_ 2937, 2960, 2961, 2962, 3161, 3164,
            3177, 3181, 3185, 3188, 3200,
            3222, 3226, 3227, 3234, 3237,
            3249, 3253, 3260, 3265, 3268,
            3284, 3289, 3292, 3339, 3342,
            3355, 3359, 3363, 3366, 3379,
            3383, 3387, 3390, 3403, 3407,
            3411, 3414, 3427, 3431, 3435,
            3438, 3451, 3455, 3459, 3462,
            3475, 3479, 5345, 5346, 5349,
            5358, 5359, 5370, 5374, 5378,
            5382, 5386, 5390, 5394, 5396,
            5404, 5406, 5410, 5416, 5435,
            5439, 5441, 5444, 5446, 5450,
            5454, 5456, 5459, 5461, 5465
\| ..... 4899
\~ ..... 2367, 2507, 5473

A
\abj@num@i ..... 4156, 4173, 4180
\abj@num@ii ..... 4158, 4177, 4184
\abj@num@iii ..... 4160, 4181, 4187
\abj@num@iv ..... 4162, 4185
\Abjad ..... 1238, 1243, 3932
\abjad ..... 1239, 1244, 4170
\abjad@zero ..... 4172, 4176
\Abjadnumeral ..... 3933
\abjadnumeral ..... 4171
\abovedisplayshortskip .. 3662,
            3670, 3679, 3687, 3696, 3704,
            4425, 4426, 4436, 4437, 4443,
            4444
\abovedisplayskip .. 3660, 3665,
            3669, 3677, 3682, 3686, 3694,
            3699, 3703, 4423, 4424, 4434,
            4435, 4441, 4442
\abstractname ..... 3912
\active ..... 2367, 5470
\adadi 1220, 1236, 1241, 2639, 2695,
            2747, 3939

```



\adadinumeral 3945
 \AddEnumerateCounter 1235, 1236,
 1237, 1238, 1239
 \addfontfeature 3019
 \addfontfeatures . 165, 177, 190
 \addtocontents . 5594, 5597, 5599,
 5602, 5624, 5628, 5651, 5652
 \addtolength 3652, 4650, 4651, 4654,
 5073, 5074, 5075, 5076, 5140
 \addtoversion 5276
 \adl@argarraydashrule 1996, 2040
 \adl@arraydashrule . 1995, 2039
 \adl@arrayrule 1994, 2038
 \adl@box 2020, 2022, 2023
 \adl@class@iiiorvii . 2026, 2063
 \adl@class@start 2025, 2062
 \adl@endmbox 2021
 \adl@putlrc 2017, 2018, 2019, 2051,
 2052, 2053, 2059, 2060, 2061
 \adl@startmbox 2020
 \advance 1505, 1833, 1839, 1862,
 1868, 2301, 3599, 3601, 4278,
 4414, 4418, 4686, 4689, 5233,
 5259, 5746, 5781, 5785, 5791,
 5795, 5800, 5803, 5804, 5808,
 5812, 5813, 5815, 5816, 5818,
 5838, 5842, 5843, 5846, 5851,
 5852, 5856, 5857, 5859, 5860,
 5862, 5865, 5867
 \aftergroup 3759, 3775, 3790, 3805,
 3820, 3833, 3842, 3851
 \ALG@name 5, 7
 \algorithmicensure 3
 \algorithmicrequire 2
 \ALGS@name 6, 7
 \aliasfontfeature 1690, 1691,
 1692, 1693, 1694, 1695, 1696,
 1697, 1698, 1699, 1700, 1701,
 1702, 1703, 1704, 1705, 1706,
 1707, 1708, 1709, 1710, 1711,
 1712, 1713, 1714, 1715, 1716,
 1717, 1718, 1719, 1720, 1721,
 1722, 1723, 1724, 1725, 1726,
 1727, 1728, 1729, 1730, 1731,
 1732, 1733, 1734, 1735, 1736,
 1737, 1738, 1739, 1740, 1741,
 1742
 \aliasfontfeatureoption . 1743,
 1744, 1745, 1746, 1747, 1748
 \alloc@ 5218
 \Alpha . 1222, 1535, 1536, 2641, 2697,
 2749
 \alph . 1223, 2642, 2698, 2750, 2791,
 5621, 5647
 \alpha@elt 5277
 \alpha@list 5277
 \anappendixtrue 1760
 \and 4640
 \answernumberfont 5609
 \answerstitle 5605, 5675
 \answerstitlefont 5607
 \appendix 10, 17, 40, 46, 52, 58,
 128, 139, 146, 158, 1301, 1311,
 1323, 1532, 1533, 1563, 1755,
 2577, 2584, 2591, 2599, 2607,
 2612, 2623, 2632, 2634, 2662,
 2667, 2678, 2688, 2690, 2714,
 2719, 2730, 2740, 2742
 \appendixautorefname 1520
 \appendixname 11, 19, 30,
 131, 142, 149, 161, 1314, 1326,
 1564, 1758, 2580, 2587, 2594,
 2602, 2684, 2736, 3909
 \arabic 1226
 \arrayrulewidth 5155
 \articlesep 5137
 \AtBeginDocument . 71, 1531, 1635,
 2139, 2346, 2451, 3903, 4412,
 4416, 5504
 \AtEndOfClass 4410
 \AtEndOfPackage 2905, 2906, 2907,
 2912, 2913, 2914, 2919, 2920,
 2921, 2926, 2933, 2939, 2980,
 2992, 3016, 4334
 \author 4638
 \authorandplace 5111
 \AutoDisplayMathDigits . 2919,
 5529, 5535
 \AutoInlineMathDigits 2912, 5525,
 5534
 \AutoMathDigits . 2905, 5533, 5537
B
 \backrefpagesname 63
 \baselineskip 3602, 3605, 4318,
 4320, 4322, 4325, 4326, 4328
 \begin . 2360, 2361, 2611, 2617, 2622,
 2666, 2672, 2677, 2718, 2724,
 2729, 3540, 3541, 3897, 4466,
 4469, 4522, 4537, 4550, 4556,



4577, 4608, 4614, 4621, 4645,
 4699, 4705, 4777, 4780, 4785,
 4792, 4807, 4822, 4839, 4873,
 4891, 4896, 4916, 4923, 4924,
 4945, 4947, 4948, 4970, 4975,
 4976, 5012, 5013, 5021, 5047,
 5055, 5061, 5062, 5070, 5100,
 5124, 5156, 5157, 5172, 5184,
 5198, 5625, 5629, 5640, 5641,
 5647, 5702
`\begin{group}` 173, 2131, 2348, 2364,
 2444, 2446, 2506, 3101, 3103,
 3758, 3774, 3789, 3804, 3819,
 3832, 3841, 3850, 5225, 5249,
 5471, 5476
`\begin{L}` 3550, 4498, 4899
`\begin{R}` 4502, 4503, 4504, 4515, 4516,
 4517, 4722, 4723, 4724, 4742,
 4763, 4764, 4765, 4766, 4767,
 4768, 4919, 5014
`\belowdisplayshortskip` .. 3663,
 3672, 3680, 3689, 3697, 3706,
 4426, 4437, 4444
`\belowdisplayskip` .. 3665, 3671,
 3682, 3688, 3699, 3705, 4424,
 4435, 4442
`\bfseries` . 2186, 2275, 3560, 3881,
 4458, 4464, 4483, 4491, 4519,
 4535, 4554, 4568, 4572, 4597,
 4602, 4606, 4731, 4737, 5584,
 5606, 5608, 5692
`\bgroup` 1228, 1876, 1916, 2117, 2127,
 5221, 5245, 5472
`\bibname` 3916
`\bidi@footnotetext@font` . 1489
`\bidi@LTRfootnotetext@font` .
 1491
`\bidi@RTLfootnotetext@font` .
 1493
`\bidi@thebibliography@font@hook`
 4196
`\bidi@AfterEndPreamble` .. 4200
`\bidi@appto` 2774, 2778
`\bidi@AtEndPreamble` 3017
`\bidi@beamer@today` 85
`\bidi@csdefcs` 816, 1667
`\bidi@csletcs` 511, 1667, 1676, 1677,
 1680, 1681
`\bidi@digits@charclass` .. 3201,
 3202, 3203, 3204, 3205, 3206,
 3208, 3209, 3210, 3211, 3212,
 3213, 3214, 3215
`\bidi@font@outputpage` ... 3566
`\bidi@isloaded` . 1626, 1627, 1628,
 1629, 1630, 1631, 1632, 1633,
 1634, 1637, 1640, 1643, 1646,
 1649, 1652, 1655, 1658, 1661
`\bidi@newrobustcmd` . 3518, 3519,
 3901
`\bidi@patchcmd` . 3018, 4281, 4285,
 4297, 4303, 4309, 4317
`\bidi@reflect@box` 3902
`\bidi@sepmark@charclass` . 3205,
 3206
`\blacktriangleleft` .. 1500, 1502
`\blacktriangleright` .. 1500, 1502
`\bm@b` 1884
`\bm@c` 1881
`\bm@l` 1882
`\bm@r` 1883
`\bm@s` 1886
`\bm@t` 1885
`\bm@` 1885
`\bm@` 1883
`\bm@` 1884
`\bm@` 1881
`\bm@` 1882
`\bm@` 1886
`\bool` 5271
`\boolean` .. 4399, 4411, 4420, 4524,
 4539, 4558, 4579, 4775, 4776,
 4806, 4838, 4872, 4890, 4914,
 4944, 4968, 4995
`\box` 179
`\BR@Latincitex` 64, 74
`\BRorg@Latincitex` 65, 73

C

`\C` 2368
`\c` 5303, 5306, 5314, 5322, 5330, 5338,
 5550, 5563
`\c@book` 1753
`\c@chapter` 18, 20, 31,
 132, 143, 150, 162, 1315, 1327,
 1759, 2581, 2588, 2595, 2603,
 2685, 2737
`\c@mpfootnote` 1921, 4195
`\c@part` 9, 16, 39, 45, 51, 57,
 123, 134, 145, 157, 1300, 1310,



```

    1322, 1562, 1754, 2576, 2583,
    2590, 2598, 2606, 2661, 2713
\c@section . . . . . 10, 12, 18, 34, 43, 49, 55,
    61, 1304, 1563, 1565, 2629
\c@subsection . . . . . 10, 1563
\catcode .. 1665, 2131, 2132, 2133,
    2367, 5470
\ccname . . . . . 3918
\cdp@elt . . . . . 5274
\cdp@list . . . . . 5274
\centering . . . . . 4661, 4949, 5589
\cftchapname . . . . . 2803
\cftfigname . . . . . 2809
\cftp paraname . . . . . 2807
\cftsecname . . . . . 2804
\cftsubfigname . . . . . 2810
\cftsubparaname . . . . . 2808
\cftsubsecname . . . . . 2805
\cftsubsubsecname . . . . . 2806
\cftsubtabname . . . . . 2812
\cfttabname . . . . . 2811
\chapterautorefname . . . . . 1521
\chaptername . . . . . 19, 1329, 3917
\char . . . . . 5348, 5356
\chardef .. 1568, 1569, 1571, 1572,
    1573, 1574, 1575, 3571, 5218
\charlist .. 1590, 1591, 1593, 1597
\citation . . . . . 3559
\citemenumfont . . . . . 2325
\citeyear . . . . . 2147
\citeyearpar . . . . . 2147
\ClassError 4796, 4828, 4862, 4882,
    4903, 4928, 4953, 4979, 5002,
    5634
\ClassWarning .. 2609, 2664, 2716,
    4381, 4383, 4385, 4655, 4669
\cleardoubleoddpage . . . . . 2658
\cleardoublepage 15, 125, 136, 154,
    1307
\clearpage . . . . . 2658, 4759
\clist 5368, 5372, 5373, 5380, 5381,
    5388, 5389
\closeout . . . . . 2946
\color@begingroup . . . . . 1917
\color@vbox . . . . . 1874, 2116, 2126
\columnlines 4355, 4356, 4388, 4717
\columnsep . . . . . 4651, 5074
\columnseprule . . . . . 4717
\columntitle . . . . . 5068
\columnwidth 1877, 1919, 2117, 2127,
    4650, 5073
\comment . . . . . 5679
\contentsname . . . . . 3897, 3906
\copyright . . . . . 4507
\correction . . . . . 5679, 5686
\correctionstyle . . . . . 5672
\count 1869, 4685, 4686, 4688, 4689,
    4698, 4704
\count@ . . . . . 2013
\cs .. 2454, 2456, 2937, 3164, 3181,
    3188, 3222, 3237, 3253, 3268,
    3270, 3275, 3292, 3294, 3299,
    3342, 3359, 3366, 3383, 3390,
    3407, 3414, 3431, 3438, 3455,
    3462, 3479, 5298, 5299, 5300,
    5301, 5302, 5345, 5346, 5370,
    5378, 5386, 5394, 5406, 5435,
    5441, 5450, 5456, 5465, 5547
\csname 1669, 1671, 1672, 1866, 1906,
    2111, 2114, 2121, 2124, 2141,
    2448, 2465, 2466, 2467, 2468,
    2469, 2634, 2690, 2742, 3102,
    3105, 3111, 3113, 3564, 3760,
    3776, 3791, 3806, 3821, 3834,
    3843, 3852, 3932, 3937, 3940,
    4046, 4170, 4298, 4300, 4304,
    4306, 4310, 4312, 5224, 5227,
    5232, 5233, 5248, 5251, 5255,
    5256, 5259, 5294, 5296, 5843,
    5852, 5862
\CurrentOption . . . . . 2888
\currenttime . . . . . 4481
\customlogo . . . . . 4722
\custommagazinename . . . . . 4724
\customminilogo . . . . . 4723
\customwwwTxt . . . . . 4452

```

D

```

\d@llarbegin . . . . . 2017, 2018, 2019
\d@llarend . . . . . 2017, 2018, 2019
\date . . . . . 4480, 4491, 4639, 5108
\datename . . . . . 3914
\day . . . . . 5741
\dblfloatsep . . . . . 3868
\dbltextfloatsep . . . . . 3869
\decimalseparator@check . . . . . 5477,
    5478
\decimalseparator@point . . . . . 5468,
    5477

```



```

\decimalseparator@pointcheck . 2376, 2377, 2380, 2386, 2388,
    .... 5471, 5476, 5477
\DeclareDocumentCommand . 3159, 2390, 2406, 2409, 2425, 2426,
    3183, 3224, 3232, 3258, 3263, 2429, 2442, 2444, 2447, 2464,
    3282, 3287, 3337, 3361, 3385, 2509, 2767, 2814, 2822, 2830,
    3409, 3433, 3457, 5402, 5437, 2838, 2846, 2854, 2862, 2870,
    5452 2878, 2879, 2880, 2881, 2968,
\DeclareMathAccent .... 5282 2973, 2984, 2988, 2996, 3000,
\DeclareMathAlphabet .... 5281 3004, 3098, 3099, 3100, 3106,
\DeclareMathDelimiter .... 5283 3107, 3111, 3482, 3485, 3490,
\DeclareMathRadical .... 5285 3504, 3520, 3521, 3530, 3531,
\DeclareMathSizes .... 5274 3543, 3544, 3545, 3554, 3557,
\DeclareMathSymbol .... 5282 3658, 3759, 3775, 3790, 3805,
\DeclareMathVersion .... 5276 3820, 3833, 3842, 3851, 3904,
\DeclareOption . 4377, 4378, 4379, 3905, 3906, 3907, 3908, 3909,
    4380, 4382, 4384, 4386, 4387, 3910, 3911, 3912, 3913, 3914,
    4388, 4389, 4390, 5676, 5683 3915, 3916, 3917, 3918, 3919,
\DeclareRobustCommand 2347, 3168, 3920, 3921, 3922, 3924, 3932,
    3193, 3240, 3312, 3315, 3318, 3934, 3937, 3946, 3951, 3960,
    3321, 3324, 3327, 3346, 3370, 3986, 3999, 4010, 4024, 4030,
    3394, 3418, 3442, 3466, 3552 4033, 4036, 4040, 4052, 4061,
\DeclareSymbolFont . 5279, 5412, 4087, 4100, 4111, 4129, 4134,
    5413, 5414, 5415, 5445, 5460 4141, 4151, 4170, 4172, 4173,
\DeclareSymbolFontAlphabet 5286 4177, 4181, 4185, 4191, 4195,
\DeclareSymbolFontAlphabet@ . 4255, 4256, 4258, 4264, 4267,
    .... 5286 4268, 4452, 4722, 4723, 4724,
\DeclareTextFontCommand . 3330, 5218, 5220, 5244, 5417, 5447,
    3331, 3332, 3333, 3334, 3335 5462, 5476, 5477, 5478, 5505,
\DeclareUnknownKeyHandler 2887 5506, 5507, 5508, 5509, 5513,
\def .... 2, 3, 5, 6, 7, 10, 12, 5517, 5521, 5525, 5529, 5533,
    15, 17, 20, 63, 64, 77, 121, 165, 5584, 5586, 5588, 5606, 5608,
    177, 190, 197, 201, 1218, 1219, 5612, 5619, 5655, 5656, 5659,
    1220, 1221, 1222, 1223, 1224, 5660, 5661, 5662, 5671, 5674,
    1225, 1226, 1497, 1499, 1501, 5681, 5682, 5688, 5689, 5692,
    1503, 1514, 1515, 1516, 1517, 5876
    1518, 1519, 1520, 1521, 1522, \def@NAT@last@yr .... 2304, 2306
    1523, 1524, 1525, 1526, 1527, \DefaultDisplayMathDigits 2920,
    1528, 1529, 1533, 1545, 1550, 5508, 5511
    1563, 1565, 1577, 1590, 1592, \defaultfontfeatures .... 2980
    1593, 1598, 1623, 1624, 1763, \DefaultInlineMathDigits 2913,
    1764, 1765, 1766, 1767, 1768, 5507, 5510
    1769, 1770, 1771, 1801, 1803, \DefaultMathDecimalSeparator .
    1804, 1806, 1887, 1909, 1915, 5506, 5554
    1921, 1928, 1944, 1978, 2012, \DefaultMathDigits .. 2906, 5509
    2025, 2026, 2029, 2046, 2054, \define@key .... 2470
    2062, 2063, 2067, 2109, 2110, \define@mathalphabet .... 5276
    2113, 2120, 2123, 2136, 2137, \define@mathgroup .... 5276
    2146, 2149, 2161, 2162, 2172, \deflatinfont .... 3282
    2175, 2188, 2203, 2233, 2265, \defpersianfont .... 3258
    2269, 2294, 2356, 2370, 2374, \depth .... 2478, 2479
\DigitsDotDashInterCharToks .

```



..... 3206
`\dimexpr` .. 3486, 3488, 3491, 3493,
 3605, 3655, 3809, 3824, 3837,
 3846, 3855, 4282, 4286, 4291,
 4292, 4293
`\ding` 5655, 5656
`\display@setup` 166, 191
`\divide` 4691, 4692, 5743, 5751, 5756,
 5783, 5789, 5797, 5799, 5802,
 5806, 5810, 5814
`\do` .. 1828, 2181, 2270, 2471, 3556,
 4270, 5289
`\document@select@group` .. 5244
`\dorestore@version` 5278
`\dosetclass` .. 1591, 1592, 1596
`\dot` 5489
`\doublebox` 5030, 5083
`\dquad` 199, 201
`\dseries@display@setup` .. 191

E

`\e@alloc@intercharclass@top` ..
 3201, 3202
`\edef` . 1896, 1951, 1985, 2049, 2057,
 2074, 2183, 2272, 2432, 3038,
 3063, 3105, 3108, 3558, 3653,
 3656, 3666, 3683, 3700, 3711,
 3717, 3723, 3729, 3735, 3741,
 3747, 3762, 3778, 3793, 3808,
 3823, 3836, 3845, 3854, 4267,
 4273, 5621
`\edition` 4749
`\editionFormat` 4458, 4461
`\editorialAuthorFormat` .. 4601,
 5165
`\editorialTitleFormat` 4599, 4600
`\egroup` 5475
`\else` 2, 3, 5, 7, 32,
 63, 121, 169, 199, 1219, 1220,
 1221, 1222, 1223, 1224, 1225,
 1226, 1227, 1228, 1229, 1318,
 1333, 1340, 1348, 1355, 1363,
 1370, 1378, 1385, 1392, 1399,
 1406, 1413, 1420, 1427, 1434,
 1441, 1448, 1455, 1462, 1469,
 1476, 1483, 1489, 1500, 1502,
 1504, 1514, 1515, 1516, 1517,
 1518, 1519, 1520, 1521, 1522,
 1523, 1524, 1525, 1526, 1527,
 1528, 1529, 1595, 1623, 1624,



3964, 3965, 3966, 3967, 3968,
 3969, 3970, 3971, 3989, 4004,
 4018, 4031, 4034, 4055, 4057,
 4065, 4066, 4067, 4068, 4069,
 4070, 4071, 4072, 4090, 4105,
 4118, 4119, 4122, 4153, 4155,
 4157, 4159, 4161, 4261, 4277,
 4327, 4668, 5146, 5221, 5234,
 5240, 5245, 5260, 5266, 5363,
 5479, 5480, 5481, 5482, 5483,
 5484, 5485, 5486, 5487, 5488,
 5489, 5490, 5505, 5514, 5515,
 5516, 5518, 5519, 5520, 5526,
 5527, 5528, 5530, 5531, 5532,
 5749, 5753, 5758, 5759, 5766,
 5787, 5792, 5822, 5858, 5866
`\empty` 1594
`\enclname` 3919
`\encodingdefault` 3176, 3248, 3354,
 3378, 3402, 3426, 3450, 3474
`\end` .. 1591, 1592, 1597, 1598, 2360,
 2361, 2432, 2443, 2611, 2615,
 2619, 2621, 2666, 2670, 2674,
 2676, 2718, 2722, 2726, 2728,
 3540, 3541, 3900, 4466, 4471,
 4528, 4542, 4552, 4561, 4584,
 4623, 4626, 4629, 4646, 4701,
 4707, 4784, 4790, 4794, 4820,
 4826, 4860, 4880, 4895, 4901,
 4937, 4938, 4939, 4962, 4963,
 4964, 4988, 4989, 4990, 5015,
 5016, 5019, 5049, 5053, 5064,
 5065, 5102, 5106, 5135, 5166,
 5167, 5181, 5193, 5206, 5594,
 5597, 5599, 5602, 5648, 5649,
 5653, 5707
`\end@correction` 5687
`\endcomment` 5680
`\endcorrection` 5680, 5687
`\endcsname` 1669, 1671, 1672, 1866,
 1906, 2111, 2114, 2121, 2124,
 2141, 2448, 2465, 2466, 2467,
 2468, 2469, 2634, 2690, 2742,
 3102, 3105, 3111, 3113, 3564,
 3760, 3776, 3791, 3806, 3821,
 3834, 3843, 3852, 3932, 3937,
 3940, 4046, 4170, 4298, 4300,
 4304, 4306, 4310, 4312, 5224,
 5227, 5232, 5233, 5248, 5251,
 5255, 5257, 5259, 5294, 5296,
 5843, 5852, 5863
`\endgroup` . 2369, 2447, 2510, 3101,
 3109, 3761, 3777, 3792, 3807,
 3822, 3835, 3844, 3853, 5229,
 5253, 5479, 5480, 5481, 5482,
 5483, 5484, 5485, 5486, 5487,
 5488, 5489, 5490, 5491
`\endL` 4498, 4899
`\endlatin` 3521, 3529
`\endLTR` 3521
`\endMakeFramed` 1508
`\endmath` 196
`\endpersian` 3531, 3539
`\endquestion` 5700
`\endR` . 4502, 4503, 4504, 4515, 4516,
 4517, 4722, 4723, 4724, 4742,
 4763, 4764, 4765, 4766, 4767,
 4768, 4919, 5014
`\endRTL` 3531
`\ends@math` 196
`\endtrivlist` 2137, 2447
`\end` .. 2137, 2141, 2447, 2448
`\ensuremath` 3079
`\eq@addpunct` 201
`\eq@group` 169, 178
`\eq@GRP@first@dmath` 178
`\eq@prelim` 169, 186
`\eq@setnumber` 172
`\eq@setup@a` 174
`\eq@startup` 175
`\eq@wdCond` 193
`\eqcommand` 205, 206,
 207, 208, 209, 210, 211, 212,
 213, 214, 215, 216, 217, 218,
 219, 220, 221, 222, 223, 224,
 225, 226, 227, 228, 229, 230,
 231, 232, 233, 234, 235, 236,
 237, 238, 239, 240, 241, 242,
 243, 244, 245, 246, 247, 248,
 249, 250, 251, 252, 253, 254,
 255, 256, 257, 258, 259, 260,
 261, 262, 263, 264, 265, 266,
 267, 268, 269, 270, 271, 272,
 273, 274, 275, 276, 277, 278,
 279, 280, 281, 282, 283, 284,
 285, 286, 287, 288, 289, 290,
 291, 292, 293, 294, 295, 296,
 297, 298, 299, 300, 301, 302,
 303, 304, 305, 306, 307, 308,
 309, 310, 311, 312, 313, 314,



315, 316, 317, 318, 319, 320,
321, 322, 323, 324, 325, 326,
327, 328, 329, 330, 331, 332,
333, 334, 335, 336, 337, 338,
339, 340, 341, 342, 343, 344,
345, 346, 347, 348, 349, 350,
351, 352, 353, 354, 355, 356,
357, 358, 359, 360, 361, 362,
363, 364, 365, 366, 367, 368,
369, 370, 371, 372, 373, 374,
375, 376, 377, 378, 379, 380,
381, 382, 383, 384, 385, 386,
387, 388, 389, 390, 391, 392,
393, 394, 395, 396, 397, 398,
399, 400, 401, 402, 403, 404,
405, 406, 407, 408, 409, 410,
411, 412, 413, 414, 415, 416,
417, 418, 419, 420, 421, 422,
423, 424, 425, 426, 427, 428,
429, 430, 431, 432, 433, 434,
435, 436, 437, 438, 439, 440,
441, 442, 443, 444, 445, 446,
447, 448, 449, 450, 451, 452,
453, 454, 455, 456, 457, 458,
459, 460, 461, 462, 463, 464,
465, 466, 467, 468, 469, 470,
471, 472, 473, 474, 475, 476,
477, 478, 479, 480, 481, 482,
483, 484, 485, 486, 487, 488,
489, 490, 491, 492, 493, 494,
495, 496, 497, 498, 499, 500,
501, 502, 503, 504, 505, 506,
507, 508, 509, 510, 512, 513,
514, 515, 516, 517, 518, 519,
520, 521, 522, 523, 524, 525,
526, 527, 528, 529, 530, 531,
532, 533, 534, 535, 536, 537,
538, 539, 540, 541, 542, 543,
544, 545, 546, 547, 548, 549,
550, 551, 552, 553, 554, 555,
556, 557, 558, 559, 560, 561,
562, 563, 564, 565, 566, 567,
568, 569, 570, 571, 572, 573,
574, 575, 576, 577, 578, 579,
580, 581, 582, 583, 584, 585,
586, 587, 588, 589, 590, 591,
592, 593, 594, 595, 596, 597,
598, 599, 600, 601, 602, 603,
604, 605, 606, 607, 608, 609,
610, 611, 612, 613, 614, 615,
616, 617, 618, 619, 620, 621,
622, 623, 624, 625, 626, 627,
628, 629, 630, 631, 632, 633,
634, 635, 636, 637, 638, 639,
640, 641, 642, 643, 644, 645,
646, 647, 648, 649, 650, 651,
652, 653, 654, 655, 656, 657,
658, 659, 660, 661, 662, 663,
664, 665, 666, 667, 668, 669,
670, 671, 672, 673, 674, 675,
676, 677, 678, 679, 680, 681,
682, 683, 684, 685, 686, 687,
688, 689, 690, 691, 692, 693,
694, 695, 696, 697, 698, 699,
700, 701, 702, 703, 704, 705,
706, 707, 708, 709, 710, 711,
712, 713, 714, 715, 716, 717,
718, 719, 720, 721, 722, 723,
724, 725, 726, 727, 728, 729,
730, 731, 732, 733, 734, 735,
736, 737, 738, 739, 740, 741,
742, 743, 744, 745, 746, 747,
748, 749, 750, 751, 752, 753,
754, 755, 756, 757, 758, 759,
760, 761, 762, 763, 764, 765,
766, 767, 768, 769, 770, 771,
772, 773, 774, 775, 776, 777,
778, 779, 780, 781, 782, 783,
784, 785, 786, 787, 788, 789,
790, 791, 792, 793, 794, 795,
796, 797, 798, 799, 800, 801,
802, 803, 804, 805, 806, 807,
808, 809, 810, 811, 812, 813,
814, 815, 817, 818, 819, 820,
821, 822, 823, 824, 825, 826,
827, 828, 829, 830, 831, 832,
833, 834, 835, 836, 837, 838,
839, 840, 841, 842, 843, 844,
845, 846, 847, 848, 849, 850,
851, 852, 853, 854, 855, 856,
857, 858, 859, 860, 861, 862,
863, 864, 865, 866, 867, 868,
869, 870, 871, 872, 873, 874,
875, 876, 877, 878, 879, 880,
881, 882, 883, 884, 885, 886,
887, 888, 889, 890, 891, 892,
893, 894, 895, 896, 897, 898,
899, 900, 901, 902, 903, 904,
905, 906, 907, 908, 909, 910,
911, 912, 913, 914, 915, 916,



917, 918, 919, 920, 921, 922,
 923, 924, 925, 926, 927, 928,
 929, 930, 931, 932, 933, 934,
 935, 936, 937, 938, 939, 940,
 941, 942, 943, 944, 945, 946,
 947, 948, 949, 950, 951, 952,
 953, 954, 955, 956, 957, 958,
 959, 960, 961, 962, 963, 964,
 965, 966, 967, 968, 969, 970,
 971, 972, 973, 974, 975, 976,
 977, 978, 979, 980, 981, 982,
 983, 984, 985, 986, 987, 988,
 989, 990, 991, 992, 993, 994,
 995, 996, 997, 998, 999, 1000,
 1001, 1002, 1003, 1004, 1005,
 1006, 1007, 1008, 1009, 1010,
 1011, 1012, 1013, 1014, 1015,
 1016, 1017, 1018, 1019, 1020,
 1021, 1022, 1023, 1024, 1025,
 1026, 1027, 1028, 1029, 1030,
 1031, 1032, 1033, 1034, 1035,
 1036, 1037, 1038, 1039, 1040,
 1041, 1042, 1043, 1044, 1045,
 1046, 1047, 1048, 1049, 1050,
 1051, 1052, 1053, 1054, 1055,
 1056, 1057, 1058, 1059, 1060,
 1061, 1062, 1063, 1064, 1065,
 1066, 1067, 1068, 1069, 1070,
 1071, 1072, 1073, 1074, 1075,
 1076, 1077, 1078, 1079, 1080,
 1081, 1082, 1083, 1084, 1085,
 1086, 1087, 1088, 1089, 1090,
 1091, 1092, 1093, 1094, 1095,
 1096, 1097, 1098, 1099, 1100,
 1101, 1102, 1103, 1104, 1105,
 1106, 1107, 1108, 1109, 1110,
 1111, 1112, 1113, 1114, 1115,
 1116, 1117, 1118, 1119, 1120,
 1121, 1122, 1123, 1124, 1125,
 1126, 1127, 1128, 1129, 1130,
 1131, 1132, 1133, 1134, 1135,
 1136, 1137, 1138, 1139, 1140,
 1141, 1142, 1143, 1144, 1145,
 1146, 1147, 1158, 1159, 1160,
 1161, 1162, 1163, 1164, 1165,
 1166, 1167, 1168, 1169, 1170,
 1171, 1172, 1173, 1174, 1175,
 1176, 1177, 1178, 1179, 1180,
 1181, 1182, 1183, 1184, 1185,
 1186, 1187, 1188, 1189, 1190,
 1191, 1192, 1193, 1194, 1195,
 1196, 1197, 1198, 1199, 1200,
 1201, 1202, 1203, 1204, 1205,
 1206, 1207, 1208, 1209, 1210,
 1211, 1212, 1213, 1214, 1215,
 1216, 1667
\EqEnvironment 1252, 1670
\eqenvironment . 1246, 1247, 1248,
 1249, 1250, 1251, 1253, 1254,
 1255, 1256, 1257, 1258, 1259,
 1260, 1261, 1262, 1263, 1264,
 1265, 1266, 1267, 1268, 1269,
 1270, 1271, 1272, 1273, 1274,
 1275, 1276, 1277, 1278, 1279,
 1280, 1281, 1282, 1283, 1284,
 1285, 1286, 1287, 1289, 1290,
 1291, 1292, 1293, 1294, 1295,
 1296, 1297, 1298, 1668
\eqstyle 171
\equal 4697, 4852, 5024, 5029, 5034,
 5039, 5044, 5077, 5082, 5087,
 5092, 5097
\equationautorefname 1514
\escapechar 3104, 5226, 5250
\everydisplay 166, 5541, 5542
\everyjob 3063, 3066
\everymath 5538
\everypar 3523, 3533, 3550
\ExecuteOptions 5690
\exp 3168, 3170, 3171, 3172, 3193,
 3195, 3196, 3197, 3240, 3242,
 3243, 3244, 3273, 3275, 3276,
 3277, 3297, 3299, 3300, 3301,
 3346, 3348, 3349, 3350, 3370,
 3372, 3373, 3374, 3394, 3396,
 3397, 3398, 3418, 3420, 3421,
 3422, 3442, 3444, 3445, 3446,
 3466, 3468, 3469, 3470
\expandafter 166, 1591, 1597, 1671,
 1672, 1826, 1827, 1951, 1985,
 2074, 2111, 2114, 2121, 2124,
 2141, 2183, 2272, 2388, 2393,
 2394, 2399, 2404, 2405, 2411,
 2412, 2413, 2414, 2421, 2422,
 2423, 2424, 2426, 2435, 2436,
 2437, 2438, 2448, 2465, 2466,
 2467, 2468, 3082, 3084, 3088,
 3090, 3094, 3096, 3101, 3102,
 3105, 3108, 3109, 3111, 3112,
 3558, 3659, 3932, 3937, 3940,



3955, 3961, 4046, 4056, 4062,
 4156, 4158, 4160, 4162, 4170,
 4260, 4262, 5221, 5240, 5245,
 5254, 5255, 5256, 5266, 5538,
 5541, 5622
`\expandedtitle` 5018
`\ExplSyntaxOff` . 2140, 2462, 3036,
 3481, 5291, 5467, 5574
`\ExplSyntaxOn` .. 2138, 2450, 2890,
 3127, 5270, 5297, 5546
`\extract@alph@from@version` 5254

F

`\f@baselineskip` 3499, 3513, 3752,
 3859, 4318, 4320
`\f@family` 3219, 3220
`\f@size` 3499, 3513
`\f@ur` . 1583, 3571, 3587, 3588, 3589,
 3592, 3593, 3594
`\false` 5667
`\falsesymbol` 5658
`\familydefault` . 3175, 3247, 3353,
 3377, 3401, 3425, 3449, 3473
`\fancyfoot` . 4762, 4766, 4767, 4768
`\fancyhead` . 4761, 4763, 4764, 4765
`\FancyVerbLineautorefname` 1527
`\fbox` .. 4646, 4661, 4876, 5644, 5704
`\fboxrule` . 1497, 1499, 1501, 1503,
 4718
`\fboxsep` .. 1497, 1499, 1501, 1503,
 4649, 4842, 4874, 4946, 4974,
 5022, 5071
`\fi` 2, 3, 5, 7, 35, 63,
 68, 86, 121, 165, 167, 168, 169,
 177, 188, 190, 199, 1232, 1318,
 1335, 1342, 1350, 1357, 1365,
 1372, 1380, 1387, 1394, 1401,
 1408, 1415, 1422, 1429, 1436,
 1443, 1450, 1457, 1464, 1471,
 1478, 1485, 1489, 1500, 1502,
 1504, 1514, 1515, 1516, 1517,
 1518, 1519, 1520, 1521, 1522,
 1523, 1524, 1525, 1526, 1527,
 1528, 1529, 1541, 1587, 1596,
 1623, 1624, 1638, 1641, 1644,
 1647, 1650, 1653, 1656, 1659,
 1662, 1763, 1764, 1765, 1766,
 1767, 1768, 1769, 1770, 1771,
 1812, 1813, 1819, 1834, 1835,
 1840, 1841, 1844, 1847, 1850,

1853, 1856, 1859, 1863, 1864,
 1872, 1890, 1891, 1897, 1904,
 1907, 1912, 1913, 1932, 1933,
 1934, 1935, 1939, 1940, 1941,
 1955, 1956, 1957, 1958, 1973,
 1974, 1989, 1990, 1991, 1992,
 2009, 2010, 2024, 2033, 2034,
 2035, 2036, 2043, 2044, 2048,
 2053, 2056, 2061, 2064, 2078,
 2079, 2080, 2081, 2104, 2105,
 2115, 2125, 2137, 2155, 2173,
 2194, 2196, 2207, 2211, 2220,
 2221, 2225, 2237, 2242, 2246,
 2250, 2251, 2255, 2260, 2261,
 2262, 2263, 2283, 2285, 2307,
 2315, 2323, 2324, 2333, 2334,
 2340, 2343, 2353, 2374, 2389,
 2407, 2427, 2440, 2443, 2469,
 2481, 2509, 2638, 2639, 2640,
 2641, 2642, 2643, 2644, 2645,
 2646, 2647, 2648, 2649, 2650,
 2651, 2652, 2653, 2658, 2694,
 2695, 2696, 2697, 2698, 2699,
 2700, 2701, 2702, 2703, 2704,
 2705, 2706, 2707, 2708, 2709,
 2746, 2747, 2748, 2749, 2750,
 2751, 2752, 2753, 2754, 2755,
 2756, 2757, 2758, 2759, 2760,
 2761, 2772, 2789, 2803, 2804,
 2805, 2806, 2807, 2808, 2809,
 2810, 2811, 2812, 2820, 2828,
 2836, 2844, 2852, 2860, 2868,
 2875, 2882, 2954, 3067, 3085,
 3091, 3097, 3115, 3116, 3124,
 3219, 3220, 3527, 3537, 3559,
 3566, 3579, 3584, 3585, 3586,
 3590, 3595, 3596, 3597, 3598,
 3607, 3618, 3619, 3620, 3624,
 3626, 3630, 3631, 3633, 3634,
 3638, 3640, 3644, 3645, 3646,
 3766, 3782, 3797, 3813, 3829,
 3838, 3847, 3856, 3904, 3905,
 3906, 3907, 3908, 3909, 3910,
 3911, 3912, 3913, 3914, 3915,
 3916, 3917, 3918, 3919, 3920,
 3921, 3922, 3931, 3936, 3958,
 3972, 3984, 3989, 3990, 3993,
 3995, 3996, 4008, 4012, 4014,
 4015, 4017, 4020, 4022, 4028,
 4031, 4034, 4038, 4043, 4059,



\footnote	4611
\footnoteargname	1515
\footnoterule	4610
\footnotesep	3860, 4326, 4328
\footnotesize	113, 115, 117, 1318, 1319, 1320, 1489, 1491, 1493, 3700, 3701, 4439, 4440, 4474, 4507, 4572, 4596, 4597, 4609
\foottextfont	1318
\FrameCommand	1497
\FrameRestore	1505
\Frefchapname	1329, 1398, 1400
\frefchapname	1396
\Frefenumname	1330, 1405, 1407
\frefenumname	1403
\Frefeqname	1337, 1412, 1414
\frefeqname	1410
\Freffigname	1344, 1377, 1419, 1421
\freffigname	1417
\Freffigshortname	1375, 1468, 1470
\freffigshortname	1466
\Freffnname	1345, 1426, 1428
\freffnname	1424
\Frefonname	1352, 1433, 1435
\frefonname	1431
\Frefpgname	1359, 1384, 1440, 1442
\frefpgname	1438
\Frefpgshortname	1382, 1475, 1477
\frefpgshortname	1473
\Frefsecname	1360, 1447, 1449
\frefsecname	1445
\Frefseename	1367, 1454, 1456
\frefseename	1452
\Freftabname	1374, 1461, 1463
\freftabname	1459
\Freftabshortname	1389, 1482, 1484
\freftabshortname	1480
\frenchspacing	2136, 2444
\frontmatter	15, 124, 135, 153, 1306, 2657
\futurelet	2379, 4257, 5471, 5476

G

\g	3170, 3176, 3196, 3242, 3248, 3276, 3300, 3348, 3354, 3372, 3378, 3396, 3402, 3420, 3426, 3444, 3450, 3468, 3474, 5271, 5409,
--------------	--



	H
\harfi	1219, 1237, 1242, 1752, 2638, 2694, 2746, 3937
\harfinumeral 3938
\hbox	. 2020, 2775, 2779, 3560, 3901, 3902
\headDateFormat	.. 4478, 4480
\headerfont 5585
\headheight 4712
\heading 4501
\headrulewidth 4713, 4769
\headtoname 3921
\height 2476, 2477
\hfil	. 2016, 2017, 2018, 2019, 2051, 2052, 2053, 2059, 2060, 2061
\hline	5162, 5626, 5627, 5630, 5631, 5651, 5652
\hrule	1581, 5045, 5051, 5098, 5104, 5149, 5189
\hrulefill 4727, 4732, 4746
\hsize	1505, 1877, 1893, 1918, 1919, 2117, 2127
\hskip 1585, 2018, 2019, 2061
\hspace	4480, 4498, 4727, 4733, 4745, 4747, 4925
\hss 1905, 3881
\Huge	.. 3747, 3748, 4450, 4519, 4575
\huge 3741, 3742, 4449
\Hy@AlphNoErr 1552, 1554
\Hy@appendixstring	.. 1537, 1556
\Hy@backout 69, 77
\Hy@chapapp 1537, 1556
\Hy@Org@appendix 1532, 1538
\Hy@Org@resets@pp 1549, 1557
\hyper@natlinkbreak	.. 2215, 2246
\hyper@natlinkstart 77
	I
\if	169, 188, 1830, 1836, 1842, 1845, 1848, 1851, 1854, 1857, 1860, 1891, 1898, 1899, 1900, 1901, 1913, 1930, 1931, 1932, 1933, 1934, 1935, 1936, 1937, 1938, 1939, 1953, 1954, 1955, 1956, 1957, 1958, 1960, 1961, 1962, 1963, 1964, 1967, 1968, 1969, 1970, 1971, 1972, 1987, 1988, 1989, 1990, 1991, 1992, 1994, 1995, 1996, 1997, 1998, 1999, 2000, 2003, 2004, 2005, 2006,



2007, 2008, 2031, 2032, 2033,
 2034, 2035, 2036, 2038, 2039,
 2040, 2041, 2042, 2043, 2076,
 2077, 2078, 2079, 2080, 2081,
 2082, 2083, 2084, 2085, 2086,
 2087, 2088, 2089, 2091, 2092,
 2093, 2094, 2095, 2098, 2099,
 2100, 2101, 2102, 2103, 2198,
 2228, 2246, 2256, 2262, 2263,
 2324, 2340, 2372, 2392, 2398,
 2400, 2410, 2418, 2420, 2442,
 2472, 2473, 2474, 2475, 2476,
 2477, 2478, 2479, 2480, 2481
`\if@textdigitfont@on` 3219, 3220,
 3610
`\if@bidi@algorithmicloaded@` .
 1636
`\if@bidi@algorithmloaded@` 1639
`\if@bidi@backrefloaded@` .. 1642
`\if@bidi@csdef` 1669
`\if@bidi@csprimitive` 1667
`\if@bidi@csundef` 3207, 3895, 4150,
 4201
`\if@bidi@enumerateloaded@` 1645
`\if@bidi@enumitemloaded@` . 1648
`\if@bidi@fancyrefloaded@` . 1651
`\if@bidi@tocloftloaded@` .. 1654
`\if@bidi@urlloaded@` 1657
`\if@bidi@variorefloaded@` . 1660
`\if@chapter@pp` 28
`\if@filesw` 3559
`\if@hboxRconstruct` .. 1890, 1912
`\if@inlabel` 168
`\if@Kashida@on` 1576, 1578
`\if@LTRbibitems` 4197
`\if@newlist` 2137
`\if@nonlatin` 2768, 3219, 3220, 5526,
 5527, 5528, 5530, 5531, 5532
`\if@noskipsec` 167
`\if@pboxsw` 1907
`\if@RTL` 2, 3, 5, 7, 63,
 121, 165, 177, 190, 1331, 1338,
 1346, 1353, 1361, 1368, 1376,
 1383, 1390, 1397, 1404, 1411,
 1418, 1425, 1432, 1439, 1446,
 1453, 1460, 1467, 1474, 1481,
 1500, 1502, 1504, 1514, 1515,
 1516, 1517, 1518, 1519, 1520,
 1521, 1522, 1523, 1524, 1525,
 1526, 1527, 1528, 1529, 1623,
 1624, 1763, 1764, 1765, 1766,
 1767, 1768, 1769, 1770, 1771,
 1891, 1913, 2803, 2804, 2805,
 2806, 2807, 2808, 2809, 2810,
 2811, 2812, 2815, 2823, 2831,
 2839, 2847, 2855, 2863, 2871,
 2882, 3904, 3905, 3906, 3907,
 3908, 3909, 3910, 3911, 3912,
 3913, 3914, 3915, 3916, 3917,
 3918, 3919, 3920, 3921, 3922
`\if@RTL@footnote` 1318, 1489
`\if@RTLmain` 3566
`\if@RTLtab` 1932, 1933, 1934, 1935,
 1955, 1956, 1957, 1958, 1989,
 1990, 1991, 1992, 2033, 2034,
 2035, 2036, 2078, 2079, 2080,
 2081
`\if@tempswa` 2315, 3766, 3782, 3797,
 3813, 3829, 3838, 3847, 3856
`\if@twoside` 2658
`\if@xepersian@computeautoilg`
 2886, 4316
`\if@xepersian@banner` . 2885, 3064
`\ifadl@usingarypkg` 1977
`\ifBR@verbose` 66
`\ifcase` 2015, 2046, 2050, 2054, 2058,
 2197, 2227, 2320, 3925, 3934,
 3962, 4025, 4031, 4034, 4037,
 4041, 4063, 4130, 4135, 4142,
 4174, 4178, 4182, 4186, 4272,
 5876, 5886
`\ifdim` . 198, 3081, 3087, 3093, 3576,
 3577, 3581, 3582, 3587, 3588,
 3592, 3593, 3602, 3618, 3619,
 3620, 3626, 3633, 3634, 3640,
 4322, 4326, 4659, 5144
`\iffontchar` 3575, 5358
`\ifhmode` 1814
`\ifHy@implicit` 1530
`\ifinner` 1820
`\IfLTXAtLeastTF` . 2631, 2687, 2739
`\ifmmode` 1902, 5223, 5247
`\ifNAT@full` 2195, 2284
`\ifNAT@longnames` .. 2191, 2280
`\ifNAT@numbers` 2144, 2351
`\ifNAT@super` 2145
`\ifNAT@swa` . 2197, 2262, 2286, 2338
`\ifnum` ... 86, 199, 1861, 1928, 1929,
 1945, 1946, 1947, 1948, 1950,
 1979, 1980, 1981, 1982, 1984,



2029, 2030, 2068, 2069, 2070,
 2071, 2073, 2509, 2785, 3120,
 3600, 3952, 3954, 3963, 3964,
 3965, 3966, 3967, 3968, 3969,
 3970, 3987, 3989, 3991, 3993,
 3995, 4000, 4011, 4012, 4014,
 4016, 4017, 4020, 4053, 4055,
 4064, 4065, 4066, 4067, 4068,
 4069, 4070, 4071, 4088, 4090,
 4092, 4094, 4096, 4101, 4112,
 4113, 4115, 4117, 4118, 4120,
 4125, 4152, 4154, 4156, 4158,
 4160, 4162, 4176, 4180, 4184,
 4187, 5056, 5130, 5176, 5201,
 5224, 5248, 5754, 5758, 5786,
 5792, 5813, 5840, 5844, 5849,
 5853, 5855, 5864
`\ifodd` 1831, 1837, 5747, 5752
`\ifRtoL` 91
`\Ifstr` 2608, 2663, 2715
`\ifthenelse` 4399, 4411, 4420, 4524,
 4539, 4558, 4579, 4697, 4775,
 4776, 4806, 4838, 4852, 4872,
 4890, 4914, 4944, 4968, 4995,
 5024, 5029, 5034, 5039, 5044,
 5077, 5082, 5087, 5092, 5097,
 5633
`\ifvoid` 3525, 3535
`\ifwritexviii` 2940, 3119
`\ifx` .. 1219, 1220, 1221, 1222, 1223,
 1224, 1225, 1226, 1227, 1228,
 1229, 1594, 1807, 1810, 1894,
 2114, 2124, 2201, 2202, 2204,
 2231, 2232, 2234, 2303, 2321,
 2381, 2430, 2469, 2636, 2638,
 2639, 2640, 2641, 2642, 2643,
 2644, 2645, 2646, 2647, 2648,
 2649, 2650, 2651, 2652, 2692,
 2694, 2695, 2696, 2697, 2698,
 2699, 2700, 2701, 2702, 2703,
 2704, 2705, 2706, 2707, 2708,
 2744, 2746, 2747, 2748, 2749,
 2750, 2751, 2752, 2753, 2754,
 2755, 2756, 2757, 2758, 2759,
 2760, 3102, 3110, 3219, 3220,
 4259, 5221, 5245, 5479, 5480,
 5481, 5482, 5483, 5484, 5485,
 5486, 5487, 5488, 5489, 5490,
 5505, 5514, 5515, 5516, 5518,
 5519, 5520, 5526, 5527, 5528,

5530, 5531, 5532
`\ifXePersian@kabiseh` . 5715, 5820
`\ifXePersian@leap` ... 5715, 5764
`\IfxepersianPackageVersion` 3092
`\IfxepersianPackageVersionBefore`
 3086
`\IfxepersianPackageVersionLater`
 3080
`\ifxetex` 4652, 4875, 4892
`\ignorespaces` 202, 2119, 2129, 3162,
 3186, 3228, 3235, 3340, 3364,
 3388, 3412, 3436, 3460, 4470,
 4523, 4533, 4538, 4546, 4551,
 4557, 4565, 4825, 4851, 5000
`\image` 4647
`\immediate` 2946, 2947, 3559
`\includegraphics` 4662, 4876, 4893
`\indexEntryFormat` ... 4468, 4470
`\indexEntryPageFormat` 4474, 4476
`\indexEntryPageTxt` .. 4473, 4476
`\indexEntrySeparator` . 4472, 5000
`\indexFormat` 4464, 4466
`\indexitem` . 4993, 5003, 5004, 5006
`\indexname` 3910
`\init@restore@version` 5230, 5278
`\innerAuthorFormat` .. 4596, 5113
`\innerPlaceFormat` ... 4597, 5113
`\innerSubtitleFormat` . 4586, 4587
`\innerTextFinalMark` . 4598, 5134
`\innerTitleFormat` .. 4575, 4580,
 4581
`\input` 1683, 1684, 1685, 1686, 1687,
 1688, 1689, 2926, 2933, 4205,
 4206, 4207, 4208, 4209, 4210,
 4211, 4212, 4213, 4214, 4215,
 4216, 4217, 4218, 4219, 4220,
 4221, 4222, 4223, 4224, 4225,
 4226, 4227, 4228, 4229, 4230,
 4231, 4232, 4233, 4234, 4235,
 4236, 4237, 4238, 4239, 4240,
 4241, 4242, 4243, 4244, 4245,
 4246, 4247, 4248, 4249, 4250,
 4251, 4252
`\insert@column` . 2017, 2018, 2019,
 2020, 2022, 2023
`\int` .. 5303, 5306, 5314, 5322, 5330,
 5338, 5550, 5563
`\intermath@penalty` 201
`\intextsep` 3867



\iranicdefault .	3308, 3320, 3465, 3473	\lastskip 198
\iranicfamily . . .	3318, 3319, 3332, 3466	\latin 3520, 3522
\item	5659, 5660, 5661, 5662	\LatinAlphs 3520, 3540, 4191
\itemautorefname	1516	\Latincite 2347, 3552
\itemsep . . .	3765, 3781, 3796, 3812, 3828	\latinfont 2980, 3240, 3496, 3498
\itshape	4195, 5671	\latintoday 3543
J		
\jobname	2948, 2949	\lccode 2366, 2367, 2368, 2507
K		
\KashidaOff	1619	\leaders 1581
\KashidaOn	1618, 1621	\leavevmode 167, 168, 1888, 1910, 2137, 3554, 3901
\kern	2149, 3526, 3536, 3902	\leftmargin 3762, 3778, 3793, 3808, 3809, 3823, 3824, 3836, 3837, 3845, 3846, 3854, 3855
\keys	2891, 2902, 2909, 2916, 2923, 2930, 2957, 2964, 2978, 2982, 2986, 2990, 2994, 2998, 3002, 3006, 3013, 3026, 3129, 3136, 3144, 3151	\leftmargini 3762, 3778, 3793
\keyval@eq@alias@key .	1675, 1679	\leftmarginii 3808
\KOMAClassName	2609, 2632, 2664, 2688, 2716, 2740	\leftmarginiii 3823
L		
\l	3131, 3132, 3133, 3140, 3146, 3147, 3148, 3155, 3166, 3167, 3171, 3190, 3195, 3239, 3243, 3344, 3345, 3349, 3368, 3369, 3373, 3392, 3393, 3397, 3416, 3417, 3421, 3440, 3441, 3445, 3464, 3465, 3469, 5361, 5368, 5372, 5373, 5380, 5381, 5388, 5389	\leftmarginiv 3836
\label	5129, 5175, 5199	\leftmargininv 3845
\labelsep	3809, 3824, 3837, 3846, 3855	\leftmarginvi 3854
\labelwidth	3809, 3824, 3837, 3846, 3855	\let 11, 19, 73, 74, 178, 180, 183, 184, 185, 191, 196, 1227, 1228, 1229, 1230, 1532, 1543, 1544, 1549, 1564, 1594, 1596, 1669, 1671, 1672, 1881, 1882, 1883, 1884, 1885, 1886, 1905, 1922, 1923, 1924, 1925, 1994, 1995, 1996, 2038, 2039, 2040, 2108, 2111, 2112, 2121, 2122, 2141, 2145, 2147, 2148, 2151, 2152, 2153, 2154, 2156, 2157, 2158, 2159, 2164, 2165, 2166, 2167, 2168, 2169, 2170, 2180, 2189, 2192, 2195, 2196, 2269, 2278, 2281, 2284, 2285, 2293, 2348, 2373, 2384, 2391, 2397, 2401, 2402, 2417, 2419, 2439, 2448, 2466, 2468, 2636, 2692, 2744, 2765, 2784, 2969, 2970, 2974, 2975, 3219, 3220, 3483, 3484, 3496, 3497, 3501, 3502, 3505, 3506, 3507, 3508, 3510, 3511, 3515, 3516, 3542, 3555, 3673, 3690, 3707, 3768, 3933, 3938, 3945, 4051, 4171, 4189, 4190, 4192, 4193, 4609, 4610, 4611, 4631, 4632, 4633, 4634, 4635, 4636, 4637, 4638, 4639, 4640, 5219, 5235, 5261, 5408, 5539, 5543, 5588, 5677, 5678, 5679, 5680, 5684, 5685, 5686, 5687,
\lastbox	3524, 3534	
\LastFrameCommand	1503	
\lastpenalty	199	



M
 \m@ne 2297, 5226, 5250
 \m@th 1907
 \makeform 5681, 5688
 \makeform@correction . 5596, 5688
 \makeform@nocorrection .. 5593,
 5681
 \MakeFramed 1505
 \MakeLowercase . 1400, 1407, 1414,
 1421, 1428, 1435, 1442, 1449,
 1456, 1463, 1470, 1477, 1484
 \makemask 5682, 5689
 \makemask@correction . 5601, 5689
 \makemask@nocorrection .. 5598,
 5682
 \maketitle 4608, 4632
 \MakeUppercase 4574
 \makezwnjletter 1665, 1666
 \math@bgroup 5221, 5245
 \math@fonts 5228, 5252
 \math@version .. 5224, 5227, 5232,
 5233, 5237, 5248, 5251, 5255,
 5257, 5259, 5263
 \mathalpha 5418, 5419, 5420, 5421,
 5422, 5423, 5424, 5425, 5426,
 5427, 5551, 5564

\mathbf 5298, 5430, 5555, 5568
 \mathbin 5428, 5553, 5566
 \mathchar@type .. 5285, 5294, 5296
 \mathchardef 5468
 \mathcode . 5307, 5315, 5323, 5331,
 5339, 5504
 \MathDecimalSeparator 5477, 5505,
 5547, 5554, 5567
 \mathgroup 5218
 \mathiranic 3319
 \mathit 5299, 5431, 5556, 5569
 \mathnavar 3322
 \mathord 5429
 \mathpersiansf 3313
 \mathpersiantt 3316
 \mathpook 3325
 \mathrm 5300, 5432, 5557, 5570
 \mathsayeh 3328
 \mathsf 5301, 5447, 5558, 5571
 \mathsurround 195
 \mathtt 5302, 5462, 5559, 5572
 \mbox 2151
 \meaning 3105, 3108
 \MessageBreak .. 2206, 2207, 2236,
 2237, 2611, 2613, 2614, 2615,
 2616, 2617, 2618, 2619, 2620,
 2621, 2622, 2666, 2668, 2669,
 2670, 2671, 2672, 2673, 2674,
 2675, 2676, 2677, 2718, 2720,
 2721, 2722, 2723, 2724, 2725,
 2726, 2727, 2728, 2729, 4202,
 4797, 4829, 4863, 4883, 4904,
 4907, 4929, 4954, 4980, 5003,
 5006, 5637
 \MidFrameCommand 1501
 \minilogo 4736, 4950
 \miniraggedcols . 4375, 4376, 4414,
 4418, 5056, 5130, 5176, 5201
 \mlftitle 1767
 \mltttitle 1768
 \month 5741
 \msg 5345, 5347
 \mtctitle 1766
 \multido 4698, 4704
 \multiply . 1867, 5744, 5757, 5784,
 5790, 5807, 5811
 \mylogo 4741

N
 \NAT@@close 2263, 2342



\NAT@Latin@citetp 2350, 2354,
 2355, 2356
 \NAT@open 2246, 2322
 \NAT@alias . 2224, 2254, 2289, 2332
 \NAT@call@names . 2192, 2195, 2281,
 2284
 \NAT@aysep 2216
 \NAT@biblabel 2167
 \NAT@biblabelnum 2158
 \NAT@bibsetnum 2159
 \NAT@bibsetup 2168
 \NAT@cite 2164
 \NAT@cite@list 2181, 2270
 \NAT@citea@mbox 2315
 \NAT@citenum 2152
 \NAT@citesuper 2145
 \NAT@citeundefined .. 2186, 2276
 \NAT@citex 2165
 \NAT@citexnum 2156
 \NAT@close 2160, 2171
 \NAT@cmptrs 2291, 2337
 \NAT@cmt 2262, 2340
 \NAT@ctype 2197, 2227, 2287, 2289,
 2320, 2328, 2330, 2339, 2348
 \NAT@date . 2171, 2188, 2198, 2199,
 2210, 2218, 2223, 2228, 2241,
 2248, 2253, 2256, 2263
 \NAT@def@citea .. 2225, 2257, 2318
 \NAT@def@citea@box 2326
 \NAT@def@citea@close 2259
 \NAT@exlab . 2204, 2208, 2234, 2238
 \NAT@fullfalse 2349
 \NAT@fulltrue 2349
 \NAT@hyper@ 2199, 2208, 2210, 2213,
 2222, 2223, 2224, 2229, 2238,
 2241, 2244, 2252, 2253, 2254,
 2289, 2325
 \NAT@hyper@citea@space .. 2328,
 2330, 2332
 \NAT@idxtxt 2160, 2171
 \NAT@ifcat@num 2292, 2295
 \NAT@last@nm 2189, 2201, 2231, 2278,
 2321
 \NAT@last@num .. 2278, 2295, 2296,
 2314
 \NAT@last@yr 2189, 2202, 2232, 2269,
 2303, 2337
 \NAT@last@yr@mbox ... 2299, 2309
 \NAT@Latin@cites 2349, 2350
 \NAT@Latin@citex 2166, 2174, 2175
 \NAT@Latin@citexnum 2157, 2264,
 2265
 \NAT@mbox . 2146, 2151, 2322, 2325,
 2342
 \NAT@merge 2299, 2314
 \NAT@name . 2160, 2171, 2192, 2196,
 2281, 2285
 \NAT@nm 2180, 2189, 2195, 2196, 2199,
 2201, 2214, 2222, 2229, 2231,
 2245, 2252, 2269, 2278, 2284,
 2285, 2293, 2294, 2298, 2302,
 2321
 \NAT@nfmt 2199, 2214, 2222, 2229,
 2245, 2252
 \NAT@num .. 2160, 2269, 2278, 2292,
 2293, 2314, 2325
 \NAT@open 2160, 2171
 \NAT@parse 2190, 2279
 \NAT@partrue 2348
 \NAT@penalty 2162, 2170, 2306, 2321
 \NAT@reset@citea 2179, 2268
 \NAT@reset@parser ... 2177, 2266
 \NAT@set@cites 2143, 2346
 \NAT@sort@cites 2178, 2267
 \NAT@space . 2148, 2153, 2169, 2321
 \NAT@spacechar . 2153, 2160, 2169,
 2171, 2209, 2216, 2240, 2246,
 2322, 2324
 \NAT@super@kern . 2149, 2154, 2322
 \NAT@swafalse 2352
 \NAT@swatru 2348
 \NAT@temp .. 2203, 2204, 2233, 2234
 \NAT@test .. 2289, 2322, 2328, 2330
 \NAT@year .. 2180, 2189, 2202, 2232
 \NAT@yrsep 2201, 2231, 2321
 \natexlab 2161, 2172
 \navardefault .. 3309, 3323, 3393,
 3401
 \navarfamili 3321, 3322, 3333, 3394
 \NeedsTeXFormat 2877, 4346, 5215,
 5575, 5712
 \new@mathalphabet 5281
 \new@mathbf 5304, 5430, 5568
 \new@mathgroup .. 5218, 5219, 5274
 \new@mathit 5312, 5431, 5569
 \new@mathrm 5320, 5432, 5570
 \new@mathsf 5328, 5447, 5571
 \new@mathtt 5336, 5462, 5572
 \new@mathversion 5279
 \new@symbolfont 5280



```

\newboolean . . . . . 4357, 4359, 4361, 4363,
               4365, 4367, 4369
\newcolumntype . . . . . 5589, 5590
\newcommand . . . . . 90, 1618, 1619, 1665,
               1667, 1668, 1670, 1675, 1679,
               2174, 2264, 2350, 2355, 2791,
               2882, 3078, 3080, 3086, 3092,
               3219, 3220, 3306, 3307, 3308,
               3309, 3310, 3311, 3572, 3612,
               3613, 3617, 3649, 3889, 3894,
               3939, 3942, 4045, 4048, 4290,
               4354, 4409, 4453, 4454, 4457,
               4458, 4459, 4464, 4465, 4468,
               4469, 4472, 4473, 4474, 4475,
               4478, 4479, 4483, 4484, 4487,
               4488, 4489, 4490, 4493, 4496,
               4501, 4506, 4509, 4511, 4514,
               4519, 4520, 4531, 4532, 4535,
               4536, 4544, 4545, 4548, 4549,
               4554, 4555, 4563, 4564, 4566,
               4567, 4568, 4569, 4572, 4573,
               4575, 4576, 4586, 4587, 4588,
               4589, 4590, 4591, 4596, 4597,
               4598, 4599, 4600, 4601, 4602,
               4603, 4604, 4605, 4606, 4607,
               4642, 4647, 4679, 4711, 4725,
               4736, 4741, 4749, 4773, 4804,
               4836, 4870, 4889, 4993, 5011,
               5018, 5060, 5068, 5111, 5117,
               5137, 5154, 5183, 5208, 5292,
               5293, 5295, 5585, 5587, 5593,
               5596, 5598, 5601, 5605, 5607,
               5609, 5657, 5658, 5663, 5667,
               5672, 5691, 5693, 5869, 5885
\newcount . . . . . 3568, 4371, 4372, 4375,
               4677, 4678, 5716, 5717, 5718,
               5719, 5720, 5721, 5722, 5723,
               5724, 5725, 5726, 5727, 5728,
               5729, 5731, 5732, 5733, 5734,
               5735, 5736, 5737, 5738
\newcounter . . . . . 5610, 5611
\newdimen . . . . . 3569, 3570, 4675, 4676
\NewDocumentCommand . . . . . 3261, 3285,
                     5304, 5312, 5320, 5328, 5336,
                     5549, 5562
\newenvironment . . . . . 1668, 2360, 2361,
                     3522, 3532, 3540, 3541, 4644,
                     4750, 4912, 4942, 4966, 5120,
                     5169, 5195, 5639, 5673
\newfam . . . . . 5219
\newfontface . . . . . 2766
\newfontlanguage . . . . . 3126
\newfontscript . . . . . 3125
\newif . . . . . 1576, 2885, 2886, 3119, 3610,
               5715
\newlength . . . . . 4349, 4350, 4351, 4352,
               4353, 4355, 5603, 5694, 5696
\newmathalphabet . . . . . 5275
\newmathalphabet@@ . . . . . 5275
\newmathalphabet@@@ . . . . . 5275
\newpage . . . . . 2945, 4760
\newsavebox . . . . . 4643
\newsection . . . . . 5117
\newtoks . . . . . 4254
\next . . . . . 1594, 1596, 1597, 2373, 2374,
               2375, 2379, 2381, 2384, 2388,
               2389, 2391, 2397, 2402, 2406,
               2408, 2417, 2419, 2425, 2428,
               2432, 2439, 2441
\nobreak . . . . . 1580, 2146
\noexpand . . . . . 2372, 2392, 2398, 2400,
               2410, 2418, 2420, 2432, 2433,
               2442, 3667, 3673, 3684, 3690,
               3701, 3707, 3712, 3718, 3724,
               3730, 3736, 3742, 3748, 3766,
               3782, 3797, 3813, 3829, 3838,
               3847, 3856, 5231
\nohyphens . . . . . 4525, 4540, 4559, 4580
\noindent . . . . . 4470, 4485, 4523, 4533,
               4538, 4546, 4551, 4557, 4565,
               4570, 4574, 4578, 4727, 4744,
               4825, 4851, 4876, 4923, 5000,
               5014, 5048, 5063, 5101, 5158,
               5186, 5211, 5213
\non@alpherr . . . . . 5240, 5266
\nopagebreak . . . . . 5705
\normalcolor . . . . . 1875, 2116, 2126
\normalfont . . . . . 3178, 3250, 3356, 3380,
               3404, 3428, 3452, 3476, 3496,
               3497, 3510, 3511
\normalsize . . . . . 3548, 3666, 3667, 3751,
               4421, 4422, 4468, 5063, 5101
\not . . . . . 5617
\not@math@alphabet . . . . . 3313, 3316,
               3319, 3322, 3325, 3328
\null . . . . . 4612, 4628
\number . . . . . 3952, 3954, 3955, 4053, 4055,
               4056, 4156, 4158, 4160, 4162,
               5232, 5256, 5870, 5871
\numexpr . . . . . 5307, 5315, 5323, 5331,

```



O

\obeyspaces 5471, 5476
 \old@endquestion 5700, 5708
 \old@question 5699, 5706
 \or 2017, 2018, 2019, 2021, 2022, 2046,
 2047, 2048, 2052, 2053, 2054,
 2055, 2056, 2060, 2061, 2222,
 2223, 2224, 2252, 2253, 2254,
 2327, 2329, 2331, 3925, 3926,
 3927, 3928, 3929, 3930, 3934,
 3935, 3936, 3973, 3974, 3975,
 3976, 3977, 3978, 3979, 3980,
 3981, 3982, 3986, 4025, 4026,
 4027, 4028, 4031, 4034, 4037,
 4038, 4041, 4042, 4043, 4074,
 4075, 4076, 4077, 4078, 4079,
 4080, 4081, 4082, 4083, 4087,
 4130, 4131, 4132, 4135, 4136,
 4137, 4138, 4139, 4142, 4143,
 4144, 4145, 4174, 4175, 4178,
 4179, 4182, 4183, 4186, 4275,
 5876, 5877, 5878, 5879, 5880,
 5881, 5882, 5886, 5887, 5888
 \orig . 5298, 5299, 5300, 5301, 5302,
 5305, 5313, 5321, 5329, 5337,
 5547, 5555, 5556, 5557, 5558,
 5559, 5567
 \originaltoday 3542, 3543
 \Ovalbox 5040, 5093
 \ovalbox 5035, 5088
 \overline 5490

P

\p@ .. 2149, 3618, 3619, 3620, 3621,
 3623, 3626, 3627, 3629, 3633,
 3634, 3635, 3637, 3640, 3641,
 3652, 3655, 3817, 4613
 \PackageError .. 1637, 1640, 1643,
 1646, 1649, 1652, 1655, 1658,
 1661, 2942, 2952, 3896, 3947,
 4202
 \PackageInfo .. 67, 79, 3603, 3604,
 4323, 4324, 5292
 \PackageWarning .. 2187, 2276, 4148
 \PackageWarningNoLine 2204, 2234
 \page@free 4657, 4659
 \pageautorefname 1529
 \pagegoal 5139

\pagename 1359, 3920
 \pagenumbering . 15, 127, 138, 156,
 1309, 1751, 2659
 \pageref .. 2857, 2859, 2865, 2867,
 4498, 4996
 \pagesFormat 4572, 4574
 \pagestyle 4715
 \pagetotal 5140
 \par . . 10, 17, 24, 40, 46, 52, 58, 128,
 139, 146, 158, 816, 1301, 1311,
 1323, 1563, 1755, 2577, 2584,
 2591, 2599, 2626, 2681, 2733,
 4615, 4617, 4623, 4625, 4626,
 5115, 5200, 5645, 5705
 \paragraphautorefname 1525
 \parallel 4480
 \parbox 5644, 5704
 \parindent 3526, 3536
 \parsep 3753, 3764, 3765, 3769, 3780,
 3781, 3784, 3795, 3796, 3799,
 3811, 3812, 3826
 \partautorefname 1519
 \partname 3913
 \partopsep 3817, 3827, 3876
 \PassOptionsToClass 4377, 4378,
 4379
 \PassOptionsToPackage 2888, 2896,
 2899
 \pbs 5588, 5589
 \pdfstringdefDisableCommands .
 1542
 \penalty 195, 201, 2162, 3557
 \persian 3530, 3532
 \PersianAlphs .. 2968, 2973, 3530,
 3541, 4345
 \persianday 86, 5875
 \persiandecimalseparator 5429,
 5505
 \PersianDisplayMathDigits 2921,
 5517, 5523
 \persianfont 3168, 3510, 3512
 \PersianInlineMathDigits 2914,
 5513, 5522
 \PersianMathDigits .. 2907, 5521
 \persianmathdigits . 5417, 5514,
 5518, 5526, 5530
 \persianmathsf digits 5447, 5515,
 5519, 5527, 5531
 \persianmathtdigits 5462, 5516,
 5520, 5528, 5532



\persianmonth 86, 5874, 5886
 \persianseason 5885
 \persiansfdefault .. 3306, 3314,
 3345, 3353
 \persiansffamily 3312, 3313, 3330,
 3346
 \persiantoday 3544, 5869
 \persianttdefault .. 3307, 3317,
 3369, 3377
 \persianttfamily 3315, 3316, 3331,
 3370
 \persianyear 86, 5873
 \pictureCaptionFormat 4568, 4570
 \plftitle 1764
 \plq 3099
 \pltttitle 1765
 \pookdefault 3310, 3326, 3417, 3425
 \pookfamily 3324, 3325, 3334, 3418
 \postmath 201
 \PrefixCurrentTab 2791
 \premath 197
 \prepnext@tok 2014, 2024
 \prg 5359, 5362, 5364
 \printindex 2945
 \process@table 5278
 \ProcessKeyOptions 3037
 \ProcessOptions 4391, 5711
 \proofname 3922
 \protect .. 4797, 4798, 4800, 4829,
 4830, 4832, 4863, 4864, 4866,
 4883, 4884, 4886, 4904, 4905,
 4907, 5003, 5004, 5006, 5594,
 5597, 5599, 5602, 5620, 5625,
 5626, 5627, 5629, 5630, 5631,
 5651, 5652
 \providecommand 4147
 \ProvidePersianTranslation ..
 90, 94, 95, 96, 97,
 98, 99, 100, 101, 102, 103, 104,
 105, 106, 107, 108
 \ProvidesClass 4347
 \ProvidesFile ..
 . 1, 4, 8, 14, 23, 38, 44, 50, 56,
 62, 82, 89, 111, 120, 122, 133,
 144, 152, 164, 204, 1157, 1217,
 1234, 1245, 1288, 1299, 1305,
 1317, 1321, 1328, 1487, 1495,
 1509, 1513, 1560, 1567, 1622,
 1625, 1664, 1749, 1762, 1772,
 2142, 2505, 2575, 2582, 2589,
 2597, 2605, 2656, 2712, 2764,
 2782, 2802, 2813
 \ProvidesPackage 2883, 5216, 5576,
 5713
 \providetranslation 91
 \prq 3098
 \ptctitle 1763

Q

\quad 3883
 \question 5699
 \questionsepspace .. 5696, 5697,
 5709
 \questionspace .. 5603, 5604, 5645
 \questontitle 5691, 5710
 \questontitlefont 5693
 \questontitlespace 5694, 5695,
 5705

R

\raggedFormat .. 4409, 5057, 5131,
 5177, 5202
 \RaggedLeft 4409
 \raisebox 4455, 4460
 \redeflatinfont 3287
 \redefpersianfont 3263
 \ref 2872, 2874
 \refname 121, 3911
 \refstepcounter .. 5661, 5662
 \reftextafter 2830
 \reftextbefore 2838
 \reftextcurrent 2846
 \reftextfaceafter 2814
 \reftextfacebefore 2822
 \reftextfaraway 2854
 \reftextlabelrange 2870
 \reftextpagerange 2862
 \reftextvario .. 2817, 2819, 2825,
 2827, 2833, 2835, 2841, 2843,
 2849, 2851
 \relax .. 86, 1665, 1862, 1894, 2029,
 2030, 2051, 2052, 2053, 2114,
 2124, 2148, 2154, 2198, 2228,
 2256, 2263, 2269, 2296, 2303,
 2314, 2469, 2636, 2692, 2744,
 2785, 2927, 2934, 3023, 3102,
 3120, 3487, 3488, 3492, 3493,
 3605, 3650, 3654, 3837, 3846,
 3855, 4257, 4267, 4272, 4282,
 4286, 4292, 4293, 4294, 4318,



4320, 4391, 4610, 4631, 4632,
 4637, 4638, 4639, 4640, 5221,
 5235, 5245, 5261, 5294, 5296,
 5307, 5315, 5323, 5331, 5339,
 5408, 5504, 5539, 5543, 5743,
 5744, 5746, 5751, 5756, 5757,
 5763, 5765, 5767, 5769, 5770,
 5771, 5772, 5773, 5774, 5775,
 5776, 5777, 5778, 5779, 5781,
 5783, 5784, 5789, 5790, 5797,
 5799, 5802, 5806, 5807, 5810,
 5811, 5814, 5819, 5821, 5823,
 5825, 5826, 5827, 5828, 5829,
 5830, 5831, 5832, 5833, 5834,
 5835, 5836, 5838, 5839, 5842,
 5847, 5851, 5857, 5859, 5860
`\renewcommand` 9,
 16, 24, 30, 31, 34, 39, 40, 45,
 46, 51, 52, 57, 58, 85, 115, 117,
 123, 124, 128, 134, 135, 139,
 145, 146, 153, 157, 158, 1300,
 1301, 1306, 1310, 1311, 1318,
 1319, 1320, 1322, 1323, 1329,
 1330, 1337, 1344, 1345, 1352,
 1359, 1360, 1367, 1374, 1375,
 1382, 1389, 1396, 1403, 1410,
 1417, 1424, 1431, 1438, 1445,
 1452, 1459, 1466, 1473, 1480,
 1489, 1491, 1493, 1562, 1750,
 1752, 1753, 1754, 1755, 2143,
 2160, 2171, 2576, 2577, 2583,
 2584, 2590, 2591, 2598, 2599,
 2606, 2607, 2635, 2657, 2661,
 2662, 2691, 2713, 2714, 2743,
 2783, 2803, 2804, 2805, 2806,
 2807, 2808, 2809, 2810, 2811,
 2812, 2945, 3566, 3879, 3885,
 4196, 4421, 4428, 4430, 4432,
 4439, 4446, 4447, 4448, 4449,
 4450, 4502, 4503, 4504, 4515,
 4516, 4517, 4608, 4713, 4749,
 4769, 5108, 5118, 5123, 5592
`\RenewDocumentCommand` 3266, 3290
`\ renewenvironment` . . . 1496, 5701
`\repeat` 3600, 5844, 5853
`\RequirePackage` 3068, 3069, 3070,
 3071, 4348, 4393, 4394, 4395,
 4396, 4397, 4398, 4400, 4402,
 4404, 4405, 4406, 4407, 4408,
 5578, 5579, 5580, 5581, 5582,

5583

`\reserved@a` 1826, 1830, 1836, 1842,
 1845, 1848, 1851, 1854, 1857,
 1860
`\reserved@b` 1806, 1807
`\reset@font` 2186, 2275, 3497, 3511,
 3546, 3560
`\resetlatinfont` . . 113, 115, 1318,
 1319, 1489, 1491, 2774, 3482,
 3518, 3520, 3540, 3547, 3566,
 4198
`\restore@mathversion` 5278
`\restoreapp` 36
`\rightline` 5112
`\rl` 1544, 3519, 3544
`\RLE` 3519
`\rmdefault` 3167, 3175, 3247
`\Roman` 1225, 2643, 2699, 2751
`\roman` 1224, 2644, 2700, 2752
`\romannumeral` . . 2652, 2708, 2760,
 5843, 5852, 5862
`\RTL` 3530
`\RTLfoottextfont` 1320
`\rule` . 4472, 4598, 4700, 4706, 4793,
 4825

S

`\sayehdefault` . . 3311, 3329, 3441,
 3449
`\sayehfamily` 3327, 3328, 3335, 3442
`\scan` 5361
`\scriptsize` 3711, 3712, 4430
`\secondarticle` . 4804, 4829, 4830,
 4832
`\secondSubtitleFormat` 4544, 4546
`\secondTextFormat` . . . 4548, 4551
`\secondTitleFormat` . 4535, 4540,
 4541
`\section` 3897
`\sectionautorefname` 1522
`\sectionname` 11, 1564
`\select@group` 5220
`\selectfont` 3172, 3197, 3220, 3244,
 3277, 3301, 3314, 3317, 3320,
 3323, 3326, 3329, 3350, 3374,
 3398, 3422, 3446, 3470, 3500,
 3514, 3606
`\set@@mathdelimter` 5285
`\set@fontsize` . . . 4281, 4285, 4317
`\set@mathaccent` 5282



\set@mathchar 5282
 \set@mathdelimiter 5284
 \set@mathsymbol 5283
 \setboolean 2792, 2793, 4358, 4360,
 4362, 4364, 4366, 4368, 4370,
 4386, 4387, 4389, 4390, 4752,
 4770, 4915, 4940, 4969, 4991
 \setbox 179, 1873, 1916, 2020, 2022,
 2023, 2113, 2116, 2123, 2126,
 2775, 2779, 3524, 3534
 \setclass . 1590, 1600, 1601, 1602,
 1603, 1604, 1605, 1606, 1607
 \setcounter
 . 27, 29, 33, 41, 42, 47, 48, 53,
 54, 59, 60, 129, 130, 140, 141,
 147, 148, 159, 160, 1302, 1303,
 1312, 1313, 1324, 1325, 1756,
 1757, 2578, 2579, 2585, 2586,
 2592, 2593, 2600, 2601, 2627,
 2628, 2682, 2683, 2734, 2735,
 2786, 2790, 2794, 2795, 2796,
 2797, 2798, 2799, 2800, 4630,
 5614
 \setdigitfont 3224
 \SetDisplayMathDigits 5508, 5517,
 5529, 5539, 5542
 \SetEnumerateShortLabel . 1240,
 1241, 1242, 1243, 1244
 \setfontsize 3649, 4274, 4276
 \SetInlineMathDigits 5507, 5513,
 5525, 5538, 5543
 \setiranicfont 3457
 \setkeys 170, 187
 \setlatinmonofont 3256
 \setlatinsansfont 3255
 \setlatintextfont ... 3232, 4335
 \setlength 1892, 1895, 1914, 3621,
 3623, 3627, 3629, 3635, 3637,
 3641, 3643, 3651, 3655, 3657,
 3665, 3675, 3676, 3682, 3692,
 3693, 3699, 3709, 3710, 3715,
 3716, 3721, 3722, 3727, 3728,
 3733, 3734, 3739, 3740, 3745,
 3746, 3752, 3817, 3859, 3860,
 3867, 3868, 3869, 3870, 3871,
 3872, 3873, 3874, 3875, 4356,
 4388, 4423, 4424, 4425, 4426,
 4434, 4435, 4436, 4437, 4441,
 4442, 4443, 4444, 4649, 4653,
 4694, 4695, 4712, 4717, 4718,
 4842, 4874, 4946, 4971, 4974,
 5022, 5023, 5071, 5072, 5138,
 5139, 5155, 5604, 5695, 5697
 \setLTRcitationfont 113
 \SetMathAlphabet 5281
 \SetMathAlphabet@ 5281
 \SetMathCharDef 5295, 5429
 \SetMathCode 5293, 5418, 5419, 5420,
 5421, 5422, 5423, 5424, 5425,
 5426, 5427, 5428, 5551, 5553,
 5564, 5566
 \setmathdigitfont 5402
 \setmathsf digitfont 5437
 \setmathtt digitfont 5452
 \setmonofont 3256
 \setnavarfont 3385
 \setpersianfont . 117, 1320, 1493,
 2778, 3504, 3519, 3530, 3541,
 3566
 \setpersianmonofont 3361
 \setpersiansansfont 3337
 \setpookfont 3409
 \setsansfont 3255
 \setsayehfont 3433
 \SetSymbolFont 5280
 \SetSymbolFont@ 5280
 \settextdigitfont 3183
 \settextfont 3159, 4203
 \setthesection 1752
 \sf @size 4304, 4306
 \sffamily 4453
 \shadowbox 5025, 5078
 \shadowsize 5023, 5072, 5076
 \shortarticleitem 5208
 \shortarticleItemFormat .
 . 4606, 4607
 \shortarticleSubtitleFormat .
 . 4604, 4605
 \shortarticleTitleFormat 4602,
 4603
 \sixt@On 1825, 1862
 \skip 3861
 \slftitle 1770
 \sltttitle 1771
 \small 3683, 3684, 3898, 4432, 4433,
 4487, 4491, 4497, 4568, 4590,
 4609
 \smash 3901
 \SOUL@tt ... 2765, 2767, 2775, 2779
 \SOUL@tt@latin 2765, 2771



\SOUL@tt@nonlatin 2766, 2769
 \SOUL@ttwidth 2776, 2780
 \space 2188, 2277, 2883, 3049, 3563,
 3886, 3890, 4154, 4656, 4657,
 4797, 4798, 4800, 4829, 4830,
 4832, 4863, 4864, 4866, 4883,
 4884, 4886, 4904, 4905, 4907,
 5003, 5004, 5006, 5113, 5635,
 5870, 5871
 \ssf@size 4310, 4312
 \stctitle 1769
 \stepcounter . 26, 2788, 5610, 5623,
 5654
 \str . 3175, 3247, 3353, 3377, 3401,
 3425, 3449, 3473
 \string . 67, 1951, 1985, 2074, 2443,
 2611, 2612, 2615, 2617, 2619,
 2621, 2622, 2623, 2666, 2667,
 2670, 2672, 2674, 2676, 2677,
 2678, 2718, 2719, 2722, 2724,
 2726, 2728, 2729, 2730, 3559,
 4298, 4300, 4304, 4306, 4310,
 4312
 \strip@pt . 3486, 3491, 3605, 3653,
 4291
 \subparagraphautorefname . 1526
 \subsectionautorefname . 1523
 \subsubsectionautorefname 1524
 \SwitchToDefaultMathDigits 5549
 \SwitchToPersianMathDigits 5562
 \symnew@mathbf@font@digits 5307
 \symnew@mathit@font@digits 5315
 \symnew@mathrm@font@digits 5323
 \symnew@mathsf@font@digits 5331
 \symnew@mathtt@font@digits 5339

T

\tableautorefname 1518
 \tablename 1374, 1391, 3905
 \tabularxcolumn 5592
 \tartibi . . 1221, 1235, 1240, 2640,
 2696, 2748, 4045
 \tartibinumeral 4051
 \test 1593, 1594, 1595
 \tex 5358, 5361
 \textbf 2, 3, 1498, 1500, 1502, 1504,
 5014, 5048, 5063, 5101
 \textblockorigin 4674
 \textdegree 4488
 \TextDigitFontOff 3613

\TextDigitFontOn 3612, 3615
 \textfloatsep 3865, 3869
 \textheight 4681, 4706
 \textiranic 3332
 \textit 4599
 \textnavar 3333
 \textpersiansf 3330
 \textpersiantt 3331
 \textpook 3334
 \textsayah 3335
 \textsc 4601
 \textsf 3883
 \textsuperscript 2146
 \texttt 4458
 \textwidth 1919, 4680, 4700, 5012,
 5641
 \tf@size 4298, 4300
 \thanks 4611, 4631
 \the . . 86, 166, 171, 1582, 1584, 1896,
 2394, 2399, 2405, 2412, 2422,
 2436, 3063, 3576, 3577, 3578,
 3581, 3582, 3583, 3587, 3588,
 3589, 3592, 3593, 3594, 3656,
 3668, 3669, 3670, 3671, 3672,
 3685, 3686, 3687, 3688, 3689,
 3702, 3703, 3704, 3705, 3706,
 3713, 3719, 3725, 3731, 3737,
 3743, 3749, 3763, 3764, 3779,
 3780, 3794, 3795, 3810, 3811,
 3825, 3827, 4267, 4656, 4657,
 5142, 5538, 5542, 5843, 5852,
 5862
 \the@choice 5613, 5635
 \thebook 1753
 \thechapter 20, 31,
 132, 143, 150, 162, 1315, 1327,
 1752, 1759, 2581, 2588, 2595,
 2603, 2685, 2737
 \theclass 1590, 1595
 \theHchapter 1536, 1554
 \theHsection 1535, 1552
 \thempfn 1921
 \thempfootnote 1921, 4195
 \theoremautorefname 1528
 \thepage . . 2188, 2205, 2235, 2277,
 3563, 4498
 \thepart 9, 16, 39, 45, 51, 57,
 123, 134, 145, 157, 1300, 1310,
 1322, 1562, 1754, 2576, 2583,
 2590, 2598, 2606, 2661, 2713



\thequestion	5634, 5674, 5710
\thesection	12, 34, 43, 49, 55, 61, 1304, 1565, 2629
\thirdarticle	4836, 4863, 4864, 4866
\thirdSubtitleFormat	4563, 4565
\thirdTextFormat	4566, 4567
\thirdTitleFormat	4554, 4559, 4560
\thispagestyle	4753, 4758
\thr@@	1948, 1967, 1968, 1982, 2003, 2004, 2030, 2042, 2043, 2071, 2098, 2099
\timestamp	4591, 4788, 4818, 4854
\timestampFormat	4590, 4592
\timestampSeparator	4589, 4594
\timestampTxt	4588, 4593
\tiny	3717, 3718, 4428
\title	4637
\TitleBarFrame	1498, 1500, 1502, 1504
\tl	3131, 3132, 3133, 3140, 3146, 3147, 3148, 3155, 3167, 3176, 3248, 3255, 3256, 3345, 3354, 3369, 3378, 3393, 3402, 3417, 3426, 3441, 3450, 3465, 3474, 5272, 5289, 5347, 5430, 5431, 5432, 5447, 5462, 5554, 5555, 5556, 5557, 5558, 5559, 5567, 5568, 5569, 5570, 5571, 5572
\tmp	5588
\today	3542, 3544, 3882, 5109
\topsep	3755, 3763, 3771, 3779, 3786, 3794, 3801, 3810, 3815, 3825, 3828
\TPHorizModule	4469, 4694, 4793, 4825, 4876, 4923, 4924, 4947, 4948, 4971
\TPVertModule	4695
\true	5663
\truesymbol	5657
\ttdefault	3219, 3220
\tw@	1581, 1843, 1846, 1928, 1934, 1935, 1937, 1947, 1957, 1958, 1981, 1991, 1992, 2029, 2035, 2036, 2041, 2070, 2080, 2081, 2289, 3576, 3577, 3578, 3581, 3582, 3583
\twocolumnstableofcontents	3894
\typeout	3065, 3066, 4642
\TypesetTime	3882
U	
\uccode	5473
\Umathchardef	5296
\Umathcode	5294
\Umathcodenum	2509
\undefined	1783, 5505, 5514, 5515, 5516, 5518, 5519, 5520, 5526, 5527, 5528, 5530, 5531, 5532
\unhbox	1905
\unpenalty	201
\unskip	198, 2059, 2060, 2061, 2146, 2209, 2240
\unvbox	1905
\uppercase	5474
\Url@actpercent	2508
\Url@Edit	2508
\Url@String	2508
\use	3168, 3181, 3191, 3222, 3240, 3253, 3271, 3275, 3295, 3299, 3346, 3359, 3370, 3383, 3394, 3407, 3418, 3431, 3442, 3455, 3466, 3479, 5435, 5450, 5465
\use@mathgroup	5231
\usebox	4646
\usecounter	5647
\usefonttheme	83
\UseOneTimeHook	2632, 2688, 2740
V	
\value	2785, 5617, 5633
\vbox	1876, 1893, 1898, 1899, 1916, 2023, 2113, 2117, 2123, 2127, 5185, 5211
\vcenter	1902, 1903
\verbatim@	1669
\verbatim@addtoline	2378, 2393, 2404, 2411, 2413, 2421, 2423, 2435, 2437
\verbatim@finish	2431
\verbatim@processline	2382, 2395, 2415
\verbatim@startline	2371, 2383, 2396, 2416
\version@elt	5277
\version@list	5277
\vfil	4612, 4628
\voidb@x	179
\vrb@catcodes	2365



\vskip 4613, 4616, 4618, 4624
 \vspace 4648, 4667, 4729, 4739, 4782,
 4786, 4809, 4812, 4816, 4823,
 4841, 4845, 4849, 4858, 4917,
 4921, 4977, 4998, 5046, 5050,
 5069, 5099, 5103, 5148, 5150,
 5160, 5163, 5188, 5190, 5210,
 5212, 5645, 5703, 5705
 \vss 1905
 \vtop 1900, 1901, 2022

W

\wd 2776, 2780
 \weatherFormat 4483, 4485
 \weatherItem 4889, 4904, 4905, 4907
 \weatherTempFormat . . 4487, 4897
 \weatherUnits 4488, 4899
 \whiledo 5617
 \width 1506, 2474, 2475
 \write 2947, 3559
 \writeTeXVIIIfalse 3123
 \writeTeXVIIITrue 3121

X

\X 5587
 \x 3105, 3110
 \xdef . 1537, 1556, 4298, 4300, 4304,
 4306, 4310, 4312, 5231, 5613,
 5618, 5642, 5643, 5664, 5665,
 5668, 5669
 \XePersian . 1545, 3883, 3901, 4507
 \xepersian 2452, 2454
 \xepersian@@adadi . . . 3961, 3986
 \xepersian@@adadi@tartibi 4062,
 4087
 \xepersian@@baselineskip@scale
 3000, 3484, 3490, 3502, 3506,
 3508, 3516, 4286
 \xepersian@@fontsize@branch .
 2992, 4268
 \xepersian@@fontsize@scale .
 2988, 3483, 3485, 3501, 3505,
 3507, 3515, 4282, 4293
 \xepersian@@latin@baselineskip@scale
 3004, 3492, 3502
 \xepersian@@latin@fontsize@scale
 2996, 3487, 3501
 \xepersian@@math@fontsize@scale
 2984, 4291
 \xepersian@@sp@b 4260, 4262, 4264

\xepersian@@sp@c 4264, 4267
 \xepersian@@sp@d 4257, 4258
 \xepersian@@sp@def . . . 4256, 4271
 \xepersian@@start@switch@textdigitfont
 3018, 3201, 3203, 3206, 3208,
 3210, 3212, 3214, 3219
 \xepersian@@stop@switch@textdigitfont
 3202, 3204, 3205, 3209, 3211,
 3213, 3215, 3220
 \xepersian@@update@math@fontsize
 4290, 4300, 4306, 4312
 \xepersian@adadi 3955, 3960
 \xepersian@adadi@tartibi 4056,
 4061
 \xepersian@alef 1574, 1600, 1614,
 1616, 3212, 3213
 \xepersian@cmds@temp . 3100, 3118
 \xepersian@colsize 4350, 5073,
 5074, 5075, 5076, 5079, 5084,
 5089, 5094
 \xepersian@computeautoilg 3572,
 4321
 \xepersian@cx . . . 4677, 4682, 4699
 \xepersian@cy . . . 4678, 4683, 4705
 \XePersian@d 5716, 5741, 5846, 5865,
 5867, 5870, 5875
 \xepersian@dahgan . . . 4019, 4040,
 4123
 \xepersian@dahgan@tartibi 4121,
 4129
 \XePersian@dn . . . 5736, 5835, 5843,
 5846, 5849, 5853, 5865, 5867
 \xepersian@dualjoiner 1571, 1602,
 1603, 1604, 1605, 1609, 1610,
 1611, 1613, 1614, 3208, 3209
 \xepersian@dx . . . 4675, 4680, 4691,
 4694
 \xepersian@dy . . . 4676, 4681, 4692,
 4695
 \xepersian@edition . 4457, 4461,
 4497, 4617, 4749
 \xepersian@editionLogo . . . 4459,
 4727, 4745
 \xepersian@editorialTit . 5154,
 5173
 \xepersian@editorialTitle 4600,
 5159
 \xepersian@everyjob . 3063, 3066
 \xepersian@firstText . 4532, 4788
 \xepersian@firstTitle 4520, 4783



```

\xepersian@fmbox 4643, 4645, 4646
\xepersian@footcenter 4509, 4516,
4768
\xepersian@footleft 4511, 4515,
4767
\xepersian@footright 4506, 4517,
4766
\xepersian@frag 4271, 4273, 4274,
4276
\xepersian@gridcolumns ... 4372,
4374, 4413, 4417
\xepersian@gridrows 4371, 4373,
4413, 4417
\xepersian@headcenter 4493, 4503,
4765
\xepersian@headDateTime . 4479,
4733, 4747
\xepersian@headleft 4490, 4502,
4764
\xepersian@headright 4496, 4504,
4763
\XePersian@i 5716, 5839, 5840, 5842,
5843, 5844, 5847, 5851, 5852,
5855, 5856, 5859, 5862, 5864
\xepersian@ilg . 3569, 3573, 3577,
3578, 3582, 3583, 3601
\xepersian@imgsize . 4349, 4650,
4651, 4653, 4662, 4663
\xepersian@incolumntitle 5060,
5079, 5084, 5089, 5094
\xepersian@indexEntry 4469, 4996
\xepersian@indexEntryPage 4475,
4996
\xepersian@indexFrameTitle ...
..... 4465, 4972
\xepersian@indexwidth 4353, 4472,
4971, 4975, 4976
\xepersian@inxpandedtitle ...
5011, 5026, 5031, 5036, 5041
\xepersian@innerSubtitle 4587,
5127
\xepersian@innerTitle 4576, 5126
\XePersian@kabisehfalse . 5786,
5792
\XePersian@kabisehtrue ... 5792
\xepersian@kashida . 1577, 1609,
1610, 1611, 1612, 1613, 1614,
1615
\xepersian@kashidachar ... 1569,
1582, 1584
\xepersian@lam . 1572, 1606, 1610,
1611, 1612, 1615, 1616, 3210,
3211
\XePersian@latini ... 5717, 5763
\XePersian@latinii . 5718, 5765,
5767
\XePersian@latiniii . 5719, 5769
\XePersian@latiniv .. 5720, 5770
\XePersian@latinix .. 5725, 5775
\XePersian@latinv ... 5721, 5771
\XePersian@latinvi .. 5722, 5772
\XePersian@latinvii . 5723, 5773
\XePersian@latinviii . 5724, 5774
\XePersian@latinix .. 5726, 5776
\XePersian@latinxi .. 5727, 5777
\XePersian@latinxii . 5728, 5778
\XePersian@leapfalse 5748, 5752,
5758
\XePersian@leaptrue . 5758, 5759
\xepersian@localize@verbatim@ ...
1669, 2373, 2374, 2376, 2384,
2397, 2406, 2417, 2425, 2439
\xepersian@localize@verbatim@ ...
..... 2376, 2377
\xepersian@localize@verbatim@ ...
..... 2379, 2380
\xepersian@localize@verbatim@ ...
..... 2419, 2429
\xepersian@localize@verbatim@rescan
..... 2433, 2442
\xepersian@localize@verbatim@start
..... 2370, 2445, 2446, 2457
\xepersian@localize@verbatim@test
..... 2388, 2390, 2391
\xepersian@localize@verbatim@testend
..... 2402, 2409
\XePersian@m 5716, 5741, 5837, 5856,
5859, 5871, 5874
\xepersian@milyoongan 3988, 3999
\xepersian@milyoongan@tartibi
..... 4089, 4100
\XePersian@mminusone 5738, 5837,
5838, 5840, 5844
\xepersian@ncol .... 4704, 4705
\xepersian@ncolumns 4354, 5055,
5056, 5123
\xepersian@nrow .... 4698, 4699
\xepersian@numberoutoffrange .
.... 3946, 3957, 4058

```



\xepersian@numberstring . 3943,
 3951
 \xepersian@numberstring@tartibi
 4049, 4052
 \xepersian@PackageInfo .. 5292,
 5411
 \xepersian@pageleft 4352, 5139,
 5140, 5142, 5144
 \xepersian@pageneed 4351, 4653,
 4654, 4656, 4659, 5138, 5144
 \xepersian@pages 4573, 4808, 4840,
 5125
 \xepersian@persian@@releasename
 2881, 2882
 \XePersian@persian@month 5871,
 5876
 \XePersian@persiani 5717, 5817,
 5818, 5848, 5865
 \XePersian@persianii . 5718, 5819
 \XePersian@persianiii 5719, 5821,
 5823
 \XePersian@persianiv . 5720, 5825
 \XePersian@persianix . 5725, 5830
 \XePersian@persianv . 5721, 5826
 \XePersian@persianvi . 5722, 5827
 \XePersian@persianvii 5723, 5828
 \XePersian@persianviii .. 5724,
 5829
 \XePersian@persianx . 5726, 5831
 \XePersian@persianxi . 5727, 5832
 \XePersian@persianxii 5728, 5833
 \XePersian@persianxiii .. 5729,
 5834
 \xepersian@pictureCaption 4569,
 4665, 4879
 \xepersian@releasename .. 2880,
 2882, 2883, 3049, 3886, 3890
 \xepersian@resa 4257, 4259
 \xepersian@rightjoiner .. 1573,
 1601, 1613, 1615, 3214, 3215
 \xepersian@sadgan .. 3992, 3997,
 4001, 4005, 4010, 4093, 4106
 \xepersian@sadgan@tartibi 4098,
 4102, 4111
 \xepersian@save@@f@family 3219,
 3220
 \xepersian@say . 4642, 5122, 5142,
 5145, 5147, 5171, 5197
 \xepersian@secondSubtitle 4545,
 4814
 \xepersian@secondText 4549, 4818
 \xepersian@secondTitle .. 4536,
 4810
 \xepersian@section . 4489, 4494,
 5118
 \xepersian@setlength 3617, 3660,
 3662, 3663, 3677, 3679, 3680,
 3694, 3696, 3697, 3753, 3755,
 3769, 3771, 3784, 3786, 3799,
 3801, 3815, 3861, 3863, 3865,
 3876
 \xepersian@shellescape ... 3120
 \xepersian@shortarticleItemTitle
 4607, 5211
 \xepersian@shortarticleSubtitle
 4605, 5191
 \xepersian@shortarticleTit ..
 5183, 5198
 \xepersian@shortarticleTitle ..
 4603, 5187
 \XePersian@sn .. 5737, 5836, 5848,
 5849, 5852, 5853, 5862, 5867
 \xepersian@strutilg 3570, 3573,
 3588, 3589, 3593, 3594, 3601,
 3602, 3605, 4322, 4325
 \xepersian@tartibi .. 4049, 4134
 \xepersian@tcl . 3568, 3573, 3575,
 3576, 3577, 3578, 3581, 3582,
 3583, 3587, 3588, 3589, 3592,
 3593, 3594, 3599, 3600
 \XePersian@temp 5731, 5742, 5743,
 5744, 5746, 5750, 5751, 5752,
 5755, 5756, 5757, 5758, 5780,
 5781, 5782, 5785, 5786, 5788,
 5791, 5792, 5796, 5797, 5800,
 5803, 5808, 5813, 5815, 5816,
 5818
 \xepersian@tempa 4255, 4266
 \XePersian@tempthree 5733, 5794,
 5795, 5796, 5798, 5801, 5804,
 5805, 5809, 5812, 5813, 5814,
 5815
 \XePersian@temptwo . 5732, 5782,
 5783, 5784, 5785, 5788, 5789,
 5790, 5791, 5798, 5799, 5800,
 5801, 5802, 5803, 5805, 5806,
 5807, 5808, 5809, 5810, 5811,
 5812
 \xepersian@textdigitfont 3018,
 3193, 3219



\xepersian@thirdSubtitle 4564, 4847
 \xepersian@thirdText 4567, 4854
 \xepersian@thirdTitle 4555, 4843
 \XePersian@thirtytwo 5735, 5779, 5786
 \xepersian@tmp 4270, 4271
 \xepersian@toks 4254, 4267
 \xepersian@value 4273, 4276
 \xepersian@version 2878, 2883, 3049, 3079, 3081, 3087, 3093, 3886, 3890
 \xepersian@vowel 1575, 1607
 \xepersian@weather 4484, 4919
 \xepersian@www 4454, 4727
 \xepersian@wwwFormat 4453, 4455
 \XePersian@y 5716, 5741, 5742, 5745, 5755, 5758, 5780, 5794, 5857, 5860, 5871, 5873
 \xepersian@yekani 3992, 4020, 4024, 4031, 4034, 4093
 \xepersian@yekanii 3943, 4005, 4030, 4106
 \xepersian@yekaniii 4001, 4033, 4102
 \xepersian@yekaniv 4012, 4036, 4113
 \xepersian@yekanv 4125, 4141
 \XePersian@yModHundred 5734, 5745, 5746, 5747, 5750, 5754
 \xepersian@zpj 1568, 1579, 1586
 \xepersiandate 2879, 2883, 3049, 3886
 \xepersianInit 4410, 4711
 \xepersianreleasename 2882
 \xepersianversion 3078
 \XeTeXcharclass 1595
 \XeTeXcharglyph 1582, 1584, 3576, 3577, 3578, 3581, 3582, 3583, 3587, 3588, 3589, 3592, 3593, 3594
 \XeTeXglyphbounds 1581, 1583, 3576, 3577, 3578, 3581, 3582, 3583, 3587, 3588, 3589, 3592, 3593, 3594
 \XeTeXinterchartoks 1609, 1610, 1611, 1612, 1613, 1614, 1615, 1616, 3201, 3202, 3203, 3204, 3205, 3206, 3208, 3209, 3210, 3211, 3212, 3213, 3214, 3215
 \xpg@warning 4147, 4152, 4154

Y

\y 3106, 3108, 3110
 \year 5741

Z

\z 3107, 3108
 \z@ 10, 18, 181, 182, 193, 195, 1563, 1821, 1921, 1925, 1930, 1931, 1939, 1949, 1953, 1954, 1959, 1973, 1983, 1987, 1988, 1993, 2009, 2031, 2032, 2043, 2061, 2072, 2076, 2077, 2090, 2104, 2291, 2337, 2339, 2348, 2472, 2473, 2480, 2481, 2775, 2776, 2779, 2780, 3203, 3204, 3524, 3525, 3534, 3535, 3573, 3576, 3581, 3587, 3592, 3618, 3619, 3620, 3626, 3633, 3634, 3640, 3662, 3679, 3696, 3817, 3826, 3870, 3987, 3989, 3991, 3995, 4011, 4014, 4020, 4088, 4090, 4092, 4096, 4112, 4115, 4125, 4154, 4176, 4180, 4184, 4187, 4269, 5792

¶

\ 1148, 1761, 2357
 \ 1785, 1787, 1790, 1797
 \ 1790
 \ 1775, 1782, 1783, 1786, 1787, 1795, 1797
 \ 1780, 1781, 1785, 1792
 \ 1773, 1779, 1780, 1785, 1790, 1791
 \ 1149, 1150, 1151, 1152, 1153, 1154, 1155, 1156, 1783
 \ 1785, 1786, 1791, 1792, 1794, 1795
 \ 1785, 1790
 \ 1785, 1786, 1791, 1795
 \ 1780, 1781
 \ 1785, 1787, 1792, 1797
 @ \ 1774, 1778

¤

@ \ 2482, 2483, 2484, 2485, 2486, 2487, 2488, 2489, 2490, 2491, 2492, 2493, 2494, 2495, 2496, 2497, 2498, 2499, 2500, 2501, 2502, 2503



© \ 1774
\\ 1780
\\ 1774, 1778
\\ 2136, 2444
\\ 2358
\\ 1781, 2133, 2134

⊗
\\ 1773
\\ 1776
\\ 1775, 1777

